DAIKIN

DAIKIN AIR CONDITIONING ITALY S.p.A.

Data: 13/10/2026

AUTOCERTIFICAZIONE DEL COSTRUTTORE

(ai sensi del D.M. 07 agosto 2025 e del D.P.R. n. 445/2000)

La sottoscritta società DAIKIN AIR CONDITIONING ITALY S.p.A., dichiara che gli apparecchi della seguente tipologia [1]:
III.A - Pompe di calore elettriche, elencati in allegato e immessi sul mercato dalla stessa, soddisfano:

- i requisiti di cui all'all'Allegato I del DM 07 agosto 2025 per l'accesso al Catalogo degli apparecchi domestici;

- i requisiti tecnici, richiesti nel **DM 07 agosto 2025, misurati secondo le metodologie previste dalla specifica normativa tecnica di riferimento*:**

III.A) Pompe di calore

-	Pompe di calore elettriche	UNI EN 14825	
-	Pompe di calore a gas ad assorbimento	UNI EN 12309	
-	Pompe di calore a gas a motore endotermico	UNI EN 16905	

III.B) Sistemi ibridi a pompa di calore [2]

-	PdC elettrica + Caldaia a gas a condensazione	UNI EN 14825 / UNI EN 15502	x
-	PdC a gas ad assorbimento + Caldaia a gas a condensazione	UNI EN 12309 / UNI EN 15502	
-	PdC a gas endotermica + Caldaia a gas a condensazione	UNI EN 16905 / UNI EN 15502	
-	PdC elettrica + Caldaia a biomassa	UNI EN 14825 / UNI EN 303-5	
-	PdC a gas ad assorbimento + Caldaia a biomassa	UNI EN 12309 / UNI EN 303-5	
-	PdC a gas endotermica + Caldaia a biomassa	UNI EN 16905 / UNI EN 303-5	

III.C) Generatori a biomassa [2]

-	Caldaie a biomassa	UNI EN 303-5 classe 5	
-	Stufe e termocamini a pellet	UNI EN 16510 (UNI EN 14785 per test fino al 9/11/25)	
-	Termocamini a legna	UNI EN 16510 (UNI EN 13229 per test fino al 9/11/25)	
-	Stufe a legna	UNI EN 16510 (UNI EN 13240 per test fino al 9/11/25)	

III.D) Solare termico

-	Collettori solari	UNI EN ISO 9806	
-	Impianti prefabbricati Factory Made	UNI EN 12976	

III.E) Scaldacqua a pompa di calore UNI EN 16147

III.G) Microcogeneratori

Rappresentante legale: Mr. Hiroshi Shimada
Firma: Firmato digitalmente da: HIROSHI SHIMADA
Data: 15/10/2026 10:27:29

Mauro Biancucci

Firmato digitalmente da Mauro Biancucci
Data: 2026.10.13 17:39:27 +02'00'

[1] Indicare solo una delle tipologie sopra elencate, specificando: tipo di intervento - tipo di apparecchio (ad esempio: III.A - Pompe di calore elettriche; III.C - Caldaie a biomassa; III.D - Sistemi solari Factory Made).

[2] Le emissioni di particolato primario (PP) e di monossido di carbonio (CO) sono determinate con i metodi previsti dalle norme tecniche specifiche per ogni tipologia III.C, in riferimento al 13% di O2. La classe di qualità minima ai sensi del DM 186/17 è 5 stelle.

* Altre norme tecniche di riferimento applicabili sono disciplinate, per ogni caso, dagli specifici adeguamenti normativi in essere.

Via Ripamonti, 85
20141 Milano
Italia

T +39 02 51619.1
F +39 02 51619.222

Cap. Soc. € 10.000.000,00 i.v.
Cod. Fisc. e Part. IVA 03667970283
R.E.A. di Milano n. 1677258
Iscritta nel Reg. Imp. di Milano n. 03667970283
Direzione e Coordinamento: Daikin Europe N.V.
Iscrizione al Registro A.E.E. n. IT08020000002580
Iscrizione al Registro P&B n. IT10020P00002092

PDC ELETTRICA + CALDAIA A GAS A CONDENSAZIONE DAIKIN

CONTIENE LE INFORMAZIONI RICHIESTE PER LA VERIFICA DELLA CONFORMITA' DEI PRODOTTI AI REQUISITI DEL
CONTO TERMICO 3.0 PER LE TIPOLOGIE D'INTERVENTO III.B

Daikin Air Conditioning Italy S.p.A. non si assume responsabilità per eventuali errori o inesattezze nel contenuto di questo prospetto e si riserva il diritto di apportare ai suoi prodotti, in qualunque momento e senza preavviso, eventuali modifiche ritenute opportune per qualsiasi esigenza di carattere tecnico o commerciale.

Nota 1: Il codice materiale, dedicato alla vendita, presente in tutta la documentazione tecnica e commerciale e nella presente dichiarazione ed il codice prodotto, presente sulla targa dell'unità, possono differire in quanto quest'ultimo contiene informazioni aggiuntive, legate al lotto di produzione, che variano nel tempo, queste variazioni non comportano alcuna variazione delle caratteristiche e prestazioni della macchina. (Esempio: Codice materiale: 3MXM40M - codice prodotto 3MXM40M2V1B)

Nota 2: I codici delle unità chiller elencate nella presente dichiarazione, identificano le unità base (prive di opzioni installate); tutte le macchine effettivamente vendute e fatturate hanno invece un codice materiale che presenta alcuni caratteri o numeri nella parte finale del codice es. EWYQ160F-XS021 oppure EWYQ009ACV3P-H-; tali modelli sono perfettamente conformi ai requisiti richiesti per beneficiare dell'incentivo in quanto le eventuali opzioni montate sulle macchine non alterano le caratteristiche prestazionali delle stesse (es. EWYQ160F-XS021 ha esattamente le stesse prestazioni della EWYQ160F-XS), pertanto ai fini legali le unità vendute/fatturate risulteranno ammesse alla Detrazione/Bonus quando il corrispettivo codice base sarà incluso nell'elenco.

Nota 3: La desinenza ".P" nel codice materiale, identifica prodotti rietichettati per questioni logistiche. Il codice ***.P può quindi essere visibile su: fattura, documento di trasporto, etichetta dell'imballo, ecc. Rimarrà invece invariato il codice su: targhetta della macchina, documentazione tecnico/commerciale e presente dichiarazione. (Esempio: Codice materiale: FTXM25R - Codice materiale rietichettato FTXM25R.P)

Nota 4:Le caldaie Sensei sono disponibili sia in versione Master con display incluso che slave priva di display.
Il modello D2HWS060 identifica sia il codice Master D2HWS060MAA che quello slave D2HWS060SLA.
Il modello D2HWS100 identifica sia il codice Master D2HWS100MAA che quello slave D2HWS100SLA.
Il modello D2HWS150 identifica sia il codice Master D2HWS150MAA che quello slave D2HWS150SLA.

Nota 5: I sistemi ibridi posso essere composti da più generatori in pompa di calore o più caldaie operanti in parallelo/cascata termica. La potenza termica della pompa di calore indicata in dichiarazione, cosi come la potenza della caldaia, si riferiscono al singolo generatore.
Pertanto, la potenza complessiva del sistema è data dal prodotto del numero di generatori/caldaie per la potenza relativa al modello.

Nota 6: il Controllore è sempre obbligatorio per il funzionamento ibrido e pertanto da prevedere come accessorio. Fare rifermento al listno/catalogo per il completamento del sistema.

Nota 7:
La dicitura "PdC MT in applicazione LT" significa "Pompa di calore medium temperature in applicazione low temperature" da utilizzare in caso di terminali a bassa temperatura.
La dicitura "PdC MT in applicazione MT" significa "Pompa di calore medium temperature in applicazione medium temperature" da utilizzare in caso di terminali a media temperatura.

Modello Pompa di calore	Numero di generatori in pompa di calore	Identificativo modello unità esterna	Identificativo modello unità interna	Tipologia scambio	Potenza termica Pompa di Calore [kWt]	Presenza inverter	Efficienza energetica stagionale (ηs)	SCOP	Numero di caldaie	Modello caldaia	Potenza Caldaia [kWt]	Rendimento caldaia [%] ηs (gas)	Rapporto PPdC/Pcaldaia	Controllore	Note
ALTHERMA 3 C HYBRID CASCADE	1	EBLA14D3V3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	2	D2CND028A1A	26,3	93,0	0,21	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	1	EBLA14D3V3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	2	D2TND028A4A	26,3	93,0	0,21	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	1	EBLA14D3W1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	2	D2CND028A1A	26,3	93,0	0,21	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	1	EBLA14D3W1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	2	D2TND028A4A	26,3	93,0	0,21	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	1	EBLA14DV3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	2	D2CND028A1A	26,3	93,0	0,21	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	1	EBLA14DV3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	2	D2TND028A4A	26,3	93,0	0,21	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	1	EBLA14DW1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	2	D2CND028A1A	26,3	93,0	0,21	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	1	EBLA14DW1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	2	D2TND028A4A	26,3	93,0	0,21	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	1	EBLA16D3V37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	2	D2CND028A1A	26,3	93,0	0,23	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	1	EBLA16D3V37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	2	D2TND028A4A	26,3	93,0	0,23	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	1	EBLA16D3W17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	2	D2CND028A1A	26,3	93,0	0,23	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	1	EBLA16D3W17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	2	D2TND028A4A	26,3	93,0	0,23	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	1	EBLA16DV37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	2	D2CND028A1A	26,3	93,0	0,23	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	1	EBLA16DV37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	2	D2TND028A4A	26,3	93,0	0,23	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	1	EBLA16DW17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	2	D2CND028A1A	26,3	93,0	0,23	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	1	EBLA16DW17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	2	D2TND028A4A	26,3	93,0	0,23	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	1	EBLA14D3V3	-	Aria/acqua	11	Si	134	3,42	2	D2CND028A1A	26,3	93,0	0,21	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	1	EBLA14D3V3	-	Aria/acqua	11	Si	134	3,42	2	D2TND028A4A	26,3	93,0	0,21	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	1	EBLA14D3W1	-	Aria/acqua	11	Si	134	3,42	2	D2CND028A1A	26,3	93,0	0,21	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	1	EBLA14D3W1	-	Aria/acqua	11	Si	134	3,42	2	D2TND028A4A	26,3	93,0	0,21	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	1	EBLA14DV3	-	Aria/acqua	11	Si	134	3,42	2	D2CND028A1A	26,3	93,0	0,21	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	1	EBLA14DV3	-	Aria/acqua	11	Si	134	3,42	2	D2TND028A4A	26,3	93,0	0,21	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	1	EBLA14DW1	-	Aria/acqua	11	Si	134	3,42	2	D2CND028A1A	26,3	93,0	0,21	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	1	EBLA14DW1	-	Aria/acqua	11	Si	134	3,42	2	D2TND028A4A	26,3	93,0	0,21	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	1	EBLA16D3V37	-	Aria/acqua	12	Si	132	3,37	2	D2CND028A1A	26,3	93,0	0,23	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	1	EBLA16D3V37	-	Aria/acqua	12	Si	132	3,37	2	D2TND028A4A	26,3	93,0	0,23	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	1	EBLA16D3W17	-	Aria/acqua	12	Si	132	3,37	2	D2CND028A1A	26,3	93,0	0,23	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	1	EBLA16D3W17	-	Aria/acqua	12	Si	132	3,37	2	D2TND028A4A	26,3	93,0	0,23	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	1	EBLA16DV37	-	Aria/acqua	12	Si	132	3,37	2	D2CND028A1A	26,3	93,0	0,23	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	1	EBLA16DV37	-	Aria/acqua	12	Si	132	3,37	2	D2TND028A4A	26,3	93,0	0,23	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	1	EBLA16DW17	-	Aria/acqua	12	Si	132	3,37	2	D2CND028A1A	26,3	93,0	0,23	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	1	EBLA16DW17	-	Aria/acqua	12	Si	132	3,37	2	D2TND028A4A	26,3	93,0	0,23	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA11D3V3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	2	D2CND028A1A	26,3	93,0	0,38	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA11D3V3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	3	D2CND028A1A	26,3	93,0	0,25	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA11D3V3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	2	D2CND035A1A	33,2	93,0	0,30	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA11D3V3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	3	D2CND035A1A	33,2	93,0	0,20	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA11D3V3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	2	D2TND028A4A	26,3	93,0	0,38	EKCC(9)-W	PdC MT in applicazione LT

ALTHERMA 3 C HYBRID CASCADE	2	EBLA11D3V3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	3	D2TND028A4A	26,3	93,0	0,25	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA11D3V3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	2	D2TND035A4A	33,2	93,0	0,30	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA11D3V3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	3	D2TND035A4A	33,2	93,0	0,20	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA11D3W1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	2	D2CND028A1A	26,3	93,0	0,38	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA11D3W1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	3	D2CND028A1A	26,3	93,0	0,25	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA11D3W1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	2	D2CND035A1A	33,2	93,0	0,30	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA11D3W1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	3	D2CND035A1A	33,2	93,0	0,20	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA11D3W1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	2	D2TND028A4A	26,3	93,0	0,38	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA11D3W1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	3	D2TND028A4A	26,3	93,0	0,25	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA11D3W1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	2	D2TND035A4A	33,2	93,0	0,30	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA11D3W1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	3	D2TND035A4A	33,2	93,0	0,20	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA11DV3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	2	D2CND028A1A	26,3	93,0	0,38	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA11DV3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	3	D2CND028A1A	26,3	93,0	0,25	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA11DV3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	2	D2CND035A1A	33,2	93,0	0,30	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA11DV3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	3	D2CND035A1A	33,2	93,0	0,20	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA11DV3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	2	D2TND028A4A	26,3	93,0	0,38	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA11DV3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	3	D2TND028A4A	26,3	93,0	0,25	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA11DV3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	2	D2TND035A4A	33,2	93,0	0,30	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA11DV3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	3	D2TND035A4A	33,2	93,0	0,20	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA11DW1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	2	D2CND028A1A	26,3	93,0	0,38	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA11DW1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	3	D2CND028A1A	26,3	93,0	0,25	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA11DW1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	2	D2CND035A1A	33,2	93,0	0,30	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA11DW1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	3	D2CND035A1A	33,2	93,0	0,20	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA11DW1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	2	D2TND028A4A	26,3	93,0	0,38	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA11DW1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	3	D2TND028A4A	26,3	93,0	0,25	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA11DW1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	2	D2TND035A4A	33,2	93,0	0,30	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA11DW1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	3	D2TND035A4A	33,2	93,0	0,20	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA14D3V3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	3	D2CND028A1A	26,3	93,0	0,28	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA14D3V3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	4	D2CND028A1A	26,3	93,0	0,21	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA14D3V3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	2	D2CND035A1A	33,2	93,0	0,33	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA14D3V3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	3	D2CND035A1A	33,2	93,0	0,22	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA14D3V3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	3	D2TND028A4A	26,3	93,0	0,28	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA14D3V3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	4	D2TND028A4A	26,3	93,0	0,21	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA14D3V3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	2	D2TND035A4A	33,2	93,0	0,33	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA14D3V3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	3	D2TND035A4A	33,2	93,0	0,22	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA14D3W1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	3	D2CND028A1A	26,3	93,0	0,28	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA14D3W1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	4	D2CND028A1A	26,3	93,0	0,21	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA14D3W1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	2	D2CND035A1A	33,2	93,0	0,33	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA14D3W1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	3	D2CND035A1A	33,2	93,0	0,22	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA14D3W1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	3	D2TND028A4A	26,3	93,0	0,28	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA14D3W1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	4	D2TND028A4A	26,3	93,0	0,21	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA14D3W1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	2	D2TND035A4A	33,2	93,0	0,33	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA14D3W1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	3	D2TND035A4A	33,2	93,0	0,22	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA14DV3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	3	D2CND028A1A	26,3	93,0	0,28	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA14DV3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	4	D2CND028A1A	26,3	93,0	0,21	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA14DV3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	2	D2CND035A1A	33,2	93,0	0,33	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA14DV3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	3	D2CND035A1A	33,2	93,0	0,22	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA14DV3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	3	D2TND028A4A	26,3	93,0	0,28	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA14DV3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	4	D2TND028A4A	26,3	93,0	0,21	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA14DV3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	2	D2TND035A4A	33,2	93,0	0,33	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA14DV3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	3	D2TND035A4A	33,2	93,0	0,22	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA14DW1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	3	D2CND028A1A	26,3	93,0	0,28	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA14DW1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	4	D2CND028A1A	26,3	93,0	0,21	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA14DW1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	2	D2CND035A1A	33,2	93,0	0,33	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA14DW1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	3	D2CND035A1A	33,2	93,0	0,22	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA14DW1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	3	D2TND028A4A	26,3	93,0	0,28	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA14DW1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	4	D2TND028A4A	26,3	93,0	0,21	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA14DW1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	2	D2TND035A4A	33,2	93,0	0,33	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA14DW1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	3	D2TND035A4A	33,2	93,0	0,22	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA16D3V37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	3	D2CND028A1A	26,3	93,0	0,30	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA16D3V37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	4	D2CND028A1A	26,3	93,0	0,23	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA16D3V37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	2	D2CND035A1A	33,2	93,0	0,36	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA16D3V37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	3	D2CND035A1A	33,2	93,0	0,24	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA16D3V37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	3	D2TND028A4A	26,3	93,0	0,30	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA16D3V37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	4	D2TND028A4A	26,3	93,0	0,23	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA16D3V37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	2	D2TND035A4A	33,2	93,0	0,36	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA16D3V37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	3	D2TND035A4A	33,2	93,0	0,24	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA16D3W17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	3	D2CND028A1A	26,3	93,0	0,30	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA16D3W17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	4	D2CND028A1A	26,3	93,0	0,23	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA16D3W17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	2	D2CND035A1A	33,2	93,0	0,36	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA16D3W17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	3	D2CND035A1A	33,2	93,0	0,24	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA16D3W17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	3	D2TND028A4A	26,3	93,0	0,30	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA16D3W17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	4	D2TND028A4A	26,3	93,0	0,23	EKCC(9)-W	PdC MT in applicazione LT

ALTHERMA 3 C HYBRID CASCADE	2	EBLA16D3W17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	2	D2TND035A4A	33,2	93,0	0,36	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA16D3W17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	3	D2TND035A4A	33,2	93,0	0,24	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA16DV37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	3	D2CND028A1A	26,3	93,0	0,30	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA16DV37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	4	D2CND028A1A	26,3	93,0	0,23	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA16DV37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	2	D2CND035A1A	33,2	93,0	0,36	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA16DV37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	3	D2CND035A1A	33,2	93,0	0,24	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA16DV37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	3	D2TND028A4A	26,3	93,0	0,30	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA16DV37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	4	D2TND028A4A	26,3	93,0	0,23	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA16DV37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	2	D2TND035A4A	33,2	93,0	0,36	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA16DV37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	3	D2TND035A4A	33,2	93,0	0,24	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA16DW17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	3	D2CND028A1A	26,3	93,0	0,30	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA16DW17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	4	D2CND028A1A	26,3	93,0	0,23	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA16DW17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	2	D2CND035A1A	33,2	93,0	0,36	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA16DW17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	3	D2CND035A1A	33,2	93,0	0,24	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA16DW17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	3	D2TND028A4A	26,3	93,0	0,30	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA16DW17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	4	D2TND028A4A	26,3	93,0	0,23	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA16DW17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	2	D2TND035A4A	33,2	93,0	0,36	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA16DW17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	3	D2TND035A4A	33,2	93,0	0,24	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA11D3V3	-	Aria/acqua	10	Si	132	3,37	2	D2CND028A1A	26,3	93,0	0,38	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA11D3V3	-	Aria/acqua	10	Si	132	3,37	3	D2CND028A1A	26,3	93,0	0,25	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA11D3V3	-	Aria/acqua	10	Si	132	3,37	2	D2CND035A1A	33,2	93,0	0,30	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA11D3V3	-	Aria/acqua	10	Si	132	3,37	3	D2CND035A1A	33,2	93,0	0,20	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA11D3V3	-	Aria/acqua	10	Si	132	3,37	2	D2TND028A4A	26,3	93,0	0,38	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA11D3V3	-	Aria/acqua	10	Si	132	3,37	3	D2TND028A4A	26,3	93,0	0,25	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA11D3V3	-	Aria/acqua	10	Si	132	3,37	2	D2TND035A4A	33,2	93,0	0,30	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA11D3V3	-	Aria/acqua	10	Si	132	3,37	3	D2TND035A4A	33,2	93,0	0,20	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA11D3W1	-	Aria/acqua	10	Si	132	3,37	2	D2CND028A1A	26,3	93,0	0,38	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA11D3W1	-	Aria/acqua	10	Si	132	3,37	3	D2CND028A1A	26,3	93,0	0,25	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA11D3W1	-	Aria/acqua	10	Si	132	3,37	2	D2CND035A1A	33,2	93,0	0,30	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA11D3W1	-	Aria/acqua	10	Si	132	3,37	3	D2CND035A1A	33,2	93,0	0,20	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA11D3W1	-	Aria/acqua	10	Si	132	3,37	2	D2TND028A4A	26,3	93,0	0,38	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA11D3W1	-	Aria/acqua	10	Si	132	3,37	3	D2TND028A4A	26,3	93,0	0,25	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA11D3W1	-	Aria/acqua	10	Si	132	3,37	2	D2TND035A4A	33,2	93,0	0,30	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA11D3W1	-	Aria/acqua	10	Si	132	3,37	3	D2TND035A4A	33,2	93,0	0,20	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA11DV3	-	Aria/acqua	10	Si	132	3,37	2	D2CND028A1A	26,3	93,0	0,38	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA11DV3	-	Aria/acqua	10	Si	132	3,37	3	D2CND028A1A	26,3	93,0	0,25	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA11DV3	-	Aria/acqua	10	Si	132	3,37	2	D2CND035A1A	33,2	93,0	0,30	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA11DV3	-	Aria/acqua	10	Si	132	3,37	3	D2CND035A1A	33,2	93,0	0,20	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA11DV3	-	Aria/acqua	10	Si	132	3,37	2	D2TND028A4A	26,3	93,0	0,38	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA11DV3	-	Aria/acqua	10	Si	132	3,37	3	D2TND028A4A	26,3	93,0	0,25	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA11DV3	-	Aria/acqua	10	Si	132	3,37	2	D2TND035A4A	33,2	93,0	0,30	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA11DV3	-	Aria/acqua	10	Si	132	3,37	3	D2TND035A4A	33,2	93,0	0,20	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA11DW1	-	Aria/acqua	10	Si	132	3,37	2	D2CND028A1A	26,3	93,0	0,38	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA11DW1	-	Aria/acqua	10	Si	132	3,37	3	D2CND028A1A	26,3	93,0	0,25	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA11DW1	-	Aria/acqua	10	Si	132	3,37	2	D2CND035A1A	33,2	93,0	0,30	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA11DW1	-	Aria/acqua	10	Si	132	3,37	3	D2CND035A1A	33,2	93,0	0,20	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA11DW1	-	Aria/acqua	10	Si	132	3,37	2	D2TND028A4A	26,3	93,0	0,38	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA11DW1	-	Aria/acqua	10	Si	132	3,37	3	D2TND028A4A	26,3	93,0	0,25	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA11DW1	-	Aria/acqua	10	Si	132	3,37	2	D2TND035A4A	33,2	93,0	0,30	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA11DW1	-	Aria/acqua	10	Si	132	3,37	3	D2TND035A4A	33,2	93,0	0,20	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA14D3V3	-	Aria/acqua	11	Si	134	3,42	3	D2CND028A1A	26,3	93,0	0,28	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA14D3V3	-	Aria/acqua	11	Si	134	3,42	4	D2CND028A1A	26,3	93,0	0,21	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA14D3V3	-	Aria/acqua	11	Si	134	3,42	2	D2CND035A1A	33,2	93,0	0,33	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA14D3V3	-	Aria/acqua	11	Si	134	3,42	3	D2CND035A1A	33,2	93,0	0,22	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA14D3V3	-	Aria/acqua	11	Si	134	3,42	3	D2TND028A4A	26,3	93,0	0,28	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA14D3V3	-	Aria/acqua	11	Si	134	3,42	4	D2TND028A4A	26,3	93,0	0,21	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA14D3V3	-	Aria/acqua	11	Si	134	3,42	2	D2TND035A4A	33,2	93,0	0,33	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA14D3V3	-	Aria/acqua	11	Si	134	3,42	3	D2TND035A4A	33,2	93,0	0,22	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA14D3W1	-	Aria/acqua	11	Si	134	3,42	3	D2CND028A1A	26,3	93,0	0,28	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA14D3W1	-	Aria/acqua	11	Si	134	3,42	4	D2CND028A1A	26,3	93,0	0,21	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA14D3W1	-	Aria/acqua	11	Si	134	3,42	2	D2CND035A1A	33,2	93,0	0,33	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA14D3W1	-	Aria/acqua	11	Si	134	3,42	3	D2CND035A1A	33,2	93,0	0,22	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA14D3W1	-	Aria/acqua	11	Si	134	3,42	3	D2TND028A4A	26,3	93,0	0,28	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA14D3W1	-	Aria/acqua	11	Si	134	3,42	4	D2TND028A4A	26,3	93,0	0,21	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA14D3W1	-	Aria/acqua	11	Si	134	3,42	2	D2TND035A4A	33,2	93,0	0,33	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA14D3W1	-	Aria/acqua	11	Si	134	3,42	3	D2TND035A4A	33,2	93,0	0,22	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA14DV3	-	Aria/acqua	11	Si	134	3,42	3	D2CND028A1A	26,3	93,0	0,28	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA14DV3	-	Aria/acqua	11	Si	134	3,42	4	D2CND028A1A	26,3	93,0	0,21	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA14DV3	-	Aria/acqua	11	Si	134	3,42	2	D2CND035A1A	33,2	93,0	0,33	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA14DV3	-	Aria/acqua	11	Si	134	3,42	3	D2CND035A1A	33,2	93,0	0,22	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA14DV3	-	Aria/acqua	11	Si	134	3,42	3	D2TND028A4A	26,3	93,0	0,28	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA14DV3	-	Aria/acqua	11	Si	134	3,42	4	D2TND028A4A	26,3	93,0	0,21	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA14DV3	-	Aria/acqua	11	Si	134	3,42	2	D2TND035A4A	33,2	93,0	0,33	EKCC(9)-W	PdC MT in applicazione MT

ALTHERMA 3 C HYBRID CASCADE	2	EBLA14DV3	-	Aria/acqua	11	Si	134	3,42	3	D2TND035A4A	33,2	93,0	0,22	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA14DW1	-	Aria/acqua	11	Si	134	3,42	3	D2CND028A1A	26,3	93,0	0,28	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA14DW1	-	Aria/acqua	11	Si	134	3,42	4	D2CND028A1A	26,3	93,0	0,21	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA14DW1	-	Aria/acqua	11	Si	134	3,42	2	D2CND035A1A	33,2	93,0	0,33	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA14DW1	-	Aria/acqua	11	Si	134	3,42	3	D2CND035A1A	33,2	93,0	0,22	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA14DW1	-	Aria/acqua	11	Si	134	3,42	3	D2TND028A4A	26,3	93,0	0,28	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA14DW1	-	Aria/acqua	11	Si	134	3,42	4	D2TND028A4A	26,3	93,0	0,21	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA14DW1	-	Aria/acqua	11	Si	134	3,42	2	D2TND035A4A	33,2	93,0	0,33	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA14DW1	-	Aria/acqua	11	Si	134	3,42	3	D2TND035A4A	33,2	93,0	0,22	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA16D3V37	-	Aria/acqua	12	Si	132	3,37	3	D2CND028A1A	26,3	93,0	0,30	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA16D3V37	-	Aria/acqua	12	Si	132	3,37	4	D2CND028A1A	26,3	93,0	0,23	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA16D3V37	-	Aria/acqua	12	Si	132	3,37	2	D2CND035A1A	33,2	93,0	0,36	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA16D3V37	-	Aria/acqua	12	Si	132	3,37	3	D2CND035A1A	33,2	93,0	0,24	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA16D3V37	-	Aria/acqua	12	Si	132	3,37	3	D2TND028A4A	26,3	93,0	0,30	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA16D3V37	-	Aria/acqua	12	Si	132	3,37	4	D2TND028A4A	26,3	93,0	0,23	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA16D3V37	-	Aria/acqua	12	Si	132	3,37	2	D2TND035A4A	33,2	93,0	0,36	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA16D3V37	-	Aria/acqua	12	Si	132	3,37	3	D2TND035A4A	33,2	93,0	0,24	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA16D3W17	-	Aria/acqua	12	Si	132	3,37	3	D2CND028A1A	26,3	93,0	0,30	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA16D3W17	-	Aria/acqua	12	Si	132	3,37	4	D2CND028A1A	26,3	93,0	0,23	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA16D3W17	-	Aria/acqua	12	Si	132	3,37	2	D2CND035A1A	33,2	93,0	0,36	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA16D3W17	-	Aria/acqua	12	Si	132	3,37	3	D2CND035A1A	33,2	93,0	0,24	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA16D3W17	-	Aria/acqua	12	Si	132	3,37	3	D2TND028A4A	26,3	93,0	0,30	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA16D3W17	-	Aria/acqua	12	Si	132	3,37	4	D2TND028A4A	26,3	93,0	0,23	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA16D3W17	-	Aria/acqua	12	Si	132	3,37	2	D2TND035A4A	33,2	93,0	0,36	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA16D3W17	-	Aria/acqua	12	Si	132	3,37	3	D2TND035A4A	33,2	93,0	0,24	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA16DV37	-	Aria/acqua	12	Si	132	3,37	3	D2CND028A1A	26,3	93,0	0,30	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA16DV37	-	Aria/acqua	12	Si	132	3,37	4	D2CND028A1A	26,3	93,0	0,23	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA16DV37	-	Aria/acqua	12	Si	132	3,37	2	D2CND035A1A	33,2	93,0	0,36	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA16DV37	-	Aria/acqua	12	Si	132	3,37	3	D2CND035A1A	33,2	93,0	0,24	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA16DV37	-	Aria/acqua	12	Si	132	3,37	3	D2TND028A4A	26,3	93,0	0,30	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA16DV37	-	Aria/acqua	12	Si	132	3,37	4	D2TND028A4A	26,3	93,0	0,23	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA16DV37	-	Aria/acqua	12	Si	132	3,37	2	D2TND035A4A	33,2	93,0	0,36	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA16DV37	-	Aria/acqua	12	Si	132	3,37	3	D2TND035A4A	33,2	93,0	0,24	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA16DW17	-	Aria/acqua	12	Si	132	3,37	3	D2CND028A1A	26,3	93,0	0,30	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA16DW17	-	Aria/acqua	12	Si	132	3,37	4	D2CND028A1A	26,3	93,0	0,23	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA16DW17	-	Aria/acqua	12	Si	132	3,37	2	D2CND035A1A	33,2	93,0	0,36	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA16DW17	-	Aria/acqua	12	Si	132	3,37	3	D2CND035A1A	33,2	93,0	0,24	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA16DW17	-	Aria/acqua	12	Si	132	3,37	3	D2TND028A4A	26,3	93,0	0,30	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA16DW17	-	Aria/acqua	12	Si	132	3,37	4	D2TND028A4A	26,3	93,0	0,23	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA16DW17	-	Aria/acqua	12	Si	132	3,37	2	D2TND035A4A	33,2	93,0	0,36	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	2	EBLA16DW17	-	Aria/acqua	12	Si	132	3,37	3	D2TND035A4A	33,2	93,0	0,24	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA11D3V3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	3	D2CND028A1A	26,3	93,0	0,38	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA11D3V3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	4	D2CND028A1A	26,3	93,0	0,29	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA11D3V3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	5	D2CND028A1A	26,3	93,0	0,23	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA11D3V3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	3	D2CND035A1A	33,2	93,0	0,30	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA11D3V3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	4	D2CND035A1A	33,2	93,0	0,23	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA11D3V3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	3	D2TND028A4A	26,3	93,0	0,38	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA11D3V3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	4	D2TND028A4A	26,3	93,0	0,29	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA11D3V3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	5	D2TND028A4A	26,3	93,0	0,23	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA11D3V3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	3	D2TND035A4A	33,2	93,0	0,30	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA11D3V3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	4	D2TND035A4A	33,2	93,0	0,23	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA11D3W1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	3	D2CND028A1A	26,3	93,0	0,38	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA11D3W1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	4	D2CND028A1A	26,3	93,0	0,29	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA11D3W1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	5	D2CND028A1A	26,3	93,0	0,23	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA11D3W1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	3	D2CND035A1A	33,2	93,0	0,30	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA11D3W1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	4	D2CND035A1A	33,2	93,0	0,23	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA11D3W1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	3	D2TND028A4A	26,3	93,0	0,38	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA11D3W1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	4	D2TND028A4A	26,3	93,0	0,29	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA11D3W1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	5	D2TND028A4A	26,3	93,0	0,23	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA11D3W1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	3	D2TND035A4A	33,2	93,0	0,30	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA11D3W1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	4	D2TND035A4A	33,2	93,0	0,23	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA11DV3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	3	D2CND028A1A	26,3	93,0	0,38	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA11DV3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	4	D2CND028A1A	26,3	93,0	0,29	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA11DV3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	5	D2CND028A1A	26,3	93,0	0,23	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA11DV3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	3	D2CND035A1A	33,2	93,0	0,30	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA11DV3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	4	D2CND035A1A	33,2	93,0	0,23	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA11DV3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	3	D2TND028A4A	26,3	93,0	0,38	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA11DV3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	4	D2TND028A4A	26,3	93,0	0,29	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA11DV3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	5	D2TND028A4A	26,3	93,0	0,23	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA11DV3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	3	D2TND035A4A	33,2	93,0	0,30	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA11DV3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	4	D2TND035A4A	33,2	93,0	0,23	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA11DW1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	3	D2CND028A1A	26,3	93,0	0,38	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA11DW1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	4	D2CND028A1A	26,3	93,0	0,29	EKCC(9)-W	PdC MT in applicazione LT

ALTHERMA 3 C HYBRID CASCADE	3	EBLA11DW1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	5	D2CND028A1A	26,3	93,0	0,23	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA11DW1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	3	D2CND035A1A	33,2	93,0	0,30	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA11DW1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	4	D2CND035A1A	33,2	93,0	0,23	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA11DW1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	3	D2TND028A4A	26,3	93,0	0,38	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA11DW1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	4	D2TND028A4A	26,3	93,0	0,29	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA11DW1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	5	D2TND028A4A	26,3	93,0	0,23	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA11DW1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	3	D2TND035A4A	33,2	93,0	0,30	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA11DW1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	4	D2TND035A4A	33,2	93,0	0,23	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA14D3V3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	4	D2CND028A1A	26,3	93,0	0,31	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA14D3V3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	5	D2CND028A1A	26,3	93,0	0,25	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA14D3V3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	6	D2CND028A1A	26,3	93,0	0,21	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA14D3V3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	3	D2CND035A1A	33,2	93,0	0,33	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA14D3V3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	4	D2CND035A1A	33,2	93,0	0,25	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA14D3V3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	5	D2CND035A1A	33,2	93,0	0,20	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA14D3V3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	4	D2TND028A4A	26,3	93,0	0,31	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA14D3V3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	5	D2TND028A4A	26,3	93,0	0,25	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA14D3V3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	6	D2TND028A4A	26,3	93,0	0,21	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA14D3V3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	3	D2TND035A4A	33,2	93,0	0,33	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA14D3V3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	4	D2TND035A4A	33,2	93,0	0,25	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA14D3V3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	5	D2TND035A4A	33,2	93,0	0,20	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA14D3W1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	4	D2CND028A1A	26,3	93,0	0,31	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA14D3W1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	5	D2CND028A1A	26,3	93,0	0,25	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA14D3W1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	6	D2CND028A1A	26,3	93,0	0,21	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA14D3W1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	3	D2CND035A1A	33,2	93,0	0,33	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA14D3W1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	4	D2CND035A1A	33,2	93,0	0,25	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA14D3W1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	5	D2CND035A1A	33,2	93,0	0,20	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA14D3W1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	4	D2TND028A4A	26,3	93,0	0,31	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA14D3W1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	5	D2TND028A4A	26,3	93,0	0,25	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA14D3W1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	6	D2TND028A4A	26,3	93,0	0,21	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA14D3W1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	3	D2TND035A4A	33,2	93,0	0,33	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA14D3W1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	4	D2TND035A4A	33,2	93,0	0,25	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA14D3W1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	5	D2TND035A4A	33,2	93,0	0,20	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA14DV3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	4	D2CND028A1A	26,3	93,0	0,31	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA14DV3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	5	D2CND028A1A	26,3	93,0	0,25	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA14DV3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	6	D2CND028A1A	26,3	93,0	0,21	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA14DV3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	3	D2CND035A1A	33,2	93,0	0,33	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA14DV3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	4	D2CND035A1A	33,2	93,0	0,25	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA14DV3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	5	D2CND035A1A	33,2	93,0	0,20	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA14DV3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	4	D2TND028A4A	26,3	93,0	0,31	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA14DV3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	5	D2TND028A4A	26,3	93,0	0,25	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA14DV3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	6	D2TND028A4A	26,3	93,0	0,21	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA14DV3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	3	D2TND035A4A	33,2	93,0	0,33	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA14DV3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	4	D2TND035A4A	33,2	93,0	0,25	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA14DV3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	5	D2TND035A4A	33,2	93,0	0,20	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA14DW1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	4	D2CND028A1A	26,3	93,0	0,31	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA14DW1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	5	D2CND028A1A	26,3	93,0	0,25	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA14DW1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	6	D2CND028A1A	26,3	93,0	0,21	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA14DW1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	3	D2CND035A1A	33,2	93,0	0,33	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA14DW1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	4	D2CND035A1A	33,2	93,0	0,25	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA14DW1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	5	D2CND035A1A	33,2	93,0	0,20	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA14DW1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	4	D2TND028A4A	26,3	93,0	0,31	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA14DW1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	5	D2TND028A4A	26,3	93,0	0,25	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA14DW1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	6	D2TND028A4A	26,3	93,0	0,21	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA14DW1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	3	D2TND035A4A	33,2	93,0	0,33	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA14DW1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	4	D2TND035A4A	33,2	93,0	0,25	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA14DW1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	5	D2TND035A4A	33,2	93,0	0,20	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA16D3V37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	4	D2CND028A1A	26,3	93,0	0,34	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA16D3V37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	5	D2CND028A1A	26,3	93,0	0,27	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA16D3V37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	6	D2CND028A1A	26,3	93,0	0,23	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA16D3V37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	3	D2CND035A1A	33,2	93,0	0,36	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA16D3V37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	4	D2CND035A1A	33,2	93,0	0,27	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA16D3V37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	5	D2CND035A1A	33,2	93,0	0,22	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA16D3V37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	4	D2TND028A4A	26,3	93,0	0,34	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA16D3V37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	5	D2TND028A4A	26,3	93,0	0,27	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA16D3V37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	6	D2TND028A4A	26,3	93,0	0,23	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA16D3V37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	3	D2TND035A4A	33,2	93,0	0,36	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA16D3V37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	4	D2TND035A4A	33,2	93,0	0,27	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA16D3V37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	5	D2TND035A4A	33,2	93,0	0,22	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA16D3W17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	4	D2CND028A1A	26,3	93,0	0,34	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA16D3W17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	5	D2CND028A1A	26,3	93,0	0,27	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA16D3W17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	6	D2CND028A1A	26,3	93,0	0,23	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA16D3W17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	3	D2CND035A1A	33,2	93,0	0,36	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA16D3W17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	4	D2CND035A1A	33,2	93,0	0,27	EKCC(9)-W	PdC MT in applicazione LT

ALTHERMA 3 C HYBRID CASCADE	3	EBLA16D3W17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	5	D2CND035A1A	33,2	93,0	0,22	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA16D3W17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	4	D2TND028A4A	26,3	93,0	0,34	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA16D3W17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	5	D2TND028A4A	26,3	93,0	0,27	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA16D3W17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	6	D2TND028A4A	26,3	93,0	0,23	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA16D3W17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	3	D2TND035A4A	33,2	93,0	0,36	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA16D3W17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	4	D2TND035A4A	33,2	93,0	0,27	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA16D3W17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	5	D2TND035A4A	33,2	93,0	0,22	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA16DV37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	4	D2CND028A1A	26,3	93,0	0,34	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA16DV37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	5	D2CND028A1A	26,3	93,0	0,27	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA16DV37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	6	D2CND028A1A	26,3	93,0	0,23	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA16DV37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	3	D2CND035A1A	33,2	93,0	0,36	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA16DV37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	4	D2CND035A1A	33,2	93,0	0,27	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA16DV37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	5	D2CND035A1A	33,2	93,0	0,22	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA16DV37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	4	D2TND028A4A	26,3	93,0	0,34	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA16DV37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	5	D2TND028A4A	26,3	93,0	0,27	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA16DV37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	6	D2TND028A4A	26,3	93,0	0,23	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA16DV37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	3	D2TND035A4A	33,2	93,0	0,36	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA16DV37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	4	D2TND035A4A	33,2	93,0	0,27	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA16DV37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	5	D2TND035A4A	33,2	93,0	0,22	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA16DW17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	4	D2CND028A1A	26,3	93,0	0,34	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA16DW17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	5	D2CND028A1A	26,3	93,0	0,27	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA16DW17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	6	D2CND028A1A	26,3	93,0	0,23	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA16DW17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	3	D2CND035A1A	33,2	93,0	0,36	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA16DW17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	4	D2CND035A1A	33,2	93,0	0,27	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA16DW17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	5	D2CND035A1A	33,2	93,0	0,22	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA16DW17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	4	D2TND028A4A	26,3	93,0	0,34	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA16DW17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	5	D2TND028A4A	26,3	93,0	0,27	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA16DW17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	6	D2TND028A4A	26,3	93,0	0,23	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA16DW17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	3	D2TND035A4A	33,2	93,0	0,36	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA16DW17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	4	D2TND035A4A	33,2	93,0	0,27	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA16DW17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	5	D2TND035A4A	33,2	93,0	0,22	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA11D3V3	-	Aria/acqua	10	Si	132	3,37	3	D2CND028A1A	26,3	93,0	0,38	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA11D3V3	-	Aria/acqua	10	Si	132	3,37	4	D2CND028A1A	26,3	93,0	0,29	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA11D3V3	-	Aria/acqua	10	Si	132	3,37	5	D2CND028A1A	26,3	93,0	0,23	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA11D3V3	-	Aria/acqua	10	Si	132	3,37	3	D2CND035A1A	33,2	93,0	0,30	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA11D3V3	-	Aria/acqua	10	Si	132	3,37	4	D2CND035A1A	33,2	93,0	0,23	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA11D3V3	-	Aria/acqua	10	Si	132	3,37	3	D2TND028A4A	26,3	93,0	0,38	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA11D3V3	-	Aria/acqua	10	Si	132	3,37	4	D2TND028A4A	26,3	93,0	0,29	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA11D3V3	-	Aria/acqua	10	Si	132	3,37	5	D2TND028A4A	26,3	93,0	0,23	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA11D3V3	-	Aria/acqua	10	Si	132	3,37	3	D2TND035A4A	33,2	93,0	0,30	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA11D3V3	-	Aria/acqua	10	Si	132	3,37	4	D2TND035A4A	33,2	93,0	0,23	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA11D3W1	-	Aria/acqua	10	Si	132	3,37	3	D2CND028A1A	26,3	93,0	0,38	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA11D3W1	-	Aria/acqua	10	Si	132	3,37	4	D2CND028A1A	26,3	93,0	0,29	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA11D3W1	-	Aria/acqua	10	Si	132	3,37	5	D2CND028A1A	26,3	93,0	0,23	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA11D3W1	-	Aria/acqua	10	Si	132	3,37	3	D2CND035A1A	33,2	93,0	0,30	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA11D3W1	-	Aria/acqua	10	Si	132	3,37	4	D2CND035A1A	33,2	93,0	0,23	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA11D3W1	-	Aria/acqua	10	Si	132	3,37	3	D2TND028A4A	26,3	93,0	0,38	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA11D3W1	-	Aria/acqua	10	Si	132	3,37	4	D2TND028A4A	26,3	93,0	0,29	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA11D3W1	-	Aria/acqua	10	Si	132	3,37	5	D2TND028A4A	26,3	93,0	0,23	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA11D3W1	-	Aria/acqua	10	Si	132	3,37	3	D2TND035A4A	33,2	93,0	0,30	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA11D3W1	-	Aria/acqua	10	Si	132	3,37	4	D2TND035A4A	33,2	93,0	0,23	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA11DV3	-	Aria/acqua	10	Si	132	3,37	3	D2CND028A1A	26,3	93,0	0,38	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA11DV3	-	Aria/acqua	10	Si	132	3,37	4	D2CND028A1A	26,3	93,0	0,29	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA11DV3	-	Aria/acqua	10	Si	132	3,37	5	D2CND028A1A	26,3	93,0	0,23	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA11DV3	-	Aria/acqua	10	Si	132	3,37	3	D2CND035A1A	33,2	93,0	0,30	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA11DV3	-	Aria/acqua	10	Si	132	3,37	4	D2CND035A1A	33,2	93,0	0,23	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA11DV3	-	Aria/acqua	10	Si	132	3,37	3	D2TND028A4A	26,3	93,0	0,38	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA11DV3	-	Aria/acqua	10	Si	132	3,37	4	D2TND028A4A	26,3	93,0	0,29	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA11DV3	-	Aria/acqua	10	Si	132	3,37	5	D2TND028A4A	26,3	93,0	0,23	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA11DV3	-	Aria/acqua	10	Si	132	3,37	3	D2TND035A4A	33,2	93,0	0,30	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA11DV3	-	Aria/acqua	10	Si	132	3,37	4	D2TND035A4A	33,2	93,0	0,23	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA11DW1	-	Aria/acqua	10	Si	132	3,37	3	D2CND028A1A	26,3	93,0	0,38	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA11DW1	-	Aria/acqua	10	Si	132	3,37	4	D2CND028A1A	26,3	93,0	0,29	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA11DW1	-	Aria/acqua	10	Si	132	3,37	5	D2CND028A1A	26,3	93,0	0,23	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA11DW1	-	Aria/acqua	10	Si	132	3,37	3	D2CND035A1A	33,2	93,0	0,30	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA11DW1	-	Aria/acqua	10	Si	132	3,37	4	D2CND035A1A	33,2	93,0	0,23	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA11DW1	-	Aria/acqua	10	Si	132	3,37	3	D2TND028A4A	26,3	93,0	0,38	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA11DW1	-	Aria/acqua	10	Si	132	3,37	4	D2TND028A4A	26,3	93,0	0,29	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA11DW1	-	Aria/acqua	10	Si	132	3,37	5	D2TND028A4A	26,3	93,0	0,23	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA11DW1	-	Aria/acqua	10	Si	132	3,37	3	D2TND035A4A	33,2	93,0	0,30	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA11DW1	-	Aria/acqua	10	Si	132	3,37	4	D2TND035A4A	33,2	93,0	0,23	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA14D3V3	-	Aria/acqua	11	Si	134	3,42	4	D2CND028A1A	26,3	93,0	0,31	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA14D3V3	-	Aria/acqua	11	Si	134	3,42	5	D2CND028A1A	26,3	93,0	0,25	EKCC(9)-W	PdC MT in applicazione MT

ALTHERMA 3 C HYBRID CASCADE	3	EBLA14D3V3	-	Aria/acqua	11	Si	134	3,42	6	D2CND028A1A	26,3	93,0	0,21	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA14D3V3	-	Aria/acqua	11	Si	134	3,42	3	D2CND035A1A	33,2	93,0	0,33	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA14D3V3	-	Aria/acqua	11	Si	134	3,42	4	D2CND035A1A	33,2	93,0	0,25	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA14D3V3	-	Aria/acqua	11	Si	134	3,42	5	D2CND035A1A	33,2	93,0	0,20	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA14D3V3	-	Aria/acqua	11	Si	134	3,42	4	D2TND028A4A	26,3	93,0	0,31	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA14D3V3	-	Aria/acqua	11	Si	134	3,42	5	D2TND028A4A	26,3	93,0	0,25	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA14D3V3	-	Aria/acqua	11	Si	134	3,42	6	D2TND028A4A	26,3	93,0	0,21	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA14D3V3	-	Aria/acqua	11	Si	134	3,42	3	D2TND035A4A	33,2	93,0	0,33	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA14D3V3	-	Aria/acqua	11	Si	134	3,42	4	D2TND035A4A	33,2	93,0	0,25	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA14D3V3	-	Aria/acqua	11	Si	134	3,42	5	D2TND035A4A	33,2	93,0	0,20	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA14D3W1	-	Aria/acqua	11	Si	134	3,42	4	D2CND028A1A	26,3	93,0	0,31	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA14D3W1	-	Aria/acqua	11	Si	134	3,42	5	D2CND028A1A	26,3	93,0	0,25	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA14D3W1	-	Aria/acqua	11	Si	134	3,42	6	D2CND028A1A	26,3	93,0	0,21	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA14D3W1	-	Aria/acqua	11	Si	134	3,42	3	D2CND035A1A	33,2	93,0	0,33	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA14D3W1	-	Aria/acqua	11	Si	134	3,42	4	D2CND035A1A	33,2	93,0	0,25	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA14D3W1	-	Aria/acqua	11	Si	134	3,42	5	D2CND035A1A	33,2	93,0	0,20	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA14D3W1	-	Aria/acqua	11	Si	134	3,42	4	D2TND028A4A	26,3	93,0	0,31	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA14D3W1	-	Aria/acqua	11	Si	134	3,42	5	D2TND028A4A	26,3	93,0	0,25	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA14D3W1	-	Aria/acqua	11	Si	134	3,42	6	D2TND028A4A	26,3	93,0	0,21	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA14D3W1	-	Aria/acqua	11	Si	134	3,42	3	D2TND035A4A	33,2	93,0	0,33	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA14D3W1	-	Aria/acqua	11	Si	134	3,42	4	D2TND035A4A	33,2	93,0	0,25	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA14D3W1	-	Aria/acqua	11	Si	134	3,42	5	D2TND035A4A	33,2	93,0	0,20	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA14DV3	-	Aria/acqua	11	Si	134	3,42	4	D2CND028A1A	26,3	93,0	0,31	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA14DV3	-	Aria/acqua	11	Si	134	3,42	5	D2CND028A1A	26,3	93,0	0,25	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA14DV3	-	Aria/acqua	11	Si	134	3,42	6	D2CND028A1A	26,3	93,0	0,21	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA14DV3	-	Aria/acqua	11	Si	134	3,42	3	D2CND035A1A	33,2	93,0	0,33	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA14DV3	-	Aria/acqua	11	Si	134	3,42	4	D2CND035A1A	33,2	93,0	0,25	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA14DV3	-	Aria/acqua	11	Si	134	3,42	5	D2CND035A1A	33,2	93,0	0,20	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA14DV3	-	Aria/acqua	11	Si	134	3,42	4	D2TND028A4A	26,3	93,0	0,31	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA14DV3	-	Aria/acqua	11	Si	134	3,42	5	D2TND028A4A	26,3	93,0	0,25	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA14DV3	-	Aria/acqua	11	Si	134	3,42	6	D2TND028A4A	26,3	93,0	0,21	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA14DV3	-	Aria/acqua	11	Si	134	3,42	3	D2TND035A4A	33,2	93,0	0,33	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA14DV3	-	Aria/acqua	11	Si	134	3,42	4	D2TND035A4A	33,2	93,0	0,25	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA14DV3	-	Aria/acqua	11	Si	134	3,42	5	D2TND035A4A	33,2	93,0	0,20	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA14DW1	-	Aria/acqua	11	Si	134	3,42	4	D2CND028A1A	26,3	93,0	0,31	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA14DW1	-	Aria/acqua	11	Si	134	3,42	5	D2CND028A1A	26,3	93,0	0,25	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA14DW1	-	Aria/acqua	11	Si	134	3,42	6	D2CND028A1A	26,3	93,0	0,21	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA14DW1	-	Aria/acqua	11	Si	134	3,42	3	D2CND035A1A	33,2	93,0	0,33	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA14DW1	-	Aria/acqua	11	Si	134	3,42	4	D2CND035A1A	33,2	93,0	0,25	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA14DW1	-	Aria/acqua	11	Si	134	3,42	5	D2CND035A1A	33,2	93,0	0,20	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA14DW1	-	Aria/acqua	11	Si	134	3,42	4	D2TND028A4A	26,3	93,0	0,31	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA14DW1	-	Aria/acqua	11	Si	134	3,42	5	D2TND028A4A	26,3	93,0	0,25	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA14DW1	-	Aria/acqua	11	Si	134	3,42	6	D2TND028A4A	26,3	93,0	0,21	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA14DW1	-	Aria/acqua	11	Si	134	3,42	3	D2TND035A4A	33,2	93,0	0,33	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA14DW1	-	Aria/acqua	11	Si	134	3,42	4	D2TND035A4A	33,2	93,0	0,25	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA14DW1	-	Aria/acqua	11	Si	134	3,42	5	D2TND035A4A	33,2	93,0	0,20	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA16D3V37	-	Aria/acqua	12	Si	132	3,37	4	D2CND028A1A	26,3	93,0	0,34	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA16D3V37	-	Aria/acqua	12	Si	132	3,37	5	D2CND028A1A	26,3	93,0	0,27	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA16D3V37	-	Aria/acqua	12	Si	132	3,37	6	D2CND028A1A	26,3	93,0	0,23	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA16D3V37	-	Aria/acqua	12	Si	132	3,37	3	D2CND035A1A	33,2	93,0	0,36	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA16D3V37	-	Aria/acqua	12	Si	132	3,37	4	D2CND035A1A	33,2	93,0	0,27	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA16D3V37	-	Aria/acqua	12	Si	132	3,37	5	D2CND035A1A	33,2	93,0	0,22	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA16D3V37	-	Aria/acqua	12	Si	132	3,37	4	D2TND028A4A	26,3	93,0	0,34	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA16D3V37	-	Aria/acqua	12	Si	132	3,37	5	D2TND028A4A	26,3	93,0	0,27	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA16D3V37	-	Aria/acqua	12	Si	132	3,37	6	D2TND028A4A	26,3	93,0	0,23	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA16D3V37	-	Aria/acqua	12	Si	132	3,37	3	D2TND035A4A	33,2	93,0	0,36	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA16D3V37	-	Aria/acqua	12	Si	132	3,37	4	D2TND035A4A	33,2	93,0	0,27	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA16D3V37	-	Aria/acqua	12	Si	132	3,37	5	D2TND035A4A	33,2	93,0	0,22	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA16D3W17	-	Aria/acqua	12	Si	132	3,37	4	D2CND028A1A	26,3	93,0	0,34	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA16D3W17	-	Aria/acqua	12	Si	132	3,37	5	D2CND028A1A	26,3	93,0	0,27	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA16D3W17	-	Aria/acqua	12	Si	132	3,37	6	D2CND028A1A	26,3	93,0	0,23	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA16D3W17	-	Aria/acqua	12	Si	132	3,37	3	D2CND035A1A	33,2	93,0	0,36	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA16D3W17	-	Aria/acqua	12	Si	132	3,37	4	D2CND035A1A	33,2	93,0	0,27	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA16D3W17	-	Aria/acqua	12	Si	132	3,37	5	D2CND035A1A	33,2	93,0	0,22	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA16D3W17	-	Aria/acqua	12	Si	132	3,37	4	D2TND028A4A	26,3	93,0	0,34	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA16D3W17	-	Aria/acqua	12	Si	132	3,37	5	D2TND028A4A	26,3	93,0	0,27	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA16D3W17	-	Aria/acqua	12	Si	132	3,37	6	D2TND028A4A	26,3	93,0	0,23	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA16D3W17	-	Aria/acqua	12	Si	132	3,37	3	D2TND035A4A	33,2	93,0	0,36	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA16D3W17	-	Aria/acqua	12	Si	132	3,37	4	D2TND035A4A	33,2	93,0	0,27	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA16D3W17	-	Aria/acqua	12	Si	132	3,37	5	D2TND035A4A	33,2	93,0	0,22	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA16DV37	-	Aria/acqua	12	Si	132	3,37	4	D2CND028A1A	26,3	93,0	0,34	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA16DV37	-	Aria/acqua	12	Si	132	3,37	5	D2CND028A1A	26,3	93,0	0,27	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA16DV37	-	Aria/acqua	12	Si	132	3,37	6	D2CND028A1A	26,3	93,0	0,23	EKCC(9)-W	PdC MT in applicazione MT

ALTHERMA 3 C HYBRID CASCADE	3	EBLA16DV37	-	Aria/acqua	12	Si	132	3,37	3	D2CND035A1A	33,2	93,0	0,36	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA16DV37	-	Aria/acqua	12	Si	132	3,37	4	D2CND035A1A	33,2	93,0	0,27	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA16DV37	-	Aria/acqua	12	Si	132	3,37	5	D2CND035A1A	33,2	93,0	0,22	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA16DV37	-	Aria/acqua	12	Si	132	3,37	4	D2TND028A4A	26,3	93,0	0,34	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA16DV37	-	Aria/acqua	12	Si	132	3,37	5	D2TND028A4A	26,3	93,0	0,27	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA16DV37	-	Aria/acqua	12	Si	132	3,37	6	D2TND028A4A	26,3	93,0	0,23	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA16DV37	-	Aria/acqua	12	Si	132	3,37	3	D2TND035A4A	33,2	93,0	0,36	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA16DV37	-	Aria/acqua	12	Si	132	3,37	4	D2TND035A4A	33,2	93,0	0,27	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA16DV37	-	Aria/acqua	12	Si	132	3,37	5	D2TND035A4A	33,2	93,0	0,22	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA16DW17	-	Aria/acqua	12	Si	132	3,37	4	D2CND028A1A	26,3	93,0	0,34	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA16DW17	-	Aria/acqua	12	Si	132	3,37	5	D2CND028A1A	26,3	93,0	0,27	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA16DW17	-	Aria/acqua	12	Si	132	3,37	6	D2CND028A1A	26,3	93,0	0,23	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA16DW17	-	Aria/acqua	12	Si	132	3,37	3	D2CND035A1A	33,2	93,0	0,36	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA16DW17	-	Aria/acqua	12	Si	132	3,37	4	D2CND035A1A	33,2	93,0	0,27	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA16DW17	-	Aria/acqua	12	Si	132	3,37	5	D2CND035A1A	33,2	93,0	0,22	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA16DW17	-	Aria/acqua	12	Si	132	3,37	4	D2TND028A4A	26,3	93,0	0,34	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA16DW17	-	Aria/acqua	12	Si	132	3,37	5	D2TND028A4A	26,3	93,0	0,27	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA16DW17	-	Aria/acqua	12	Si	132	3,37	6	D2TND028A4A	26,3	93,0	0,23	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA16DW17	-	Aria/acqua	12	Si	132	3,37	3	D2TND035A4A	33,2	93,0	0,36	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA16DW17	-	Aria/acqua	12	Si	132	3,37	4	D2TND035A4A	33,2	93,0	0,27	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	3	EBLA16DW17	-	Aria/acqua	12	Si	132	3,37	5	D2TND035A4A	33,2	93,0	0,22	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11D3V3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	4	D2CND028A1A	26,3	93,0	0,38	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11D3V3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	5	D2CND028A1A	26,3	93,0	0,30	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11D3V3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	6	D2CND028A1A	26,3	93,0	0,25	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11D3V3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	3	D2CND035A1A	33,2	93,0	0,40	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11D3V3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	4	D2CND035A1A	33,2	93,0	0,30	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11D3V3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	5	D2CND035A1A	33,2	93,0	0,24	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11D3V3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	6	D2CND035A1A	33,2	93,0	0,20	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11D3V3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	4	D2TND028A4A	26,3	93,0	0,38	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11D3V3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	5	D2TND028A4A	26,3	93,0	0,30	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11D3V3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	6	D2TND028A4A	26,3	93,0	0,25	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11D3V3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	3	D2TND035A4A	33,2	93,0	0,40	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11D3V3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	4	D2TND035A4A	33,2	93,0	0,30	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11D3V3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	5	D2TND035A4A	33,2	93,0	0,24	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11D3V3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	6	D2TND035A4A	33,2	93,0	0,20	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11D3W1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	4	D2CND028A1A	26,3	93,0	0,38	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11D3W1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	5	D2CND028A1A	26,3	93,0	0,30	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11D3W1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	6	D2CND028A1A	26,3	93,0	0,25	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11D3W1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	3	D2CND035A1A	33,2	93,0	0,40	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11D3W1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	4	D2CND035A1A	33,2	93,0	0,30	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11D3W1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	5	D2CND035A1A	33,2	93,0	0,24	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11D3W1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	6	D2CND035A1A	33,2	93,0	0,20	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11D3W1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	4	D2TND028A4A	26,3	93,0	0,38	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11D3W1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	5	D2TND028A4A	26,3	93,0	0,30	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11D3W1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	6	D2TND028A4A	26,3	93,0	0,25	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11D3W1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	3	D2TND035A4A	33,2	93,0	0,40	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11D3W1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	4	D2TND035A4A	33,2	93,0	0,30	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11D3W1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	5	D2TND035A4A	33,2	93,0	0,24	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11D3W1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	6	D2TND035A4A	33,2	93,0	0,20	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11DV3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	4	D2CND028A1A	26,3	93,0	0,38	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11DV3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	5	D2CND028A1A	26,3	93,0	0,30	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11DV3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	6	D2CND028A1A	26,3	93,0	0,25	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11DV3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	3	D2CND035A1A	33,2	93,0	0,40	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11DV3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	4	D2CND035A1A	33,2	93,0	0,30	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11DV3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	5	D2CND035A1A	33,2	93,0	0,24	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11DV3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	6	D2CND035A1A	33,2	93,0	0,20	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11DV3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	4	D2TND028A4A	26,3	93,0	0,38	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11DV3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	5	D2TND028A4A	26,3	93,0	0,30	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11DV3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	6	D2TND028A4A	26,3	93,0	0,25	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11DV3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	3	D2TND035A4A	33,2	93,0	0,40	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11DV3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	4	D2TND035A4A	33,2	93,0	0,30	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11DV3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	5	D2TND035A4A	33,2	93,0	0,24	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11DV3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	6	D2TND035A4A	33,2	93,0	0,20	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11DW1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	4	D2CND028A1A	26,3	93,0	0,38	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11DW1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	5	D2CND028A1A	26,3	93,0	0,30	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11DW1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	6	D2CND028A1A	26,3	93,0	0,25	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11DW1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	3	D2CND035A1A	33,2	93,0	0,40	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11DW1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	4	D2CND035A1A	33,2	93,0	0,30	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11DW1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	5	D2CND035A1A	33,2	93,0	0,24	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11DW1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	6	D2CND035A1A	33,2	93,0	0,20	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11DW1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	4	D2TND028A4A	26,3	93,0	0,38	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11DW1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	5	D2TND028A4A	26,3	93,0	0,30	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11DW1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	6	D2TND028A4A	26,3	93,0	0,25	EKCC(9)-W	PdC MT in applicazione LT

ALTHERMA 3 C HYBRID CASCADE	4	EBLA11DW1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	3	D2TND035A4A	33,2	93,0	0,40	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11DW1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	4	D2TND035A4A	33,2	93,0	0,30	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11DW1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	5	D2TND035A4A	33,2	93,0	0,24	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11DW1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	6	D2TND035A4A	33,2	93,0	0,20	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA14D3V3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	5	D2CND028A1A	26,3	93,0	0,33	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA14D3V3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	6	D2CND028A1A	26,3	93,0	0,28	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA14D3V3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	4	D2CND035A1A	33,2	93,0	0,33	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA14D3V3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	5	D2CND035A1A	33,2	93,0	0,27	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA14D3V3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	6	D2CND035A1A	33,2	93,0	0,22	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA14D3V3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	5	D2TND028A4A	26,3	93,0	0,33	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA14D3V3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	6	D2TND028A4A	26,3	93,0	0,28	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA14D3V3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	4	D2TND035A4A	33,2	93,0	0,33	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA14D3V3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	5	D2TND035A4A	33,2	93,0	0,27	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA14D3V3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	6	D2TND035A4A	33,2	93,0	0,22	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA14D3W1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	5	D2CND028A1A	26,3	93,0	0,33	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA14D3W1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	6	D2CND028A1A	26,3	93,0	0,28	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA14D3W1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	4	D2CND035A1A	33,2	93,0	0,33	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA14D3W1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	5	D2CND035A1A	33,2	93,0	0,27	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA14D3W1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	6	D2CND035A1A	33,2	93,0	0,22	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA14D3W1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	5	D2TND028A4A	26,3	93,0	0,33	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA14D3W1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	6	D2TND028A4A	26,3	93,0	0,28	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA14D3W1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	4	D2TND035A4A	33,2	93,0	0,33	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA14D3W1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	5	D2TND035A4A	33,2	93,0	0,27	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA14D3W1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	6	D2TND035A4A	33,2	93,0	0,22	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA14DV3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	5	D2CND028A1A	26,3	93,0	0,33	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA14DV3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	6	D2CND028A1A	26,3	93,0	0,28	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA14DV3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	4	D2CND035A1A	33,2	93,0	0,33	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA14DV3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	5	D2CND035A1A	33,2	93,0	0,27	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA14DV3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	6	D2CND035A1A	33,2	93,0	0,22	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA14DV3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	5	D2TND028A4A	26,3	93,0	0,33	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA14DV3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	6	D2TND028A4A	26,3	93,0	0,28	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA14DV3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	4	D2TND035A4A	33,2	93,0	0,33	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA14DV3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	5	D2TND035A4A	33,2	93,0	0,27	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA14DV3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	6	D2TND035A4A	33,2	93,0	0,22	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA14DW1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	5	D2CND028A1A	26,3	93,0	0,33	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA14DW1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	6	D2CND028A1A	26,3	93,0	0,28	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA14DW1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	4	D2CND035A1A	33,2	93,0	0,33	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA14DW1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	5	D2CND035A1A	33,2	93,0	0,27	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA14DW1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	6	D2CND035A1A	33,2	93,0	0,22	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA14DW1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	5	D2TND028A4A	26,3	93,0	0,33	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA14DW1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	6	D2TND028A4A	26,3	93,0	0,28	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA14DW1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	4	D2TND035A4A	33,2	93,0	0,33	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA14DW1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	5	D2TND035A4A	33,2	93,0	0,27	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA14DW1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	6	D2TND035A4A	33,2	93,0	0,22	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA16D3V37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	5	D2CND028A1A	26,3	93,0	0,37	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA16D3V37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	6	D2CND028A1A	26,3	93,0	0,30	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA16D3V37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	4	D2CND035A1A	33,2	93,0	0,36	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA16D3V37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	5	D2CND035A1A	33,2	93,0	0,29	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA16D3V37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	6	D2CND035A1A	33,2	93,0	0,24	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA16D3V37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	5	D2TND028A4A	26,3	93,0	0,37	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA16D3V37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	6	D2TND028A4A	26,3	93,0	0,30	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA16D3V37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	4	D2TND035A4A	33,2	93,0	0,36	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA16D3V37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	5	D2TND035A4A	33,2	93,0	0,29	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA16D3V37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	6	D2TND035A4A	33,2	93,0	0,24	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA16D3W17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	5	D2CND028A1A	26,3	93,0	0,37	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA16D3W17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	6	D2CND028A1A	26,3	93,0	0,30	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA16D3W17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	4	D2CND035A1A	33,2	93,0	0,36	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA16D3W17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	5	D2CND035A1A	33,2	93,0	0,29	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA16D3W17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	6	D2CND035A1A	33,2	93,0	0,24	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA16D3W17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	5	D2TND028A4A	26,3	93,0	0,37	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA16D3W17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	6	D2TND028A4A	26,3	93,0	0,30	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA16D3W17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	4	D2TND035A4A	33,2	93,0	0,36	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA16D3W17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	5	D2TND035A4A	33,2	93,0	0,29	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA16D3W17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	6	D2TND035A4A	33,2	93,0	0,24	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA16DV37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	5	D2CND028A1A	26,3	93,0	0,37	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA16DV37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	6	D2CND028A1A	26,3	93,0	0,30	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA16DV37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	4	D2CND035A1A	33,2	93,0	0,36	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA16DV37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	5	D2CND035A1A	33,2	93,0	0,29	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA16DV37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	6	D2CND035A1A	33,2	93,0	0,24	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA16DV37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	5	D2TND028A4A	26,3	93,0	0,37	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA16DV37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	6	D2TND028A4A	26,3	93,0	0,30	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA16DV37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	4	D2TND035A4A	33,2	93,0	0,36	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA16DV37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	5	D2TND035A4A	33,2	93,0	0,29	EKCC(9)-W	PdC MT in applicazione LT

ALTHERMA 3 C HYBRID CASCADE	4	EBLA16DV37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	6	D2TND035A4A	33,2	93,0	0,24	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA16DW17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	5	D2CND028A1A	26,3	93,0	0,37	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA16DW17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	6	D2CND028A1A	26,3	93,0	0,30	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA16DW17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	4	D2CND035A1A	33,2	93,0	0,36	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA16DW17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	5	D2CND035A1A	33,2	93,0	0,29	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA16DW17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	6	D2CND035A1A	33,2	93,0	0,24	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA16DW17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	5	D2TND028A4A	26,3	93,0	0,37	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA16DW17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	6	D2TND028A4A	26,3	93,0	0,30	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA16DW17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	4	D2TND035A4A	33,2	93,0	0,36	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA16DW17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	5	D2TND035A4A	33,2	93,0	0,29	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA16DW17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	6	D2TND035A4A	33,2	93,0	0,24	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11D3V3	-	Aria/acqua	10	Si	132	3,37	4	D2CND028A1A	26,3	93,0	0,38	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11D3V3	-	Aria/acqua	10	Si	132	3,37	5	D2CND028A1A	26,3	93,0	0,30	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11D3V3	-	Aria/acqua	10	Si	132	3,37	6	D2CND028A1A	26,3	93,0	0,25	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11D3V3	-	Aria/acqua	10	Si	132	3,37	3	D2CND035A1A	33,2	93,0	0,40	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11D3V3	-	Aria/acqua	10	Si	132	3,37	4	D2CND035A1A	33,2	93,0	0,30	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11D3V3	-	Aria/acqua	10	Si	132	3,37	5	D2CND035A1A	33,2	93,0	0,24	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11D3V3	-	Aria/acqua	10	Si	132	3,37	6	D2CND035A1A	33,2	93,0	0,20	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11D3V3	-	Aria/acqua	10	Si	132	3,37	4	D2TND028A4A	26,3	93,0	0,38	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11D3V3	-	Aria/acqua	10	Si	132	3,37	5	D2TND028A4A	26,3	93,0	0,30	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11D3V3	-	Aria/acqua	10	Si	132	3,37	6	D2TND028A4A	26,3	93,0	0,25	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11D3V3	-	Aria/acqua	10	Si	132	3,37	3	D2TND035A4A	33,2	93,0	0,40	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11D3V3	-	Aria/acqua	10	Si	132	3,37	4	D2TND035A4A	33,2	93,0	0,30	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11D3V3	-	Aria/acqua	10	Si	132	3,37	5	D2TND035A4A	33,2	93,0	0,24	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11D3V3	-	Aria/acqua	10	Si	132	3,37	6	D2TND035A4A	33,2	93,0	0,20	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11D3W1	-	Aria/acqua	10	Si	132	3,37	4	D2CND028A1A	26,3	93,0	0,38	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11D3W1	-	Aria/acqua	10	Si	132	3,37	5	D2CND028A1A	26,3	93,0	0,30	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11D3W1	-	Aria/acqua	10	Si	132	3,37	6	D2CND028A1A	26,3	93,0	0,25	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11D3W1	-	Aria/acqua	10	Si	132	3,37	3	D2CND035A1A	33,2	93,0	0,40	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11D3W1	-	Aria/acqua	10	Si	132	3,37	4	D2CND035A1A	33,2	93,0	0,30	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11D3W1	-	Aria/acqua	10	Si	132	3,37	5	D2CND035A1A	33,2	93,0	0,24	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11D3W1	-	Aria/acqua	10	Si	132	3,37	6	D2CND035A1A	33,2	93,0	0,20	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11D3W1	-	Aria/acqua	10	Si	132	3,37	4	D2TND028A4A	26,3	93,0	0,38	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11D3W1	-	Aria/acqua	10	Si	132	3,37	5	D2TND028A4A	26,3	93,0	0,30	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11D3W1	-	Aria/acqua	10	Si	132	3,37	6	D2TND028A4A	26,3	93,0	0,25	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11D3W1	-	Aria/acqua	10	Si	132	3,37	3	D2TND035A4A	33,2	93,0	0,40	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11D3W1	-	Aria/acqua	10	Si	132	3,37	4	D2TND035A4A	33,2	93,0	0,30	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11D3W1	-	Aria/acqua	10	Si	132	3,37	5	D2TND035A4A	33,2	93,0	0,24	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11D3W1	-	Aria/acqua	10	Si	132	3,37	6	D2TND035A4A	33,2	93,0	0,20	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11DV3	-	Aria/acqua	10	Si	132	3,37	4	D2CND028A1A	26,3	93,0	0,38	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11DV3	-	Aria/acqua	10	Si	132	3,37	5	D2CND028A1A	26,3	93,0	0,30	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11DV3	-	Aria/acqua	10	Si	132	3,37	6	D2CND028A1A	26,3	93,0	0,25	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11DV3	-	Aria/acqua	10	Si	132	3,37	3	D2CND035A1A	33,2	93,0	0,40	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11DV3	-	Aria/acqua	10	Si	132	3,37	4	D2CND035A1A	33,2	93,0	0,30	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11DV3	-	Aria/acqua	10	Si	132	3,37	5	D2CND035A1A	33,2	93,0	0,24	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11DV3	-	Aria/acqua	10	Si	132	3,37	6	D2CND035A1A	33,2	93,0	0,20	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11DV3	-	Aria/acqua	10	Si	132	3,37	4	D2TND028A4A	26,3	93,0	0,38	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11DV3	-	Aria/acqua	10	Si	132	3,37	5	D2TND028A4A	26,3	93,0	0,30	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11DV3	-	Aria/acqua	10	Si	132	3,37	6	D2TND028A4A	26,3	93,0	0,25	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11DV3	-	Aria/acqua	10	Si	132	3,37	3	D2TND035A4A	33,2	93,0	0,40	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11DV3	-	Aria/acqua	10	Si	132	3,37	4	D2TND035A4A	33,2	93,0	0,30	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11DV3	-	Aria/acqua	10	Si	132	3,37	5	D2TND035A4A	33,2	93,0	0,24	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11DV3	-	Aria/acqua	10	Si	132	3,37	6	D2TND035A4A	33,2	93,0	0,20	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11DW1	-	Aria/acqua	10	Si	132	3,37	4	D2CND028A1A	26,3	93,0	0,38	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11DW1	-	Aria/acqua	10	Si	132	3,37	5	D2CND028A1A	26,3	93,0	0,30	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11DW1	-	Aria/acqua	10	Si	132	3,37	6	D2CND028A1A	26,3	93,0	0,25	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11DW1	-	Aria/acqua	10	Si	132	3,37	3	D2CND035A1A	33,2	93,0	0,40	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11DW1	-	Aria/acqua	10	Si	132	3,37	4	D2CND035A1A	33,2	93,0	0,30	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11DW1	-	Aria/acqua	10	Si	132	3,37	5	D2CND035A1A	33,2	93,0	0,24	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11DW1	-	Aria/acqua	10	Si	132	3,37	6	D2CND035A1A	33,2	93,0	0,20	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11DW1	-	Aria/acqua	10	Si	132	3,37	4	D2TND028A4A	26,3	93,0	0,38	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11DW1	-	Aria/acqua	10	Si	132	3,37	5	D2TND028A4A	26,3	93,0	0,30	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11DW1	-	Aria/acqua	10	Si	132	3,37	6	D2TND028A4A	26,3	93,0	0,25	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11DW1	-	Aria/acqua	10	Si	132	3,37	3	D2TND035A4A	33,2	93,0	0,40	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11DW1	-	Aria/acqua	10	Si	132	3,37	4	D2TND035A4A	33,2	93,0	0,30	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11DW1	-	Aria/acqua	10	Si	132	3,37	5	D2TND035A4A	33,2	93,0	0,24	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA11DW1	-	Aria/acqua	10	Si	132	3,37	6	D2TND035A4A	33,2	93,0	0,20	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA14D3V3	-	Aria/acqua	11	Si	134	3,42	5	D2CND028A1A	26,3	93,0	0,33	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA14D3V3	-	Aria/acqua	11	Si	134	3,42	6	D2CND028A1A	26,3	93,0	0,28	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA14D3V3	-	Aria/acqua	11	Si	134	3,42	4	D2CND035A1A	33,2	93,0	0,33	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA14D3V3	-	Aria/acqua	11	Si	134	3,42	5	D2CND035A1A	33,2	93,0	0,27	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA14D3V3	-	Aria/acqua	11	Si	134	3,42	6	D2CND035A1A	33,2	93,0	0,22	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA14D3V3	-	Aria/acqua	11	Si	134	3,42	5	D2TND028A4A	26,3	93,0	0,33	EKCC(9)-W	PdC MT in applicazione MT

ALTHERMA 3 C HYBRID CASCADE	4	EBLA14D3V3	-	Aria/acqua	11	Si	134	3,42	6	D2TND028A4A	26,3	93,0	0,28	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA14D3V3	-	Aria/acqua	11	Si	134	3,42	4	D2TND035A4A	33,2	93,0	0,33	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA14D3V3	-	Aria/acqua	11	Si	134	3,42	5	D2TND035A4A	33,2	93,0	0,27	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA14D3V3	-	Aria/acqua	11	Si	134	3,42	6	D2TND035A4A	33,2	93,0	0,22	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA14D3W1	-	Aria/acqua	11	Si	134	3,42	5	D2CND028A1A	26,3	93,0	0,33	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA14D3W1	-	Aria/acqua	11	Si	134	3,42	6	D2CND028A1A	26,3	93,0	0,28	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA14D3W1	-	Aria/acqua	11	Si	134	3,42	4	D2CND035A1A	33,2	93,0	0,33	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA14D3W1	-	Aria/acqua	11	Si	134	3,42	5	D2CND035A1A	33,2	93,0	0,27	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA14D3W1	-	Aria/acqua	11	Si	134	3,42	6	D2CND035A1A	33,2	93,0	0,22	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA14D3W1	-	Aria/acqua	11	Si	134	3,42	5	D2TND028A4A	26,3	93,0	0,33	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA14D3W1	-	Aria/acqua	11	Si	134	3,42	6	D2TND028A4A	26,3	93,0	0,28	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA14D3W1	-	Aria/acqua	11	Si	134	3,42	4	D2TND035A4A	33,2	93,0	0,33	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA14D3W1	-	Aria/acqua	11	Si	134	3,42	5	D2TND035A4A	33,2	93,0	0,27	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA14D3W1	-	Aria/acqua	11	Si	134	3,42	6	D2TND035A4A	33,2	93,0	0,22	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA14DV3	-	Aria/acqua	11	Si	134	3,42	5	D2CND028A1A	26,3	93,0	0,33	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA14DV3	-	Aria/acqua	11	Si	134	3,42	6	D2CND028A1A	26,3	93,0	0,28	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA14DV3	-	Aria/acqua	11	Si	134	3,42	4	D2CND035A1A	33,2	93,0	0,33	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA14DV3	-	Aria/acqua	11	Si	134	3,42	5	D2CND035A1A	33,2	93,0	0,27	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA14DV3	-	Aria/acqua	11	Si	134	3,42	6	D2CND035A1A	33,2	93,0	0,22	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA14DV3	-	Aria/acqua	11	Si	134	3,42	5	D2TND028A4A	26,3	93,0	0,33	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA14DV3	-	Aria/acqua	11	Si	134	3,42	6	D2TND028A4A	26,3	93,0	0,28	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA14DV3	-	Aria/acqua	11	Si	134	3,42	4	D2TND035A4A	33,2	93,0	0,33	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA14DV3	-	Aria/acqua	11	Si	134	3,42	5	D2TND035A4A	33,2	93,0	0,27	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA14DV3	-	Aria/acqua	11	Si	134	3,42	6	D2TND035A4A	33,2	93,0	0,22	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA14DW1	-	Aria/acqua	11	Si	134	3,42	5	D2CND028A1A	26,3	93,0	0,33	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA14DW1	-	Aria/acqua	11	Si	134	3,42	6	D2CND028A1A	26,3	93,0	0,28	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA14DW1	-	Aria/acqua	11	Si	134	3,42	4	D2CND035A1A	33,2	93,0	0,33	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA14DW1	-	Aria/acqua	11	Si	134	3,42	5	D2CND035A1A	33,2	93,0	0,27	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA14DW1	-	Aria/acqua	11	Si	134	3,42	6	D2CND035A1A	33,2	93,0	0,22	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA14DW1	-	Aria/acqua	11	Si	134	3,42	5	D2TND028A4A	26,3	93,0	0,33	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA14DW1	-	Aria/acqua	11	Si	134	3,42	6	D2TND028A4A	26,3	93,0	0,28	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA14DW1	-	Aria/acqua	11	Si	134	3,42	4	D2TND035A4A	33,2	93,0	0,33	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA14DW1	-	Aria/acqua	11	Si	134	3,42	5	D2TND035A4A	33,2	93,0	0,27	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA14DW1	-	Aria/acqua	11	Si	134	3,42	6	D2TND035A4A	33,2	93,0	0,22	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA16D3V37	-	Aria/acqua	12	Si	132	3,37	5	D2CND028A1A	26,3	93,0	0,37	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA16D3V37	-	Aria/acqua	12	Si	132	3,37	6	D2CND028A1A	26,3	93,0	0,30	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA16D3V37	-	Aria/acqua	12	Si	132	3,37	4	D2CND035A1A	33,2	93,0	0,36	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA16D3V37	-	Aria/acqua	12	Si	132	3,37	5	D2CND035A1A	33,2	93,0	0,29	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA16D3V37	-	Aria/acqua	12	Si	132	3,37	6	D2CND035A1A	33,2	93,0	0,24	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA16D3V37	-	Aria/acqua	12	Si	132	3,37	5	D2TND028A4A	26,3	93,0	0,37	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA16D3V37	-	Aria/acqua	12	Si	132	3,37	6	D2TND028A4A	26,3	93,0	0,30	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA16D3V37	-	Aria/acqua	12	Si	132	3,37	4	D2TND035A4A	33,2	93,0	0,36	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA16D3V37	-	Aria/acqua	12	Si	132	3,37	5	D2TND035A4A	33,2	93,0	0,29	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA16D3V37	-	Aria/acqua	12	Si	132	3,37	6	D2TND035A4A	33,2	93,0	0,24	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA16D3W17	-	Aria/acqua	12	Si	132	3,37	5	D2CND028A1A	26,3	93,0	0,37	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA16D3W17	-	Aria/acqua	12	Si	132	3,37	6	D2CND028A1A	26,3	93,0	0,30	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA16D3W17	-	Aria/acqua	12	Si	132	3,37	4	D2CND035A1A	33,2	93,0	0,36	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA16D3W17	-	Aria/acqua	12	Si	132	3,37	5	D2CND035A1A	33,2	93,0	0,29	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA16D3W17	-	Aria/acqua	12	Si	132	3,37	6	D2CND035A1A	33,2	93,0	0,24	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA16D3W17	-	Aria/acqua	12	Si	132	3,37	5	D2TND028A4A	26,3	93,0	0,37	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA16D3W17	-	Aria/acqua	12	Si	132	3,37	6	D2TND028A4A	26,3	93,0	0,30	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA16D3W17	-	Aria/acqua	12	Si	132	3,37	4	D2TND035A4A	33,2	93,0	0,36	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA16D3W17	-	Aria/acqua	12	Si	132	3,37	5	D2TND035A4A	33,2	93,0	0,29	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA16D3W17	-	Aria/acqua	12	Si	132	3,37	6	D2TND035A4A	33,2	93,0	0,24	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA16DV37	-	Aria/acqua	12	Si	132	3,37	5	D2CND028A1A	26,3	93,0	0,37	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA16DV37	-	Aria/acqua	12	Si	132	3,37	6	D2CND028A1A	26,3	93,0	0,30	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA16DV37	-	Aria/acqua	12	Si	132	3,37	4	D2CND035A1A	33,2	93,0	0,36	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA16DV37	-	Aria/acqua	12	Si	132	3,37	5	D2CND035A1A	33,2	93,0	0,29	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA16DV37	-	Aria/acqua	12	Si	132	3,37	6	D2CND035A1A	33,2	93,0	0,24	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA16DV37	-	Aria/acqua	12	Si	132	3,37	5	D2TND028A4A	26,3	93,0	0,37	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA16DV37	-	Aria/acqua	12	Si	132	3,37	6	D2TND028A4A	26,3	93,0	0,30	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA16DV37	-	Aria/acqua	12	Si	132	3,37	4	D2TND035A4A	33,2	93,0	0,36	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA16DV37	-	Aria/acqua	12	Si	132	3,37	5	D2TND035A4A	33,2	93,0	0,29	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA16DV37	-	Aria/acqua	12	Si	132	3,37	6	D2TND035A4A	33,2	93,0	0,24	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA16DW17	-	Aria/acqua	12	Si	132	3,37	5	D2CND028A1A	26,3	93,0	0,37	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA16DW17	-	Aria/acqua	12	Si	132	3,37	6	D2CND028A1A	26,3	93,0	0,30	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA16DW17	-	Aria/acqua	12	Si	132	3,37	4	D2CND035A1A	33,2	93,0	0,36	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA16DW17	-	Aria/acqua	12	Si	132	3,37	5	D2CND035A1A	33,2	93,0	0,29	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA16DW17	-	Aria/acqua	12	Si	132	3,37	6	D2CND035A1A	33,2	93,0	0,24	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA16DW17	-	Aria/acqua	12	Si	132	3,37	5	D2TND028A4A	26,3	93,0	0,37	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA16DW17	-	Aria/acqua	12	Si	132	3,37	6	D2TND028A4A	26,3	93,0	0,30	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA16DW17	-	Aria/acqua	12	Si	132	3,37	4	D2TND035A4A	33,2	93,0	0,36	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	4	EBLA16DW17	-	Aria/acqua	12	Si	132	3,37	5	D2TND035A4A	33,2	93,0	0,29	EKCC(9)-W	PdC MT in applicazione MT

ALTHERMA 3 C HYBRID CASCADE	4	EBLA16DW17	-	Aria/acqua	12	Si	132	3,37	6	D2TND035A4A	33,2	93,0	0,24	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA11D3V3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	5	D2CND028A1A	26,3	93,0	0,38	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA11D3V3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	6	D2CND028A1A	26,3	93,0	0,32	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA11D3V3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	4	D2CND035A1A	33,2	93,0	0,38	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA11D3V3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	5	D2CND035A1A	33,2	93,0	0,30	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA11D3V3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	6	D2CND035A1A	33,2	93,0	0,25	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA11D3V3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	5	D2TND028A4A	26,3	93,0	0,38	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA11D3V3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	6	D2TND028A4A	26,3	93,0	0,32	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA11D3V3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	4	D2TND035A4A	33,2	93,0	0,38	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA11D3V3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	5	D2TND035A4A	33,2	93,0	0,30	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA11D3V3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	6	D2TND035A4A	33,2	93,0	0,25	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA11D3W1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	5	D2CND028A1A	26,3	93,0	0,38	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA11D3W1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	6	D2CND028A1A	26,3	93,0	0,32	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA11D3W1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	4	D2CND035A1A	33,2	93,0	0,38	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA11D3W1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	5	D2CND035A1A	33,2	93,0	0,30	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA11D3W1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	6	D2CND035A1A	33,2	93,0	0,25	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA11D3W1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	5	D2TND028A4A	26,3	93,0	0,38	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA11D3W1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	6	D2TND028A4A	26,3	93,0	0,32	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA11D3W1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	4	D2TND035A4A	33,2	93,0	0,38	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA11D3W1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	5	D2TND035A4A	33,2	93,0	0,30	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA11D3W1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	6	D2TND035A4A	33,2	93,0	0,25	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA11DV3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	5	D2CND028A1A	26,3	93,0	0,38	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA11DV3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	6	D2CND028A1A	26,3	93,0	0,32	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA11DV3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	4	D2CND035A1A	33,2	93,0	0,38	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA11DV3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	5	D2CND035A1A	33,2	93,0	0,30	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA11DV3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	6	D2CND035A1A	33,2	93,0	0,25	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA11DV3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	5	D2TND028A4A	26,3	93,0	0,38	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA11DV3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	6	D2TND028A4A	26,3	93,0	0,32	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA11DV3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	4	D2TND035A4A	33,2	93,0	0,38	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA11DV3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	5	D2TND035A4A	33,2	93,0	0,30	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA11DV3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	6	D2TND035A4A	33,2	93,0	0,25	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA11DW1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	5	D2CND028A1A	26,3	93,0	0,38	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA11DW1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	6	D2CND028A1A	26,3	93,0	0,32	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA11DW1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	4	D2CND035A1A	33,2	93,0	0,38	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA11DW1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	5	D2CND035A1A	33,2	93,0	0,30	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA11DW1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	6	D2CND035A1A	33,2	93,0	0,25	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA11DW1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	5	D2TND028A4A	26,3	93,0	0,38	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA11DW1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	6	D2TND028A4A	26,3	93,0	0,32	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA11DW1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	4	D2TND035A4A	33,2	93,0	0,38	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA11DW1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	5	D2TND035A4A	33,2	93,0	0,30	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA11DW1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	6	D2TND035A4A	33,2	93,0	0,25	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA14D3V3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	6	D2CND028A1A	26,3	93,0	0,35	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA14D3V3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	5	D2CND035A1A	33,2	93,0	0,33	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA14D3V3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	6	D2CND035A1A	33,2	93,0	0,28	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA14D3V3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	6	D2TND028A4A	26,3	93,0	0,35	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA14D3V3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	5	D2TND035A4A	33,2	93,0	0,33	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA14D3V3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	6	D2TND035A4A	33,2	93,0	0,28	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA14D3W1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	6	D2CND028A1A	26,3	93,0	0,35	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA14D3W1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	5	D2CND035A1A	33,2	93,0	0,33	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA14D3W1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	6	D2CND035A1A	33,2	93,0	0,28	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA14D3W1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	6	D2TND028A4A	26,3	93,0	0,35	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA14D3W1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	5	D2TND035A4A	33,2	93,0	0,33	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA14D3W1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	6	D2TND035A4A	33,2	93,0	0,28	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA14DV3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	6	D2CND028A1A	26,3	93,0	0,35	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA14DV3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	5	D2CND035A1A	33,2	93,0	0,33	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA14DV3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	6	D2CND035A1A	33,2	93,0	0,28	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA14DV3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	6	D2TND028A4A	26,3	93,0	0,35	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA14DV3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	5	D2TND035A4A	33,2	93,0	0,33	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA14DV3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	6	D2TND035A4A	33,2	93,0	0,28	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA14DW1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	6	D2CND028A1A	26,3	93,0	0,35	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA14DW1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	5	D2CND035A1A	33,2	93,0	0,33	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA14DW1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	6	D2CND035A1A	33,2	93,0	0,28	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA14DW1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	6	D2TND028A4A	26,3	93,0	0,35	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA14DW1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	5	D2TND035A4A	33,2	93,0	0,33	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA14DW1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	6	D2TND035A4A	33,2	93,0	0,28	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA16D3V37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	5	D2CND035A1A	33,2	93,0	0,36	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA16D3V37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	6	D2CND035A1A	33,2	93,0	0,30	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA16D3V37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	5	D2TND035A4A	33,2	93,0	0,36	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA16D3V37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	6	D2TND035A4A	33,2	93,0	0,30	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA16D3W17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	5	D2CND035A1A	33,2	93,0	0,36	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA16D3W17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	6	D2CND035A1A	33,2	93,0	0,30	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA16D3W17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	5	D2TND035A4A	33,2	93,0	0,36	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA16D3W17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	6	D2TND035A4A	33,2	93,0	0,30	EKCC(9)-W	PdC MT in applicazione LT

ALTHERMA 3 C HYBRID CASCADE	5	EBLA16DV37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	5	D2CND035A1A	33,2	93,0	0,36	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA16DV37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	6	D2CND035A1A	33,2	93,0	0,30	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA16DV37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	5	D2TND035A4A	33,2	93,0	0,36	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA16DV37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	6	D2TND035A4A	33,2	93,0	0,30	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA16DW17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	5	D2CND035A1A	33,2	93,0	0,36	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA16DW17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	6	D2CND035A1A	33,2	93,0	0,30	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA16DW17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	5	D2TND035A4A	33,2	93,0	0,36	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA16DW17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	6	D2TND035A4A	33,2	93,0	0,30	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA11D3V3	-	Aria/acqua	10	Si	132	3,37	5	D2CND028A1A	26,3	93,0	0,38	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA11D3V3	-	Aria/acqua	10	Si	132	3,37	6	D2CND028A1A	26,3	93,0	0,32	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA11D3V3	-	Aria/acqua	10	Si	132	3,37	4	D2CND035A1A	33,2	93,0	0,38	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA11D3V3	-	Aria/acqua	10	Si	132	3,37	5	D2CND035A1A	33,2	93,0	0,30	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA11D3V3	-	Aria/acqua	10	Si	132	3,37	6	D2CND035A1A	33,2	93,0	0,25	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA11D3V3	-	Aria/acqua	10	Si	132	3,37	5	D2TND028A4A	26,3	93,0	0,38	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA11D3V3	-	Aria/acqua	10	Si	132	3,37	6	D2TND028A4A	26,3	93,0	0,32	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA11D3V3	-	Aria/acqua	10	Si	132	3,37	4	D2TND035A4A	33,2	93,0	0,38	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA11D3V3	-	Aria/acqua	10	Si	132	3,37	5	D2TND035A4A	33,2	93,0	0,30	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA11D3V3	-	Aria/acqua	10	Si	132	3,37	6	D2TND035A4A	33,2	93,0	0,25	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA11D3W1	-	Aria/acqua	10	Si	132	3,37	5	D2CND028A1A	26,3	93,0	0,38	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA11D3W1	-	Aria/acqua	10	Si	132	3,37	6	D2CND028A1A	26,3	93,0	0,32	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA11D3W1	-	Aria/acqua	10	Si	132	3,37	4	D2CND035A1A	33,2	93,0	0,38	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA11D3W1	-	Aria/acqua	10	Si	132	3,37	5	D2CND035A1A	33,2	93,0	0,30	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA11D3W1	-	Aria/acqua	10	Si	132	3,37	6	D2CND035A1A	33,2	93,0	0,25	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA11D3W1	-	Aria/acqua	10	Si	132	3,37	5	D2TND028A4A	26,3	93,0	0,38	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA11D3W1	-	Aria/acqua	10	Si	132	3,37	6	D2TND028A4A	26,3	93,0	0,32	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA11D3W1	-	Aria/acqua	10	Si	132	3,37	4	D2TND035A4A	33,2	93,0	0,38	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA11D3W1	-	Aria/acqua	10	Si	132	3,37	5	D2TND035A4A	33,2	93,0	0,30	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA11D3W1	-	Aria/acqua	10	Si	132	3,37	6	D2TND035A4A	33,2	93,0	0,25	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA11DV3	-	Aria/acqua	10	Si	132	3,37	5	D2CND028A1A	26,3	93,0	0,38	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA11DV3	-	Aria/acqua	10	Si	132	3,37	6	D2CND028A1A	26,3	93,0	0,32	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA11DV3	-	Aria/acqua	10	Si	132	3,37	4	D2CND035A1A	33,2	93,0	0,38	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA11DV3	-	Aria/acqua	10	Si	132	3,37	5	D2CND035A1A	33,2	93,0	0,30	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA11DV3	-	Aria/acqua	10	Si	132	3,37	6	D2CND035A1A	33,2	93,0	0,25	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA11DV3	-	Aria/acqua	10	Si	132	3,37	5	D2TND028A4A	26,3	93,0	0,38	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA11DV3	-	Aria/acqua	10	Si	132	3,37	6	D2TND028A4A	26,3	93,0	0,32	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA11DV3	-	Aria/acqua	10	Si	132	3,37	4	D2TND035A4A	33,2	93,0	0,38	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA11DV3	-	Aria/acqua	10	Si	132	3,37	5	D2TND035A4A	33,2	93,0	0,30	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA11DV3	-	Aria/acqua	10	Si	132	3,37	6	D2TND035A4A	33,2	93,0	0,25	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA11DW1	-	Aria/acqua	10	Si	132	3,37	5	D2CND028A1A	26,3	93,0	0,38	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA11DW1	-	Aria/acqua	10	Si	132	3,37	6	D2CND028A1A	26,3	93,0	0,32	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA11DW1	-	Aria/acqua	10	Si	132	3,37	4	D2CND035A1A	33,2	93,0	0,38	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA11DW1	-	Aria/acqua	10	Si	132	3,37	5	D2CND035A1A	33,2	93,0	0,30	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA11DW1	-	Aria/acqua	10	Si	132	3,37	6	D2CND035A1A	33,2	93,0	0,25	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA11DW1	-	Aria/acqua	10	Si	132	3,37	5	D2TND028A4A	26,3	93,0	0,38	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA11DW1	-	Aria/acqua	10	Si	132	3,37	6	D2TND028A4A	26,3	93,0	0,32	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA11DW1	-	Aria/acqua	10	Si	132	3,37	4	D2TND035A4A	33,2	93,0	0,38	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA11DW1	-	Aria/acqua	10	Si	132	3,37	5	D2TND035A4A	33,2	93,0	0,30	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA11DW1	-	Aria/acqua	10	Si	132	3,37	6	D2TND035A4A	33,2	93,0	0,25	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA14D3V3	-	Aria/acqua	11	Si	134	3,42	6	D2CND028A1A	26,3	93,0	0,35	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA14D3V3	-	Aria/acqua	11	Si	134	3,42	5	D2CND035A1A	33,2	93,0	0,33	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA14D3V3	-	Aria/acqua	11	Si	134	3,42	6	D2CND035A1A	33,2	93,0	0,28	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA14D3V3	-	Aria/acqua	11	Si	134	3,42	6	D2TND028A4A	26,3	93,0	0,35	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA14D3V3	-	Aria/acqua	11	Si	134	3,42	5	D2TND035A4A	33,2	93,0	0,33	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA14D3V3	-	Aria/acqua	11	Si	134	3,42	6	D2TND035A4A	33,2	93,0	0,28	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA14D3W1	-	Aria/acqua	11	Si	134	3,42	6	D2CND028A1A	26,3	93,0	0,35	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA14D3W1	-	Aria/acqua	11	Si	134	3,42	5	D2CND035A1A	33,2	93,0	0,33	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA14D3W1	-	Aria/acqua	11	Si	134	3,42	6	D2CND035A1A	33,2	93,0	0,28	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA14D3W1	-	Aria/acqua	11	Si	134	3,42	6	D2TND028A4A	26,3	93,0	0,35	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA14D3W1	-	Aria/acqua	11	Si	134	3,42	5	D2TND035A4A	33,2	93,0	0,33	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA14D3W1	-	Aria/acqua	11	Si	134	3,42	6	D2TND035A4A	33,2	93,0	0,28	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA14DV3	-	Aria/acqua	11	Si	134	3,42	6	D2CND028A1A	26,3	93,0	0,35	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA14DV3	-	Aria/acqua	11	Si	134	3,42	5	D2CND035A1A	33,2	93,0	0,33	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA14DV3	-	Aria/acqua	11	Si	134	3,42	6	D2CND035A1A	33,2	93,0	0,28	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA14DV3	-	Aria/acqua	11	Si	134	3,42	6	D2TND028A4A	26,3	93,0	0,35	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA14DV3	-	Aria/acqua	11	Si	134	3,42	5	D2TND035A4A	33,2	93,0	0,33	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA14DV3	-	Aria/acqua	11	Si	134	3,42	6	D2TND035A4A	33,2	93,0	0,28	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA14DW1	-	Aria/acqua	11	Si	134	3,42	6	D2CND028A1A	26,3	93,0	0,35	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA14DW1	-	Aria/acqua	11	Si	134	3,42	5	D2CND035A1A	33,2	93,0	0,33	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA14DW1	-	Aria/acqua	11	Si	134	3,42	6	D2CND035A1A	33,2	93,0	0,28	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA14DW1	-	Aria/acqua	11	Si	134	3,42	6	D2TND028A4A	26,3	93,0	0,35	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA14DW1	-	Aria/acqua	11	Si	134	3,42	5	D2TND035A4A	33,2	93,0	0,33	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA14DW1	-	Aria/acqua	11	Si	134	3,42	6	D2TND035A4A	33,2	93,0	0,28	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA16D3V37	-	Aria/acqua	12	Si	132	3,37	5	D2CND035A1A	33,2	93,0	0,36	EKCC(9)-W	PdC MT in applicazione MT

ALTHERMA 3 C HYBRID CASCADE	5	EBLA16D3V37	-	Aria/acqua	12	Si	132	3,37	6	D2CND035A1A	33,2	93,0	0,30	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA16D3V37	-	Aria/acqua	12	Si	132	3,37	5	D2TND035A4A	33,2	93,0	0,36	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA16D3V37	-	Aria/acqua	12	Si	132	3,37	6	D2TND035A4A	33,2	93,0	0,30	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA16D3W17	-	Aria/acqua	12	Si	132	3,37	5	D2CND035A1A	33,2	93,0	0,36	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA16D3W17	-	Aria/acqua	12	Si	132	3,37	6	D2CND035A1A	33,2	93,0	0,30	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA16D3W17	-	Aria/acqua	12	Si	132	3,37	5	D2TND035A4A	33,2	93,0	0,36	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA16D3W17	-	Aria/acqua	12	Si	132	3,37	6	D2TND035A4A	33,2	93,0	0,30	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA16DV37	-	Aria/acqua	12	Si	132	3,37	5	D2CND035A1A	33,2	93,0	0,36	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA16DV37	-	Aria/acqua	12	Si	132	3,37	6	D2CND035A1A	33,2	93,0	0,30	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA16DV37	-	Aria/acqua	12	Si	132	3,37	5	D2TND035A4A	33,2	93,0	0,36	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA16DV37	-	Aria/acqua	12	Si	132	3,37	6	D2TND035A4A	33,2	93,0	0,30	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA16DW17	-	Aria/acqua	12	Si	132	3,37	5	D2CND035A1A	33,2	93,0	0,36	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA16DW17	-	Aria/acqua	12	Si	132	3,37	6	D2CND035A1A	33,2	93,0	0,30	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA16DW17	-	Aria/acqua	12	Si	132	3,37	5	D2TND035A4A	33,2	93,0	0,36	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	5	EBLA16DW17	-	Aria/acqua	12	Si	132	3,37	6	D2TND035A4A	33,2	93,0	0,30	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	6	EBLA11D3V3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	6	D2CND028A1A	26,3	93,0	0,38	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	6	EBLA11D3V3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	5	D2CND035A1A	33,2	93,0	0,36	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	6	EBLA11D3V3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	6	D2CND035A1A	33,2	93,0	0,30	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	6	EBLA11D3V3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	6	D2TND028A4A	26,3	93,0	0,38	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	6	EBLA11D3V3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	5	D2TND035A4A	33,2	93,0	0,36	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	6	EBLA11D3V3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	6	D2TND035A4A	33,2	93,0	0,30	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	6	EBLA11D3W1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	6	D2CND028A1A	26,3	93,0	0,38	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	6	EBLA11D3W1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	5	D2CND035A1A	33,2	93,0	0,36	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	6	EBLA11D3W1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	6	D2CND035A1A	33,2	93,0	0,30	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	6	EBLA11D3W1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	6	D2TND028A4A	26,3	93,0	0,38	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	6	EBLA11D3W1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	5	D2TND035A4A	33,2	93,0	0,36	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	6	EBLA11D3W1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	6	D2TND035A4A	33,2	93,0	0,30	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	6	EBLA11DV3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	6	D2CND028A1A	26,3	93,0	0,38	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	6	EBLA11DV3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	5	D2CND035A1A	33,2	93,0	0,36	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	6	EBLA11DV3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	6	D2CND035A1A	33,2	93,0	0,30	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	6	EBLA11DV3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	6	D2TND028A4A	26,3	93,0	0,38	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	6	EBLA11DV3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	5	D2TND035A4A	33,2	93,0	0,36	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	6	EBLA11DV3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	6	D2TND035A4A	33,2	93,0	0,30	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	6	EBLA11DW1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	6	D2CND028A1A	26,3	93,0	0,38	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	6	EBLA11DW1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	5	D2CND035A1A	33,2	93,0	0,36	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	6	EBLA11DW1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	6	D2CND035A1A	33,2	93,0	0,30	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	6	EBLA11DW1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	6	D2TND028A4A	26,3	93,0	0,38	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	6	EBLA11DW1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	5	D2TND035A4A	33,2	93,0	0,36	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	6	EBLA11DW1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	6	D2TND035A4A	33,2	93,0	0,30	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	6	EBLA14D3V3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	5	D2CND035A1A	33,2	93,0	0,40	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	6	EBLA14D3V3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	6	D2CND035A1A	33,2	93,0	0,33	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	6	EBLA14D3V3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	5	D2TND035A4A	33,2	93,0	0,40	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	6	EBLA14D3V3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	6	D2TND035A4A	33,2	93,0	0,33	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	6	EBLA14D3W1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	5	D2CND035A1A	33,2	93,0	0,40	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	6	EBLA14D3W1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	6	D2CND035A1A	33,2	93,0	0,33	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	6	EBLA14D3W1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	5	D2TND035A4A	33,2	93,0	0,40	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	6	EBLA14D3W1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	6	D2TND035A4A	33,2	93,0	0,33	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	6	EBLA14DV3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	5	D2CND035A1A	33,2	93,0	0,40	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	6	EBLA14DV3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	6	D2CND035A1A	33,2	93,0	0,33	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	6	EBLA14DV3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	5	D2TND035A4A	33,2	93,0	0,40	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	6	EBLA14DV3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	6	D2TND035A4A	33,2	93,0	0,33	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	6	EBLA14DW1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	5	D2CND035A1A	33,2	93,0	0,40	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	6	EBLA14DW1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	6	D2CND035A1A	33,2	93,0	0,33	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	6	EBLA14DW1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	5	D2TND035A4A	33,2	93,0	0,40	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	6	EBLA14DW1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	6	D2TND035A4A	33,2	93,0	0,33	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	6	EBLA16D3V37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	6	D2CND035A1A	33,2	93,0	0,36	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	6	EBLA16D3V37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	6	D2TND035A4A	33,2	93,0	0,36	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	6	EBLA16D3W17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	6	D2CND035A1A	33,2	93,0	0,36	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	6	EBLA16D3W17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	6	D2TND035A4A	33,2	93,0	0,36	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	6	EBLA16DV37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	6	D2CND035A1A	33,2	93,0	0,36	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	6	EBLA16DV37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	6	D2TND035A4A	33,2	93,0	0,36	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	6	EBLA16DW17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	6	D2CND035A1A	33,2	93,0	0,36	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	6	EBLA16DW17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	6	D2TND035A4A	33,2	93,0	0,36	EKCC(9)-W	PdC MT in applicazione LT
ALTHERMA 3 C HYBRID CASCADE	6	EBLA11D3V3	-	Aria/acqua	10	Si	132	3,37	6	D2CND028A1A	26,3	93,0	0,38	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	6	EBLA11D3V3	-	Aria/acqua	10	Si	132	3,37	5	D2CND035A1A	33,2	93,0	0,36	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	6	EBLA11D3V3	-	Aria/acqua	10	Si	132	3,37	6	D2CND035A1A	33,2	93,0	0,30	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	6	EBLA11D3V3	-	Aria/acqua	10	Si	132	3,37	6	D2TND028A4A	26,3	93,0	0,38	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	6	EBLA11D3V3	-	Aria/acqua	10	Si	132	3,37	5	D2TND035A4A	33,2	93,0	0,36	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	6	EBLA11D3V3	-	Aria/acqua	10	Si	132	3,37	6	D2TND035A4A	33,2	93,0	0,30	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	6	EBLA11D3W1	-	Aria/acqua	10	Si	132	3,37	6	D2CND028A1A	26,3	93,0	0,38	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	6	EBLA11D3W1	-	Aria/acqua	10	Si	132	3,37	5	D2CND035A1A	33,2	93,0	0,36	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	6	EBLA11D3W1	-	Aria/acqua	10	Si	132	3,37	6	D2CND035A1A	33,2	93,0	0,30	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	6	EBLA11D3W1	-	Aria/acqua	10	Si	132	3,37	6	D2TND028A4A	26,3	93,0	0,38	EKCC(9)-W	PdC MT in applicazione MT

ALTHERMA 3 C HYBRID CASCADE	6	EBLA11D3W1	-	Aria/acqua	10	Si	132	3,37	5	D2TND035A4A	33,2	93,0	0,36	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	6	EBLA11D3W1	-	Aria/acqua	10	Si	132	3,37	6	D2TND035A4A	33,2	93,0	0,30	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	6	EBLA11DV3	-	Aria/acqua	10	Si	132	3,37	6	D2CND028A1A	26,3	93,0	0,38	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	6	EBLA11DV3	-	Aria/acqua	10	Si	132	3,37	5	D2CND035A1A	33,2	93,0	0,36	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	6	EBLA11DV3	-	Aria/acqua	10	Si	132	3,37	6	D2CND035A1A	33,2	93,0	0,30	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	6	EBLA11DV3	-	Aria/acqua	10	Si	132	3,37	6	D2TND028A4A	26,3	93,0	0,38	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	6	EBLA11DV3	-	Aria/acqua	10	Si	132	3,37	5	D2TND035A4A	33,2	93,0	0,36	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	6	EBLA11DV3	-	Aria/acqua	10	Si	132	3,37	6	D2TND035A4A	33,2	93,0	0,30	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	6	EBLA11DW1	-	Aria/acqua	10	Si	132	3,37	6	D2CND028A1A	26,3	93,0	0,38	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	6	EBLA11DW1	-	Aria/acqua	10	Si	132	3,37	5	D2CND035A1A	33,2	93,0	0,36	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	6	EBLA11DW1	-	Aria/acqua	10	Si	132	3,37	6	D2CND035A1A	33,2	93,0	0,30	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	6	EBLA11DW1	-	Aria/acqua	10	Si	132	3,37	6	D2TND028A4A	26,3	93,0	0,38	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	6	EBLA11DW1	-	Aria/acqua	10	Si	132	3,37	5	D2TND035A4A	33,2	93,0	0,36	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	6	EBLA11DW1	-	Aria/acqua	10	Si	132	3,37	6	D2TND035A4A	33,2	93,0	0,30	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	6	EBLA14D3V3	-	Aria/acqua	11	Si	134	3,42	5	D2CND035A1A	33,2	93,0	0,40	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	6	EBLA14D3V3	-	Aria/acqua	11	Si	134	3,42	6	D2CND035A1A	33,2	93,0	0,33	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	6	EBLA14D3V3	-	Aria/acqua	11	Si	134	3,42	5	D2TND035A4A	33,2	93,0	0,40	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	6	EBLA14D3V3	-	Aria/acqua	11	Si	134	3,42	6	D2TND035A4A	33,2	93,0	0,33	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	6	EBLA14D3W1	-	Aria/acqua	11	Si	134	3,42	5	D2CND035A1A	33,2	93,0	0,40	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	6	EBLA14D3W1	-	Aria/acqua	11	Si	134	3,42	6	D2CND035A1A	33,2	93,0	0,33	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	6	EBLA14D3W1	-	Aria/acqua	11	Si	134	3,42	5	D2TND035A4A	33,2	93,0	0,40	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	6	EBLA14D3W1	-	Aria/acqua	11	Si	134	3,42	6	D2TND035A4A	33,2	93,0	0,33	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	6	EBLA14DV3	-	Aria/acqua	11	Si	134	3,42	5	D2CND035A1A	33,2	93,0	0,40	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	6	EBLA14DV3	-	Aria/acqua	11	Si	134	3,42	6	D2CND035A1A	33,2	93,0	0,33	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	6	EBLA14DV3	-	Aria/acqua	11	Si	134	3,42	5	D2TND035A4A	33,2	93,0	0,40	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	6	EBLA14DV3	-	Aria/acqua	11	Si	134	3,42	6	D2TND035A4A	33,2	93,0	0,33	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	6	EBLA14DW1	-	Aria/acqua	11	Si	134	3,42	5	D2CND035A1A	33,2	93,0	0,40	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	6	EBLA14DW1	-	Aria/acqua	11	Si	134	3,42	6	D2CND035A1A	33,2	93,0	0,33	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	6	EBLA14DW1	-	Aria/acqua	11	Si	134	3,42	5	D2TND035A4A	33,2	93,0	0,40	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	6	EBLA14DW1	-	Aria/acqua	11	Si	134	3,42	6	D2TND035A4A	33,2	93,0	0,33	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	6	EBLA16D3V37	-	Aria/acqua	12	Si	132	3,37	6	D2CND035A1A	33,2	93,0	0,36	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	6	EBLA16D3V37	-	Aria/acqua	12	Si	132	3,37	6	D2TND035A4A	33,2	93,0	0,36	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	6	EBLA16D3W17	-	Aria/acqua	12	Si	132	3,37	6	D2CND035A1A	33,2	93,0	0,36	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	6	EBLA16D3W17	-	Aria/acqua	12	Si	132	3,37	6	D2TND035A4A	33,2	93,0	0,36	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	6	EBLA16DV37	-	Aria/acqua	12	Si	132	3,37	6	D2CND035A1A	33,2	93,0	0,36	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	6	EBLA16DV37	-	Aria/acqua	12	Si	132	3,37	6	D2TND035A4A	33,2	93,0	0,36	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	6	EBLA16DW17	-	Aria/acqua	12	Si	132	3,37	6	D2CND035A1A	33,2	93,0	0,36	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 C HYBRID CASCADE	6	EBLA16DW17	-	Aria/acqua	12	Si	132	3,37	6	D2TND035A4A	33,2	93,0	0,36	EKCC(9)-W	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA04E3V3	-	Aria/acqua a bassa temperatura	6	Si	179	4,54	1	D2CND024A1A	23,0	93,0	0,26	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA04E3V3	-	Aria/acqua a bassa temperatura	6	Si	179	4,54	1	D2TND024A4A	22,8	93,0	0,26	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA04E3V3	-	Aria/acqua a bassa temperatura	6	Si	179	4,54	1	D2CND028A1A	26,3	93,0	0,23	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA04E3V3	-	Aria/acqua a bassa temperatura	6	Si	179	4,54	1	D2TND028A4A	26,3	93,0	0,23	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA04E3V3	-	Aria/acqua a bassa temperatura	6	Si	179	4,54	1	D2CND035A1A	33,2	93,0	0,18	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA04E3V3	-	Aria/acqua a bassa temperatura	6	Si	179	4,54	1	D2TND035A4A	33,2	93,0	0,18	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA04E3V3	-	Aria/acqua a bassa temperatura	6	Si	179	4,54	1	EKOMBG22AB	23,0	91,0	0,27	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA04E3V3	-	Aria/acqua a bassa temperatura	6	Si	179	4,54	1	EKOMB28AH	23,0	92,0	0,26	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA04E3V3	-	Aria/acqua a bassa temperatura	6	Si	179	4,54	1	EKOMBG28AB	28,0	91,0	0,21	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA04E3V3	-	Aria/acqua a bassa temperatura	6	Si	179	4,54	1	EKOMB33AH	26,0	93,0	0,23	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA04E3V3	-	Aria/acqua a bassa temperatura	6	Si	179	4,54	1	EKOMBG33AB	32,0	93,0	0,19	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA04EV3	-	Aria/acqua a bassa temperatura	6	Si	179	4,54	1	D2CND024A1A	23,0	93,0	0,26	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA04EV3	-	Aria/acqua a bassa temperatura	6	Si	179	4,54	1	D2TND024A4A	22,8	93,0	0,26	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA04EV3	-	Aria/acqua a bassa temperatura	6	Si	179	4,54	1	D2CND028A1A	26,3	93,0	0,23	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA04EV3	-	Aria/acqua a bassa temperatura	6	Si	179	4,54	1	D2TND028A4A	26,3	93,0	0,23	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA04EV3	-	Aria/acqua a bassa temperatura	6	Si	179	4,54	1	D2CND035A1A	33,2	93,0	0,18	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA04EV3	-	Aria/acqua a bassa temperatura	6	Si	179	4,54	1	D2TND035A4A	33,2	93,0	0,18	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA04EV3	-	Aria/acqua a bassa temperatura	6	Si	179	4,54	1	EKOMBG22AB	23,0	91,0	0,27	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA04EV3	-	Aria/acqua a bassa temperatura	6	Si	179	4,54	1	EKOMB28AH	23,0	92,0	0,26	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA04EV3	-	Aria/acqua a bassa temperatura	6	Si	179	4,54	1	EKOMBG28AB	28,0	91,0	0,21	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA04EV3	-	Aria/acqua a bassa temperatura	6	Si	179	4,54	1	EKOMB33AH	26,0	93,0	0,23	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA04EV3	-	Aria/acqua a bassa temperatura	6	Si	179	4,54	1	EKOMBG33AB	32,0	93,0	0,19	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA06E3V3	-	Aria/acqua a bassa temperatura	7	Si	178	4,52	1	D2CND024A1A	23,0	93,0	0,31	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA06E3V3	-	Aria/acqua a bassa temperatura	7	Si	178	4,52	1	D2TND024A4A	22,8	93,0	0,31	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA06E3V3	-	Aria/acqua a bassa temperatura	7	Si	178	4,52	1	D2CND028A1A	26,3	93,0	0,27	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA06E3V3	-	Aria/acqua a bassa temperatura	7	Si	178	4,52	1	D2TND028A4A	26,3	93,0	0,27	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA06E3V3	-	Aria/acqua a bassa temperatura	7	Si	178	4,52	1	D2CND035A1A	33,2	93,0	0,21	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA06E3V3	-	Aria/acqua a bassa temperatura	7	Si	178	4,52	1	D2TND035A4A	33,2	93,0	0,21	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA06E3V3	-	Aria/acqua a bassa temperatura	7	Si	178	4,52	1	EKOMBG22AB	23,0	91,0	0,31	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA06E3V3	-	Aria/acqua a bassa temperatura	7	Si	178	4,52	1	EKOMB28AH	23,0	92,0	0,31	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA06E3V3	-	Aria/acqua a bassa temperatura	7	Si	178	4,52	1	EKOMBG28AB	28,0	91,0	0,25	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA06E3V3	-	Aria/acqua a bassa temperatura	7	Si	178	4,52	1	EKOMB33AH	26,0	93,0	0,27	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA06E3V3	-	Aria/acqua a bassa temperatura	7	Si	178	4,52	1	EKOMBG33AB	32,0	93,0	0,22	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA06EV3	-	Aria/acqua a bassa temperatura	7	Si	178	4,52	1	D2CND024A1A	23,0	93,0	0,31	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA06EV3	-	Aria/acqua a bassa temperatura	7	Si	178	4,52	1	D2TND024A4A	22,8	93,0	0,31	EKRP1HBA	PdC MT in applicazione LT

ALTHERMA 3 M HYBRID 4-6-8	1	EBLA06EV3	-	Aria/acqua a bassa temperatura	7	Si	178	4,52	1	D2CND028A1A	26,3	93,0	0,27	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA06EV3	-	Aria/acqua a bassa temperatura	7	Si	178	4,52	1	D2TND028A4A	26,3	93,0	0,27	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA06EV3	-	Aria/acqua a bassa temperatura	7	Si	178	4,52	1	D2CND035A1A	33,2	93,0	0,21	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA06EV3	-	Aria/acqua a bassa temperatura	7	Si	178	4,52	1	D2TND035A4A	33,2	93,0	0,21	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA06EV3	-	Aria/acqua a bassa temperatura	7	Si	178	4,52	1	EKOMBG22AB	23,0	91,0	0,31	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA06EV3	-	Aria/acqua a bassa temperatura	7	Si	178	4,52	1	EKOMB28AH	23,0	92,0	0,31	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA06EV3	-	Aria/acqua a bassa temperatura	7	Si	178	4,52	1	EKOMBG28AB	28,0	91,0	0,25	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA06EV3	-	Aria/acqua a bassa temperatura	7	Si	178	4,52	1	EKOMB33AH	26,0	93,0	0,27	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA06EV3	-	Aria/acqua a bassa temperatura	7	Si	178	4,52	1	EKOMBG33AB	32,0	93,0	0,22	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA08E3V3	-	Aria/acqua a bassa temperatura	8	Si	181	4,61	1	D2CND024A1A	23,0	93,0	0,35	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA08E3V3	-	Aria/acqua a bassa temperatura	8	Si	181	4,61	1	D2TND024A4A	22,8	93,0	0,35	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA08E3V3	-	Aria/acqua a bassa temperatura	8	Si	181	4,61	1	D2CND028A1A	26,3	93,0	0,30	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA08E3V3	-	Aria/acqua a bassa temperatura	8	Si	181	4,61	1	D2TND028A4A	26,3	93,0	0,30	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA08E3V3	-	Aria/acqua a bassa temperatura	8	Si	181	4,61	1	D2CND035A1A	33,2	93,0	0,24	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA08E3V3	-	Aria/acqua a bassa temperatura	8	Si	181	4,61	1	D2TND035A4A	33,2	93,0	0,24	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA08E3V3	-	Aria/acqua a bassa temperatura	8	Si	181	4,61	1	EKOMBG22AB	23,0	91,0	0,35	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA08E3V3	-	Aria/acqua a bassa temperatura	8	Si	181	4,61	1	EKOMB28AH	23,0	92,0	0,35	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA08E3V3	-	Aria/acqua a bassa temperatura	8	Si	181	4,61	1	EKOMBG28AB	28,0	91,0	0,28	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA08E3V3	-	Aria/acqua a bassa temperatura	8	Si	181	4,61	1	EKOMB33AH	26,0	93,0	0,30	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA08E3V3	-	Aria/acqua a bassa temperatura	8	Si	181	4,61	1	EKOMBG33AB	32,0	93,0	0,25	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA08EV3	-	Aria/acqua a bassa temperatura	8	Si	181	4,61	1	D2CND024A1A	23,0	93,0	0,35	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA08EV3	-	Aria/acqua a bassa temperatura	8	Si	181	4,61	1	D2TND024A4A	22,8	93,0	0,35	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA08EV3	-	Aria/acqua a bassa temperatura	8	Si	181	4,61	1	D2CND028A1A	26,3	93,0	0,30	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA08EV3	-	Aria/acqua a bassa temperatura	8	Si	181	4,61	1	D2TND028A4A	26,3	93,0	0,30	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA08EV3	-	Aria/acqua a bassa temperatura	8	Si	181	4,61	1	D2CND035A1A	33,2	93,0	0,24	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA08EV3	-	Aria/acqua a bassa temperatura	8	Si	181	4,61	1	D2TND035A4A	33,2	93,0	0,24	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA08EV3	-	Aria/acqua a bassa temperatura	8	Si	181	4,61	1	EKOMBG22AB	23,0	91,0	0,35	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA08EV3	-	Aria/acqua a bassa temperatura	8	Si	181	4,61	1	EKOMB28AH	23,0	92,0	0,35	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA08EV3	-	Aria/acqua a bassa temperatura	8	Si	181	4,61	1	EKOMBG28AB	28,0	91,0	0,28	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA08EV3	-	Aria/acqua a bassa temperatura	8	Si	181	4,61	1	EKOMB33AH	26,0	93,0	0,30	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA08EV3	-	Aria/acqua a bassa temperatura	8	Si	181	4,61	1	EKOMBG33AB	32,0	93,0	0,25	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA04E3V3	-	Aria/acqua	6	Si	129	3,29	1	D2CND024A1A	23,0	93,0	0,26	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA04E3V3	-	Aria/acqua	6	Si	129	3,29	1	D2TND024A4A	22,8	93,0	0,26	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA04E3V3	-	Aria/acqua	6	Si	129	3,29	1	D2CND028A1A	26,3	93,0	0,23	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA04E3V3	-	Aria/acqua	6	Si	129	3,29	1	D2TND028A4A	26,3	93,0	0,23	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA04E3V3	-	Aria/acqua	6	Si	129	3,29	1	D2CND035A1A	33,2	93,0	0,18	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA04E3V3	-	Aria/acqua	6	Si	129	3,29	1	D2TND035A4A	33,2	93,0	0,18	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA04E3V3	-	Aria/acqua	6	Si	129	3,29	1	EKOMBG22AB	23,0	91,0	0,27	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA04E3V3	-	Aria/acqua	6	Si	129	3,29	1	EKOMB28AH	23,0	92,0	0,26	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA04E3V3	-	Aria/acqua	6	Si	129	3,29	1	EKOMBG28AB	28,0	91,0	0,21	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA04E3V3	-	Aria/acqua	6	Si	129	3,29	1	EKOMB33AH	26,0	93,0	0,23	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA04E3V3	-	Aria/acqua	6	Si	129	3,29	1	EKOMBG33AB	32,0	93,0	0,19	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA04EV3	-	Aria/acqua	6	Si	129	3,29	1	D2CND024A1A	23,0	93,0	0,26	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA04EV3	-	Aria/acqua	6	Si	129	3,29	1	D2TND024A4A	22,8	93,0	0,26	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA04EV3	-	Aria/acqua	6	Si	129	3,29	1	D2CND028A1A	26,3	93,0	0,23	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA04EV3	-	Aria/acqua	6	Si	129	3,29	1	D2TND028A4A	26,3	93,0	0,23	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA04EV3	-	Aria/acqua	6	Si	129	3,29	1	D2CND035A1A	33,2	93,0	0,18	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA04EV3	-	Aria/acqua	6	Si	129	3,29	1	D2TND035A4A	33,2	93,0	0,18	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA04EV3	-	Aria/acqua	6	Si	129	3,29	1	EKOMBG22AB	23,0	91,0	0,27	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA04EV3	-	Aria/acqua	6	Si	129	3,29	1	EKOMB28AH	23,0	92,0	0,26	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA04EV3	-	Aria/acqua	6	Si	129	3,29	1	EKOMBG28AB	28,0	91,0	0,21	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA04EV3	-	Aria/acqua	6	Si	129	3,29	1	EKOMB33AH	26,0	93,0	0,23	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA04EV3	-	Aria/acqua	6	Si	129	3,29	1	EKOMBG33AB	32,0	93,0	0,19	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA06E3V3	-	Aria/acqua	7	Si	128	3,28	1	D2CND024A1A	23,0	93,0	0,31	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA06E3V3	-	Aria/acqua	7	Si	128	3,28	1	D2TND024A4A	22,8	93,0	0,31	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA06E3V3	-	Aria/acqua	7	Si	128	3,28	1	D2CND028A1A	26,3	93,0	0,27	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA06E3V3	-	Aria/acqua	7	Si	128	3,28	1	D2TND028A4A	26,3	93,0	0,27	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA06E3V3	-	Aria/acqua	7	Si	128	3,28	1	D2CND035A1A	33,2	93,0	0,21	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA06E3V3	-	Aria/acqua	7	Si	128	3,28	1	D2TND035A4A	33,2	93,0	0,21	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA06E3V3	-	Aria/acqua	7	Si	128	3,28	1	EKOMBG22AB	23,0	91,0	0,31	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA06E3V3	-	Aria/acqua	7	Si	128	3,28	1	EKOMB28AH	23,0	92,0	0,31	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA06E3V3	-	Aria/acqua	7	Si	128	3,28	1	EKOMBG28AB	28,0	91,0	0,25	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA06E3V3	-	Aria/acqua	7	Si	128	3,28	1	EKOMB33AH	26,0	93,0	0,27	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA06E3V3	-	Aria/acqua	7	Si	128	3,28	1	EKOMBG33AB	32,0	93,0	0,22	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA06EV3	-	Aria/acqua	7	Si	128	3,28	1	D2CND024A1A	23,0	93,0	0,31	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA06EV3	-	Aria/acqua	7	Si	128	3,28	1	D2TND024A4A	22,8	93,0	0,31	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA06EV3	-	Aria/acqua	7	Si	128	3,28	1	D2CND028A1A	26,3	93,0	0,27	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA06EV3	-	Aria/acqua	7	Si	128	3,28	1	D2TND028A4A	26,3	93,0	0,27	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA06EV3	-	Aria/acqua	7	Si	128	3,28	1	D2CND035A1A	33,2	93,0	0,21	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA06EV3	-	Aria/acqua	7	Si	128	3,28	1	D2TND035A4A	33,2	93,0	0,21	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA06EV3	-	Aria/acqua	7	Si	128	3,28	1	EKOMBG22AB	23,0	91,0	0,31	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA06EV3	-	Aria/acqua	7	Si	128	3,28	1	EKOMB28AH	23,0	92,0	0,31	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA06EV3	-	Aria/acqua	7	Si	128	3,28	1	EKOMBG28AB	28,0	91,0	0,25	EKRP1HBA	PdC MT in applicazione MT

ALTHERMA 3 M HYBRID 4-6-8	1	EBLA06EV3	-	Aria/acqua	7	Si	128	3,28	1	EKOMB33AH	26,0	93,0	0,27	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA06EV3	-	Aria/acqua	7	Si	128	3,28	1	EKOMBG33AB	32,0	93,0	0,22	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA08E3V3	-	Aria/acqua	8	Si	131	3,35	1	D2CND024A1A	23,0	93,0	0,35	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA08E3V3	-	Aria/acqua	8	Si	131	3,35	1	D2TND024A4A	22,8	93,0	0,35	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA08E3V3	-	Aria/acqua	8	Si	131	3,35	1	D2CND028A1A	26,3	93,0	0,30	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA08E3V3	-	Aria/acqua	8	Si	131	3,35	1	D2TND028A4A	26,3	93,0	0,30	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA08E3V3	-	Aria/acqua	8	Si	131	3,35	1	D2CND035A1A	33,2	93,0	0,24	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA08E3V3	-	Aria/acqua	8	Si	131	3,35	1	D2TND035A4A	33,2	93,0	0,24	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA08E3V3	-	Aria/acqua	8	Si	131	3,35	1	EKOMBG22AB	23,0	91,0	0,35	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA08E3V3	-	Aria/acqua	8	Si	131	3,35	1	EKOMB28AH	23,0	92,0	0,35	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA08E3V3	-	Aria/acqua	8	Si	131	3,35	1	EKOMBG28AB	28,0	91,0	0,28	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA08E3V3	-	Aria/acqua	8	Si	131	3,35	1	EKOMB33AH	26,0	93,0	0,30	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA08E3V3	-	Aria/acqua	8	Si	131	3,35	1	EKOMBG33AB	32,0	93,0	0,25	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA08EV3	-	Aria/acqua	8	Si	131	3,35	1	D2CND024A1A	23,0	93,0	0,35	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA08EV3	-	Aria/acqua	8	Si	131	3,35	1	D2TND024A4A	22,8	93,0	0,35	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA08EV3	-	Aria/acqua	8	Si	131	3,35	1	D2CND028A1A	26,3	93,0	0,30	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA08EV3	-	Aria/acqua	8	Si	131	3,35	1	D2TND028A4A	26,3	93,0	0,30	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA08EV3	-	Aria/acqua	8	Si	131	3,35	1	D2CND035A1A	33,2	93,0	0,24	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA08EV3	-	Aria/acqua	8	Si	131	3,35	1	D2TND035A4A	33,2	93,0	0,24	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA08EV3	-	Aria/acqua	8	Si	131	3,35	1	EKOMBG22AB	23,0	91,0	0,35	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA08EV3	-	Aria/acqua	8	Si	131	3,35	1	EKOMB28AH	23,0	92,0	0,35	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA08EV3	-	Aria/acqua	8	Si	131	3,35	1	EKOMBG28AB	28,0	91,0	0,28	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA08EV3	-	Aria/acqua	8	Si	131	3,35	1	EKOMB33AH	26,0	93,0	0,30	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 4-6-8	1	EBLA08EV3	-	Aria/acqua	8	Si	131	3,35	1	EKOMBG33AB	32,0	93,0	0,25	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA09D3V3	-	Aria/acqua a bassa temperatura	9	Si	190	4,82	1	D2CND024A1A	23,0	93,0	0,39	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA09D3V3	-	Aria/acqua a bassa temperatura	9	Si	190	4,82	1	D2TND024A4A	22,8	93,0	0,39	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA09D3V3	-	Aria/acqua a bassa temperatura	9	Si	190	4,82	1	D2CND028A1A	26,3	93,0	0,34	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA09D3V3	-	Aria/acqua a bassa temperatura	9	Si	190	4,82	1	D2TND028A4A	26,3	93,0	0,34	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA09D3V3	-	Aria/acqua a bassa temperatura	9	Si	190	4,82	1	D2CND035A1A	33,2	93,0	0,27	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA09D3V3	-	Aria/acqua a bassa temperatura	9	Si	190	4,82	1	D2TND035A4A	33,2	93,0	0,27	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA09D3V3	-	Aria/acqua a bassa temperatura	9	Si	190	4,82	1	EKOMBG22AB	23,0	91,0	0,40	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA09D3V3	-	Aria/acqua a bassa temperatura	9	Si	190	4,82	1	EKOMB28AH	23,0	92,0	0,39	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA09D3V3	-	Aria/acqua a bassa temperatura	9	Si	190	4,82	1	EKOMBG28AB	28,0	91,0	0,32	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA09D3V3	-	Aria/acqua a bassa temperatura	9	Si	190	4,82	1	EKOMB33AH	26,0	93,0	0,34	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA09D3V3	-	Aria/acqua a bassa temperatura	9	Si	190	4,82	1	EKOMBG33AB	32,0	93,0	0,28	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA09DV3	-	Aria/acqua a bassa temperatura	9	Si	190	4,82	1	D2CND024A1A	23,0	93,0	0,39	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA09DV3	-	Aria/acqua a bassa temperatura	9	Si	190	4,82	1	D2TND024A4A	22,8	93,0	0,39	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA09DV3	-	Aria/acqua a bassa temperatura	9	Si	190	4,82	1	D2CND028A1A	26,3	93,0	0,34	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA09DV3	-	Aria/acqua a bassa temperatura	9	Si	190	4,82	1	D2TND028A4A	26,3	93,0	0,34	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA09DV3	-	Aria/acqua a bassa temperatura	9	Si	190	4,82	1	D2CND035A1A	33,2	93,0	0,27	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA09DV3	-	Aria/acqua a bassa temperatura	9	Si	190	4,82	1	D2TND035A4A	33,2	93,0	0,27	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA09DV3	-	Aria/acqua a bassa temperatura	9	Si	190	4,82	1	EKOMBG22AB	23,0	91,0	0,40	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA09DV3	-	Aria/acqua a bassa temperatura	9	Si	190	4,82	1	EKOMB28AH	23,0	92,0	0,39	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA09DV3	-	Aria/acqua a bassa temperatura	9	Si	190	4,82	1	EKOMBG28AB	28,0	91,0	0,32	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA09DV3	-	Aria/acqua a bassa temperatura	9	Si	190	4,82	1	EKOMB33AH	26,0	93,0	0,34	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA09DV3	-	Aria/acqua a bassa temperatura	9	Si	190	4,82	1	EKOMBG33AB	32,0	93,0	0,28	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA11D3V3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	1	D2CND024A1A	23,0	93,0	0,44	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA11D3V3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	1	D2TND024A4A	22,8	93,0	0,44	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA11D3V3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	1	D2CND028A1A	26,3	93,0	0,38	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA11D3V3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	1	D2TND028A4A	26,3	93,0	0,38	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA11D3V3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	1	D2CND035A1A	33,2	93,0	0,30	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA11D3V3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	1	D2TND035A4A	33,2	93,0	0,30	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA11D3V3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	1	EKOMBG22AB	23,0	91,0	0,44	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA11D3V3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	1	EKOMB28AH	23,0	92,0	0,44	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA11D3V3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	1	EKOMBG28AB	28,0	91,0	0,35	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA11D3V3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	1	EKOMB33AH	26,0	93,0	0,38	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA11D3V3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	1	EKOMBG33AB	32,0	93,0	0,31	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA11DV3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	1	D2CND024A1A	23,0	93,0	0,44	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA11DV3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	1	D2TND024A4A	22,8	93,0	0,44	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA11DV3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	1	D2CND028A1A	26,3	93,0	0,38	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA11DV3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	1	D2TND028A4A	26,3	93,0	0,38	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA11DV3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	1	D2CND035A1A	33,2	93,0	0,30	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA11DV3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	1	D2TND035A4A	33,2	93,0	0,30	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA11DV3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	1	EKOMBG22AB	23,0	91,0	0,44	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA11DV3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	1	EKOMB28AH	23,0	92,0	0,44	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA11DV3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	1	EKOMBG28AB	28,0	91,0	0,35	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA11DV3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	1	EKOMB33AH	26,0	93,0	0,38	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA11DV3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	1	EKOMBG33AB	32,0	93,0	0,31	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA14D3V3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	1	D2CND024A1A	23,0	93,0	0,48	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA14D3V3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	1	D2TND024A4A	22,8	93,0	0,48	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA14D3V3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	1	D2CND028A1A	26,3	93,0	0,42	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA14D3V3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	1	D2TND028A4A	26,3	93,0	0,42	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA14D3V3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	1	D2CND035A1A	33,2	93,0	0,33	EKRP1HBA	PdC MT in applicazione LT

ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA14D3V3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	1	D2TND035A4A	33,2	93,0	0,33	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA14D3V3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	1	EKOMBG22AB	23,0	91,0	0,49	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA14D3V3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	1	EKOMB28AH	23,0	92,0	0,48	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA14D3V3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	1	EKOMBG28AB	28,0	91,0	0,39	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA14D3V3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	1	EKOMB33AH	26,0	93,0	0,42	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA14D3V3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	1	EKOMBG33AB	32,0	93,0	0,34	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA14DV3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	1	D2CND024A1A	23,0	93,0	0,48	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA14DV3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	1	D2TND024A4A	22,8	93,0	0,48	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA14DV3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	1	D2CND028A1A	26,3	93,0	0,42	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA14DV3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	1	D2TND028A4A	26,3	93,0	0,42	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA14DV3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	1	D2CND035A1A	33,2	93,0	0,33	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA14DV3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	1	D2TND035A4A	33,2	93,0	0,33	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA14DV3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	1	EKOMBG22AB	23,0	91,0	0,49	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA14DV3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	1	EKOMB28AH	23,0	92,0	0,48	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA14DV3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	1	EKOMBG28AB	28,0	91,0	0,39	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA14DV3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	1	EKOMB33AH	26,0	93,0	0,42	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA14DV3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	1	EKOMBG33AB	32,0	93,0	0,34	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA16D3V37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	1	D2CND028A1A	26,3	93,0	0,46	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA16D3V37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	1	D2TND028A4A	26,3	93,0	0,46	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA16D3V37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	1	D2CND035A1A	33,2	93,0	0,36	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA16D3V37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	1	D2TND035A4A	33,2	93,0	0,36	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA16D3V37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	1	EKOMBG28AB	28,0	91,0	0,43	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA16D3V37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	1	EKOMB33AH	26,0	93,0	0,46	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA16D3V37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	1	EKOMBG33AB	32,0	93,0	0,38	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA16DV37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	1	D2CND028A1A	26,3	93,0	0,46	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA16DV37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	1	D2TND028A4A	26,3	93,0	0,46	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA16DV37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	1	D2CND035A1A	33,2	93,0	0,36	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA16DV37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	1	D2TND035A4A	33,2	93,0	0,36	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA16DV37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	1	EKOMBG28AB	28,0	91,0	0,43	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA16DV37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	1	EKOMB33AH	26,0	93,0	0,46	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA16DV37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	1	EKOMBG33AB	32,0	93,0	0,38	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA09D3V3	-	Aria/acqua	9	Si	135	3,44	1	D2CND024A1A	23,0	93,0	0,39	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA09D3V3	-	Aria/acqua	9	Si	135	3,44	1	D2TND024A4A	22,8	93,0	0,39	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA09D3V3	-	Aria/acqua	9	Si	135	3,44	1	D2CND028A1A	26,3	93,0	0,34	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA09D3V3	-	Aria/acqua	9	Si	135	3,44	1	D2TND028A4A	26,3	93,0	0,34	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA09D3V3	-	Aria/acqua	9	Si	135	3,44	1	D2CND035A1A	33,2	93,0	0,27	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA09D3V3	-	Aria/acqua	9	Si	135	3,44	1	D2TND035A4A	33,2	93,0	0,27	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA09D3V3	-	Aria/acqua	9	Si	135	3,44	1	EKOMBG22AB	23,0	91,0	0,40	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA09D3V3	-	Aria/acqua	9	Si	135	3,44	1	EKOMB28AH	23,0	92,0	0,39	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA09D3V3	-	Aria/acqua	9	Si	135	3,44	1	EKOMBG28AB	28,0	91,0	0,32	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA09D3V3	-	Aria/acqua	9	Si	135	3,44	1	EKOMB33AH	26,0	93,0	0,34	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA09D3V3	-	Aria/acqua	9	Si	135	3,44	1	EKOMBG33AB	32,0	93,0	0,28	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA09DV3	-	Aria/acqua	9	Si	135	3,44	1	D2CND024A1A	23,0	93,0	0,39	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA09DV3	-	Aria/acqua	9	Si	135	3,44	1	D2TND024A4A	22,8	93,0	0,39	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA09DV3	-	Aria/acqua	9	Si	135	3,44	1	D2CND028A1A	26,3	93,0	0,34	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA09DV3	-	Aria/acqua	9	Si	135	3,44	1	D2TND028A4A	26,3	93,0	0,34	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA09DV3	-	Aria/acqua	9	Si	135	3,44	1	D2CND035A1A	33,2	93,0	0,27	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA09DV3	-	Aria/acqua	9	Si	135	3,44	1	D2TND035A4A	33,2	93,0	0,27	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA09DV3	-	Aria/acqua	9	Si	135	3,44	1	EKOMBG22AB	23,0	91,0	0,40	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA09DV3	-	Aria/acqua	9	Si	135	3,44	1	EKOMB28AH	23,0	92,0	0,39	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA09DV3	-	Aria/acqua	9	Si	135	3,44	1	EKOMBG28AB	28,0	91,0	0,32	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA09DV3	-	Aria/acqua	9	Si	135	3,44	1	EKOMB33AH	26,0	93,0	0,34	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA09DV3	-	Aria/acqua	9	Si	135	3,44	1	EKOMBG33AB	32,0	93,0	0,28	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA11D3V3	-	Aria/acqua	10	Si	132	3,37	1	D2CND024A1A	23,0	93,0	0,44	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA11D3V3	-	Aria/acqua	10	Si	132	3,37	1	D2TND024A4A	22,8	93,0	0,44	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA11D3V3	-	Aria/acqua	10	Si	132	3,37	1	D2CND028A1A	26,3	93,0	0,38	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA11D3V3	-	Aria/acqua	10	Si	132	3,37	1	D2TND028A4A	26,3	93,0	0,38	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA11D3V3	-	Aria/acqua	10	Si	132	3,37	1	D2CND035A1A	33,2	93,0	0,30	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA11D3V3	-	Aria/acqua	10	Si	132	3,37	1	D2TND035A4A	33,2	93,0	0,30	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA11D3V3	-	Aria/acqua	10	Si	132	3,37	1	EKOMBG22AB	23,0	91,0	0,44	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA11D3V3	-	Aria/acqua	10	Si	132	3,37	1	EKOMB28AH	23,0	92,0	0,44	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA11D3V3	-	Aria/acqua	10	Si	132	3,37	1	EKOMBG28AB	28,0	91,0	0,35	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA11D3V3	-	Aria/acqua	10	Si	132	3,37	1	EKOMB33AH	26,0	93,0	0,38	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA11D3V3	-	Aria/acqua	10	Si	132	3,37	1	EKOMBG33AB	32,0	93,0	0,31	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA11DV3	-	Aria/acqua	10	Si	132	3,37	1	D2CND024A1A	23,0	93,0	0,44	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA11DV3	-	Aria/acqua	10	Si	132	3,37	1	D2TND024A4A	22,8	93,0	0,44	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA11DV3	-	Aria/acqua	10	Si	132	3,37	1	D2CND028A1A	26,3	93,0	0,38	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA11DV3	-	Aria/acqua	10	Si	132	3,37	1	D2TND028A4A	26,3	93,0	0,38	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA11DV3	-	Aria/acqua	10	Si	132	3,37	1	D2CND035A1A	33,2	93,0	0,30	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA11DV3	-	Aria/acqua	10	Si	132	3,37	1	D2TND035A4A	33,2	93,0	0,30	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA11DV3	-	Aria/acqua	10	Si	132	3,37	1	EKOMBG22AB	23,0	91,0	0,44	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA11DV3	-	Aria/acqua	10	Si	132	3,37	1	EKOMB28AH	23,0	92,0	0,44	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA11DV3	-	Aria/acqua	10	Si	132	3,37	1	EKOMBG28AB	28,0	91,0	0,35	EKRP1HBA	PdC MT in applicazione MT

ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA11DV3	-	Aria/acqua	10	Si	132	3,37	1	EKOMB33AH	26,0	93,0	0,38	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA11DV3	-	Aria/acqua	10	Si	132	3,37	1	EKOMBG33AB	32,0	93,0	0,31	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA14D3V3	-	Aria/acqua	11	Si	134	3,42	1	D2CND024A1A	23,0	93,0	0,48	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA14D3V3	-	Aria/acqua	11	Si	134	3,42	1	D2TND024A4A	22,8	93,0	0,48	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA14D3V3	-	Aria/acqua	11	Si	134	3,42	1	D2CND028A1A	26,3	93,0	0,42	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA14D3V3	-	Aria/acqua	11	Si	134	3,42	1	D2TND028A4A	26,3	93,0	0,42	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA14D3V3	-	Aria/acqua	11	Si	134	3,42	1	D2CND035A1A	33,2	93,0	0,33	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA14D3V3	-	Aria/acqua	11	Si	134	3,42	1	D2TND035A4A	33,2	93,0	0,33	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA14D3V3	-	Aria/acqua	11	Si	134	3,42	1	EKOMBG22AB	23,0	91,0	0,49	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA14D3V3	-	Aria/acqua	11	Si	134	3,42	1	EKOMB28AH	23,0	92,0	0,48	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA14D3V3	-	Aria/acqua	11	Si	134	3,42	1	EKOMBG28AB	28,0	91,0	0,39	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA14D3V3	-	Aria/acqua	11	Si	134	3,42	1	EKOMB33AH	26,0	93,0	0,42	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA14D3V3	-	Aria/acqua	11	Si	134	3,42	1	EKOMBG33AB	32,0	93,0	0,34	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA14DV3	-	Aria/acqua	11	Si	134	3,42	1	D2CND024A1A	23,0	93,0	0,48	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA14DV3	-	Aria/acqua	11	Si	134	3,42	1	D2TND024A4A	22,8	93,0	0,48	EKRP1HBA	PdC MT in applicazione MT

ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA14DV3	-	Aria/acqua	11	Si	134	3,42	1	D2CND028A1A	26,3	93,0	0,42	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA14DV3	-	Aria/acqua	11	Si	134	3,42	1	D2TND028A4A	26,3	93,0	0,42	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA14DV3	-	Aria/acqua	11	Si	134	3,42	1	D2CND035A1A	33,2	93,0	0,33	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA14DV3	-	Aria/acqua	11	Si	134	3,42	1	D2TND035A4A	33,2	93,0	0,33	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA14DV3	-	Aria/acqua	11	Si	134	3,42	1	EKOMBG22AB	23,0	91,0	0,49	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA14DV3	-	Aria/acqua	11	Si	134	3,42	1	EKOMB28AH	23,0	92,0	0,48	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA14DV3	-	Aria/acqua	11	Si	134	3,42	1	EKOMBG28AB	28,0	91,0	0,39	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA14DV3	-	Aria/acqua	11	Si	134	3,42	1	EKOMB33AH	26,0	93,0	0,42	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA14DV3	-	Aria/acqua	11	Si	134	3,42	1	EKOMBG33AB	32,0	93,0	0,34	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA16D3V37	-	Aria/acqua	12	Si	132	3,37	1	D2CND028A1A	26,3	93,0	0,46	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA16D3V37	-	Aria/acqua	12	Si	132	3,37	1	D2TND028A4A	26,3	93,0	0,46	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA16D3V37	-	Aria/acqua	12	Si	132	3,37	1	D2CND035A1A	33,2	93,0	0,36	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA16D3V37	-	Aria/acqua	12	Si	132	3,37	1	D2TND035A4A	33,2	93,0	0,36	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA16D3V37	-	Aria/acqua	12	Si	132	3,37	1	EKOMBG28AB	28,0	91,0	0,43	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA16D3V37	-	Aria/acqua	12	Si	132	3,37	1	EKOMB33AH	26,0	93,0	0,46	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA16D3V37	-	Aria/acqua	12	Si	132	3,37	1	EKOMBG33AB	32,0	93,0	0,38	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA16DV37	-	Aria/acqua	12	Si	132	3,37	1	D2CND028A1A	26,3	93,0	0,46	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA16DV37	-	Aria/acqua	12	Si	132	3,37	1	D2TND028A4A	26,3	93,0	0,46	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA16DV37	-	Aria/acqua	12	Si	132	3,37	1	D2CND035A1A	33,2	93,0	0,36	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA16DV37	-	Aria/acqua	12	Si	132	3,37	1	D2TND035A4A	33,2	93,0	0,36	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA16DV37	-	Aria/acqua	12	Si	132	3,37	1	EKOMBG28AB	28,0	91,0	0,43	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA16DV37	-	Aria/acqua	12	Si	132	3,37	1	EKOMB33AH	26,0	93,0	0,46	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 1PH	1	EBLA16DV37	-	Aria/acqua	12	Si	132	3,37	1	EKOMBG33AB	32,0	93,0	0,38	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA11D3W1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	1	D2CND024A1A	23,0	93,0	0,44	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA11D3W1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	1	D2TND024A4A	22,8	93,0	0,44	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA11D3W1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	1	D2CND028A1A	26,3	93,0	0,38	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA11D3W1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	1	D2TND028A4A	26,3	93,0	0,38	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA11D3W1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	1	D2CND035A1A	33,2	93,0	0,30	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA11D3W1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	1	D2TND035A4A	33,2	93,0	0,30	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA11D3W1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	1	EKOMBG22AB	23,0	91,0	0,44	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA11D3W1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	1	EKOMB28AH	23,0	92,0	0,44	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA11D3W1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	1	EKOMBG28AB	28,0	91,0	0,35	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA11D3W1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	1	EKOMB33AH	26,0	93,0	0,38	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA11D3W1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	1	EKOMBG33AB	32,0	93,0	0,31	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA11DW1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	1	D2CND024A1A	23,0	93,0	0,44	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA11DW1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	1	D2TND024A4A	22,8	93,0	0,44	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA11DW1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	1	D2CND028A1A	26,3	93,0	0,38	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA11DW1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	1	D2TND028A4A	26,3	93,0	0,38	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA11DW1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	1	D2CND035A1A	33,2	93,0	0,30	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA11DW1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	1	D2TND035A4A	33,2	93,0	0,30	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA11DW1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	1	EKOMBG22AB	23,0	91,0	0,44	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA11DW1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	1	EKOMB28AH	23,0	92,0	0,44	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA11DW1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	1	EKOMBG28AB	28,0	91,0	0,35	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA11DW1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	1	EKOMB33AH	26,0	93,0	0,38	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA11DW1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	1	EKOMBG33AB	32,0	93,0	0,31	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA14D3W1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	1	D2CND024A1A	23,0	93,0	0,48	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA14D3W1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	1	D2TND024A4A	22,8	93,0	0,48	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA14D3W1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	1	D2CND028A1A	26,3	93,0	0,42	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA14D3W1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	1	D2TND028A4A	26,3	93,0	0,42	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA14D3W1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	1	D2CND035A1A	33,2	93,0	0,33	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA14D3W1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	1	D2TND035A4A	33,2	93,0	0,33	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA14D3W1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	1	EKOMBG22AB	23,0	91,0	0,49	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA14D3W1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	1	EKOMB28AH	23,0	92,0	0,48	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA14D3W1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	1	EKOMBG28AB	28,0	91,0	0,39	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA14D3W1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	1	EKOMB33AH	26,0	93,0	0,42	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA14D3W1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	1	EKOMBG33AB	32,0	93,0	0,34	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA14DW1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	1	D2CND024A1A	23,0	93,0	0,48	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA14DW1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	1	D2TND024A4A	22,8	93,0	0,48	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA14DW1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	1	D2CND028A1A	26,3	93,0	0,42	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA14DW1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	1	D2TND028A4A	26,3	93,0	0,42	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA14DW1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	1	D2CND035A1A	33,2	93,0	0,33	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA14DW1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	1	D2TND035A4A	33,2	93,0	0,33	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA14DW1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	1	EKOMBG22AB	23,0	91,0	0,49	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA14DW1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	1	EKOMB28AH	23,0	92,0	0,48	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA14DW1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	1	EKOMBG28AB	28,0	91,0	0,39	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA14DW1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	1	EKOMB33AH	26,0	93,0	0,42	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA14DW1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	1	EKOMBG33AB	32,0	93,0	0,34	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA16D3W17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	1	D2CND028A1A	26,3	93,0	0,46	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA16D3W17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	1	D2TND028A4A	26,3	93,0	0,46	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA16D3W17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	1	D2CND035A1A	33,2	93,0	0,36	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA16D3W17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	1	D2TND035A4A	33,2	93,0	0,36	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA16D3W17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	1	EKOMBG28AB	28,0	91,0	0,43	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA16D3W17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	1	EKOMB33AH	26,0	93,0	0,46	EKRP1HBA	PdC MT in applicazione LT

ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA16D3W17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	1	EKOMBG33AB	32,0	93,0	0,38	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA16DW17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	1	D2CND028A1A	26,3	93,0	0,46	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA16DW17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	1	D2TND028A4A	26,3	93,0	0,46	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA16DW17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	1	D2CND035A1A	33,2	93,0	0,36	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA16DW17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	1	D2TND035A4A	33,2	93,0	0,36	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA16DW17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	1	EKOMBG28AB	28,0	91,0	0,43	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA16DW17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	1	EKOMB33AH	26,0	93,0	0,46	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA16DW17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	1	EKOMBG33AB	32,0	93,0	0,38	EKRP1HBA	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA11D3W1	-	Aria/acqua	10	Si	132	3,37	1	D2CND024A1A	23,0	93,0	0,44	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA11D3W1	-	Aria/acqua	10	Si	132	3,37	1	D2TND024A4A	22,8	93,0	0,44	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA11D3W1	-	Aria/acqua	10	Si	132	3,37	1	D2CND028A1A	26,3	93,0	0,38	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA11D3W1	-	Aria/acqua	10	Si	132	3,37	1	D2TND028A4A	26,3	93,0	0,38	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA11D3W1	-	Aria/acqua	10	Si	132	3,37	1	D2CND035A1A	33,2	93,0	0,30	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA11D3W1	-	Aria/acqua	10	Si	132	3,37	1	D2TND035A4A	33,2	93,0	0,30	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA11D3W1	-	Aria/acqua	10	Si	132	3,37	1	EKOMBG22AB	23,0	91,0	0,44	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA11D3W1	-	Aria/acqua	10	Si	132	3,37	1	EKOMB28AH	23,0	92,0	0,44	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA11D3W1	-	Aria/acqua	10	Si	132	3,37	1	EKOMBG28AB	28,0	91,0	0,35	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA11D3W1	-	Aria/acqua	10	Si	132	3,37	1	EKOMB33AH	26,0	93,0	0,38	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA11D3W1	-	Aria/acqua	10	Si	132	3,37	1	EKOMBG33AB	32,0	93,0	0,31	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA11DW1	-	Aria/acqua	10	Si	132	3,37	1	D2CND024A1A	23,0	93,0	0,44	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA11DW1	-	Aria/acqua	10	Si	132	3,37	1	D2TND024A4A	22,8	93,0	0,44	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA11DW1	-	Aria/acqua	10	Si	132	3,37	1	D2CND028A1A	26,3	93,0	0,38	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA11DW1	-	Aria/acqua	10	Si	132	3,37	1	D2TND028A4A	26,3	93,0	0,38	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA11DW1	-	Aria/acqua	10	Si	132	3,37	1	D2CND035A1A	33,2	93,0	0,30	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA11DW1	-	Aria/acqua	10	Si	132	3,37	1	D2TND035A4A	33,2	93,0	0,30	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA11DW1	-	Aria/acqua	10	Si	132	3,37	1	EKOMBG22AB	23,0	91,0	0,44	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA11DW1	-	Aria/acqua	10	Si	132	3,37	1	EKOMB28AH	23,0	92,0	0,44	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA11DW1	-	Aria/acqua	10	Si	132	3,37	1	EKOMBG28AB	28,0	91,0	0,35	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA11DW1	-	Aria/acqua	10	Si	132	3,37	1	EKOMB33AH	26,0	93,0	0,38	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA11DW1	-	Aria/acqua	10	Si	132	3,37	1	EKOMBG33AB	32,0	93,0	0,31	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA14D3W1	-	Aria/acqua	11	Si	134	3,42	1	D2CND024A1A	23,0	93,0	0,48	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA14D3W1	-	Aria/acqua	11	Si	134	3,42	1	D2TND024A4A	22,8	93,0	0,48	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA14D3W1	-	Aria/acqua	11	Si	134	3,42	1	D2CND028A1A	26,3	93,0	0,42	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA14D3W1	-	Aria/acqua	11	Si	134	3,42	1	D2TND028A4A	26,3	93,0	0,42	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA14D3W1	-	Aria/acqua	11	Si	134	3,42	1	D2CND035A1A	33,2	93,0	0,33	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA14D3W1	-	Aria/acqua	11	Si	134	3,42	1	D2TND035A4A	33,2	93,0	0,33	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA14D3W1	-	Aria/acqua	11	Si	134	3,42	1	EKOMBG22AB	23,0	91,0	0,49	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA14D3W1	-	Aria/acqua	11	Si	134	3,42	1	EKOMB28AH	23,0	92,0	0,48	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA14D3W1	-	Aria/acqua	11	Si	134	3,42	1	EKOMBG28AB	28,0	91,0	0,39	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA14D3W1	-	Aria/acqua	11	Si	134	3,42	1	EKOMB33AH	26,0	93,0	0,42	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA14D3W1	-	Aria/acqua	11	Si	134	3,42	1	EKOMBG33AB	32,0	93,0	0,34	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA14DW1	-	Aria/acqua	11	Si	134	3,42	1	D2CND024A1A	23,0	93,0	0,48	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA14DW1	-	Aria/acqua	11	Si	134	3,42	1	D2TND024A4A	22,8	93,0	0,48	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA14DW1	-	Aria/acqua	11	Si	134	3,42	1	D2CND028A1A	26,3	93,0	0,42	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA14DW1	-	Aria/acqua	11	Si	134	3,42	1	D2TND028A4A	26,3	93,0	0,42	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA14DW1	-	Aria/acqua	11	Si	134	3,42	1	D2CND035A1A	33,2	93,0	0,33	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA14DW1	-	Aria/acqua	11	Si	134	3,42	1	D2TND035A4A	33,2	93,0	0,33	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA14DW1	-	Aria/acqua	11	Si	134	3,42	1	EKOMBG22AB	23,0	91,0	0,49	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA14DW1	-	Aria/acqua	11	Si	134	3,42	1	EKOMB28AH	23,0	92,0	0,48	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA14DW1	-	Aria/acqua	11	Si	134	3,42	1	EKOMBG28AB	28,0	91,0	0,39	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA14DW1	-	Aria/acqua	11	Si	134	3,42	1	EKOMB33AH	26,0	93,0	0,42	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA14DW1	-	Aria/acqua	11	Si	134	3,42	1	EKOMBG33AB	32,0	93,0	0,34	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA16D3W17	-	Aria/acqua	12	Si	132	3,37	1	D2CND028A1A	26,3	93,0	0,46	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA16D3W17	-	Aria/acqua	12	Si	132	3,37	1	D2TND028A4A	26,3	93,0	0,46	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA16D3W17	-	Aria/acqua	12	Si	132	3,37	1	D2CND035A1A	33,2	93,0	0,36	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA16D3W17	-	Aria/acqua	12	Si	132	3,37	1	D2TND035A4A	33,2	93,0	0,36	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA16D3W17	-	Aria/acqua	12	Si	132	3,37	1	EKOMBG28AB	28,0	91,0	0,43	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA16D3W17	-	Aria/acqua	12	Si	132	3,37	1	EKOMB33AH	26,0	93,0	0,46	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA16D3W17	-	Aria/acqua	12	Si	132	3,37	1	EKOMBG33AB	32,0	93,0	0,38	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA16DW17	-	Aria/acqua	12	Si	132	3,37	1	D2CND028A1A	26,3	93,0	0,46	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA16DW17	-	Aria/acqua	12	Si	132	3,37	1	D2TND028A4A	26,3	93,0	0,46	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA16DW17	-	Aria/acqua	12	Si	132	3,37	1	D2CND035A1A	33,2	93,0	0,36	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA16DW17	-	Aria/acqua	12	Si	132	3,37	1	D2TND035A4A	33,2	93,0	0,36	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA16DW17	-	Aria/acqua	12	Si	132	3,37	1	EKOMBG28AB	28,0	91,0	0,43	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA16DW17	-	Aria/acqua	12	Si	132	3,37	1	EKOMB33AH	26,0	93,0	0,46	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID 9-11-14-16 3PH	1	EBLA16DW17	-	Aria/acqua	12	Si	132	3,37	1	EKOMBG33AB	32,0	93,0	0,38	EKRP1HBA	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 4-6-8	1	EBLA04E3V3	-	Aria/acqua a bassa temperatura	6	Si	179	4,54	1	D2CND024A1A	23,0	93,0	0,26	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 4-6-8	1	EBLA04E3V3	-	Aria/acqua a bassa temperatura	6	Si	179	4,54	1	D2CND028A1A	26,3	93,0	0,23	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 4-6-8	1	EBLA04E3V3	-	Aria/acqua a bassa temperatura	6	Si	179	4,54	1	D2CND035A1A	33,2	93,0	0,18	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 4-6-8	1	EBLA04E3V3	-	Aria/acqua a bassa temperatura	6	Si	179	4,54	1	EKOMBG22AB	23,0	91,0	0,27	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 4-6-8	1	EBLA04E3V3	-	Aria/acqua a bassa temperatura	6	Si	179	4,54	1	EKOMB28AH	23,0	92,0	0,26	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 4-6-8	1	EBLA04E3V3	-	Aria/acqua a bassa temperatura	6	Si	179	4,54	1	EKOMBG28AB	28,0	91,0	0,21	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 4-6-8	1	EBLA04E3V3	-	Aria/acqua a bassa temperatura	6	Si	179	4,54	1	EKOMB33AH	26,0	93,0	0,23	IT.MW504216	PdC MT in applicazione LT

ALTHERMA 3 M HYBRID P 4-6-8	1	EBLA04E3V3	-	Aria/acqua a bassa temperatura	6	Si	179	4,54	1	EKOMBG33AB	32,0	93,0	0,19	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 4-6-8	1	EBLA04EV3	-	Aria/acqua a bassa temperatura	6	Si	179	4,54	1	D2CND024A1A	23,0	93,0	0,26	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 4-6-8	1	EBLA04EV3	-	Aria/acqua a bassa temperatura	6	Si	179	4,54	1	D2CND028A1A	26,3	93,0	0,23	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 4-6-8	1	EBLA04EV3	-	Aria/acqua a bassa temperatura	6	Si	179	4,54	1	D2CND035A1A	33,2	93,0	0,18	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 4-6-8	1	EBLA04EV3	-	Aria/acqua a bassa temperatura	6	Si	179	4,54	1	EKOMBG22AB	23,0	91,0	0,27	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 4-6-8	1	EBLA04EV3	-	Aria/acqua a bassa temperatura	6	Si	179	4,54	1	EKOMB28AH	23,0	92,0	0,26	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 4-6-8	1	EBLA04EV3	-	Aria/acqua a bassa temperatura	6	Si	179	4,54	1	EKOMBG28AB	28,0	91,0	0,21	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 4-6-8	1	EBLA04EV3	-	Aria/acqua a bassa temperatura	6	Si	179	4,54	1	EKOMB33AH	26,0	93,0	0,23	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 4-6-8	1	EBLA04EV3	-	Aria/acqua a bassa temperatura	6	Si	179	4,54	1	EKOMBG33AB	32,0	93,0	0,19	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 4-6-8	1	EBLA06E3V3	-	Aria/acqua a bassa temperatura	7	Si	178	4,52	1	D2CND024A1A	23,0	93,0	0,31	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 4-6-8	1	EBLA06E3V3	-	Aria/acqua a bassa temperatura	7	Si	178	4,52	1	D2CND028A1A	26,3	93,0	0,27	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 4-6-8	1	EBLA06E3V3	-	Aria/acqua a bassa temperatura	7	Si	178	4,52	1	D2CND035A1A	33,2	93,0	0,21	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 4-6-8	1	EBLA06E3V3	-	Aria/acqua a bassa temperatura	7	Si	178	4,52	1	EKOMBG22AB	23,0	91,0	0,31	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 4-6-8	1	EBLA06E3V3	-	Aria/acqua a bassa temperatura	7	Si	178	4,52	1	EKOMB28AH	23,0	92,0	0,31	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 4-6-8	1	EBLA06E3V3	-	Aria/acqua a bassa temperatura	7	Si	178	4,52	1	EKOMBG28AB	28,0	91,0	0,25	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 4-6-8	1	EBLA06E3V3	-	Aria/acqua a bassa temperatura	7	Si	178	4,52	1	EKOMB33AH	26,0	93,0	0,27	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 4-6-8	1	EBLA06E3V3	-	Aria/acqua a bassa temperatura	7	Si	178	4,52	1	EKOMBG33AB	32,0	93,0	0,22	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 4-6-8	1	EBLA06EV3	-	Aria/acqua a bassa temperatura	7	Si	178	4,52	1	D2CND024A1A	23,0	93,0	0,31	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 4-6-8	1	EBLA06EV3	-	Aria/acqua a bassa temperatura	7	Si	178	4,52	1	D2CND028A1A	26,3	93,0	0,27	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 4-6-8	1	EBLA06EV3	-	Aria/acqua a bassa temperatura	7	Si	178	4,52	1	D2CND035A1A	33,2	93,0	0,21	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 4-6-8	1	EBLA06EV3	-	Aria/acqua a bassa temperatura	7	Si	178	4,52	1	EKOMBG22AB	23,0	91,0	0,31	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 4-6-8	1	EBLA06EV3	-	Aria/acqua a bassa temperatura	7	Si	178	4,52	1	EKOMB28AH	23,0	92,0	0,31	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 4-6-8	1	EBLA06EV3	-	Aria/acqua a bassa temperatura	7	Si	178	4,52	1	EKOMBG28AB	28,0	91,0	0,25	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 4-6-8	1	EBLA06EV3	-	Aria/acqua a bassa temperatura	7	Si	178	4,52	1	EKOMB33AH	26,0	93,0	0,27	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 4-6-8	1	EBLA06EV3	-	Aria/acqua a bassa temperatura	7	Si	178	4,52	1	EKOMBG33AB	32,0	93,0	0,22	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 4-6-8	1	EBLA08E3V3	-	Aria/acqua a bassa temperatura	8	Si	181	4,61	1	D2CND024A1A	23,0	93,0	0,35	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 4-6-8	1	EBLA08E3V3	-	Aria/acqua a bassa temperatura	8	Si	181	4,61	1	D2CND028A1A	26,3	93,0	0,30	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 4-6-8	1	EBLA08E3V3	-	Aria/acqua a bassa temperatura	8	Si	181	4,61	1	D2CND035A1A	33,2	93,0	0,24	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 4-6-8	1	EBLA08E3V3	-	Aria/acqua a bassa temperatura	8	Si	181	4,61	1	EKOMBG22AB	23,0	91,0	0,35	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 4-6-8	1	EBLA08E3V3	-	Aria/acqua a bassa temperatura	8	Si	181	4,61	1	EKOMB28AH	23,0	92,0	0,35	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 4-6-8	1	EBLA08E3V3	-	Aria/acqua a bassa temperatura	8	Si	181	4,61	1	EKOMBG28AB	28,0	91,0	0,28	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 4-6-8	1	EBLA08E3V3	-	Aria/acqua a bassa temperatura	8	Si	181	4,61	1	EKOMB33AH	26,0	93,0	0,30	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 4-6-8	1	EBLA08E3V3	-	Aria/acqua a bassa temperatura	8	Si	181	4,61	1	EKOMBG33AB	32,0	93,0	0,25	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 4-6-8	1	EBLA08EV3	-	Aria/acqua a bassa temperatura	8	Si	181	4,61	1	D2CND024A1A	23,0	93,0	0,35	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 4-6-8	1	EBLA08EV3	-	Aria/acqua a bassa temperatura	8	Si	181	4,61	1	D2CND028A1A	26,3	93,0	0,30	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 4-6-8	1	EBLA08EV3	-	Aria/acqua a bassa temperatura	8	Si	181	4,61	1	D2CND035A1A	33,2	93,0	0,24	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 4-6-8	1	EBLA08EV3	-	Aria/acqua a bassa temperatura	8	Si	181	4,61	1	EKOMBG22AB	23,0	91,0	0,35	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 4-6-8	1	EBLA08EV3	-	Aria/acqua a bassa temperatura	8	Si	181	4,61	1	EKOMB28AH	23,0	92,0	0,35	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 4-6-8	1	EBLA08EV3	-	Aria/acqua a bassa temperatura	8	Si	181	4,61	1	EKOMBG28AB	28,0	91,0	0,28	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 4-6-8	1	EBLA08EV3	-	Aria/acqua a bassa temperatura	8	Si	181	4,61	1	EKOMB33AH	26,0	93,0	0,30	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 4-6-8	1	EBLA08EV3	-	Aria/acqua a bassa temperatura	8	Si	181	4,61	1	EKOMBG33AB	32,0	93,0	0,25	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 4-6-8	1	EBLA04E3V3	-	Aria/acqua	6	Si	129	3,29	1	D2CND024A1A	23,0	93,0	0,26	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 4-6-8	1	EBLA04E3V3	-	Aria/acqua	6	Si	129	3,29	1	D2CND028A1A	26,3	93,0	0,23	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 4-6-8	1	EBLA04E3V3	-	Aria/acqua	6	Si	129	3,29	1	D2CND035A1A	33,2	93,0	0,18	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 4-6-8	1	EBLA04E3V3	-	Aria/acqua	6	Si	129	3,29	1	EKOMBG22AB	23,0	91,0	0,27	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 4-6-8	1	EBLA04E3V3	-	Aria/acqua	6	Si	129	3,29	1	EKOMB28AH	23,0	92,0	0,26	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 4-6-8	1	EBLA04E3V3	-	Aria/acqua	6	Si	129	3,29	1	EKOMBG28AB	28,0	91,0	0,21	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 4-6-8	1	EBLA04E3V3	-	Aria/acqua	6	Si	129	3,29	1	EKOMB33AH	26,0	93,0	0,23	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 4-6-8	1	EBLA04E3V3	-	Aria/acqua	6	Si	129	3,29	1	EKOMBG33AB	32,0	93,0	0,19	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 4-6-8	1	EBLA04EV3	-	Aria/acqua	6	Si	129	3,29	1	D2CND024A1A	23,0	93,0	0,26	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 4-6-8	1	EBLA04EV3	-	Aria/acqua	6	Si	129	3,29	1	D2CND028A1A	26,3	93,0	0,23	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 4-6-8	1	EBLA04EV3	-	Aria/acqua	6	Si	129	3,29	1	D2CND035A1A	33,2	93,0	0,18	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 4-6-8	1	EBLA04EV3	-	Aria/acqua	6	Si	129	3,29	1	EKOMBG22AB	23,0	91,0	0,27	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 4-6-8	1	EBLA04EV3	-	Aria/acqua	6	Si	129	3,29	1	EKOMB28AH	23,0	92,0	0,26	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 4-6-8	1	EBLA04EV3	-	Aria/acqua	6	Si	129	3,29	1	EKOMBG28AB	28,0	91,0	0,21	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 4-6-8	1	EBLA04EV3	-	Aria/acqua	6	Si	129	3,29	1	EKOMB33AH	26,0	93,0	0,23	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 4-6-8	1	EBLA04EV3	-	Aria/acqua	6	Si	129	3,29	1	EKOMBG33AB	32,0	93,0	0,19	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 4-6-8	1	EBLA06E3V3	-	Aria/acqua	7	Si	128	3,28	1	D2CND024A1A	23,0	93,0	0,31	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 4-6-8	1	EBLA06E3V3	-	Aria/acqua	7	Si	128	3,28	1	D2CND028A1A	26,3	93,0	0,27	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 4-6-8	1	EBLA06E3V3	-	Aria/acqua	7	Si	128	3,28	1	D2CND035A1A	33,2	93,0	0,21	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 4-6-8	1	EBLA06E3V3	-	Aria/acqua	7	Si	128	3,28	1	EKOMBG22AB	23,0	91,0	0,31	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 4-6-8	1	EBLA06E3V3	-	Aria/acqua	7	Si	128	3,28	1	EKOMB28AH	23,0	92,0	0,31	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 4-6-8	1	EBLA06E3V3	-	Aria/acqua	7	Si	128	3,28	1	EKOMBG28AB	28,0	91,0	0,25	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 4-6-8	1	EBLA06E3V3	-	Aria/acqua	7	Si	128	3,28	1	EKOMB33AH	26,0	93,0	0,27	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 4-6-8	1	EBLA06E3V3	-	Aria/acqua	7	Si	128	3,28	1	EKOMBG33AB	32,0	93,0	0,22	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 4-6-8	1	EBLA06EV3	-	Aria/acqua	7	Si	128	3,28	1	D2CND024A1A	23,0	93,0	0,31	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 4-6-8	1	EBLA06EV3	-	Aria/acqua	7	Si	128	3,28	1	D2CND028A1A	26,3	93,0	0,27	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 4-6-8	1	EBLA06EV3	-	Aria/acqua	7	Si	128	3,28	1	D2CND035A1A	33,2	93,0	0,21	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 4-6-8	1	EBLA06EV3	-	Aria/acqua	7	Si	128	3,28	1	EKOMBG22AB	23,0	91,0	0,31	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 4-6-8	1	EBLA06EV3	-	Aria/acqua	7	Si	128	3,28	1	EKOMB28AH	23,0	92,0	0,31	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 4-6-8	1	EBLA06EV3	-	Aria/acqua	7	Si	128	3,28	1	EKOMBG28AB	28,0	91,0	0,25	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 4-6-8	1	EBLA06EV3	-	Aria/acqua	7	Si	128	3,28	1	EKOMB33AH	26,0	93,0	0,27	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 4-6-8	1	EBLA06EV3	-	Aria/acqua	7	Si	128	3,28	1	EKOMBG33AB	32,0	93,0	0,22	IT.MW504216	PdC MT in applicazione MT

ALTHERMA 3 M HYBRID P 4-6-8	1	EBLA08E3V3	-	Aria/acqua	8	Si	131	3,35	1	D2CND024A1A	23,0	93,0	0,35	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 4-6-8	1	EBLA08E3V3	-	Aria/acqua	8	Si	131	3,35	1	D2CND028A1A	26,3	93,0	0,30	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 4-6-8	1	EBLA08E3V3	-	Aria/acqua	8	Si	131	3,35	1	D2CND035A1A	33,2	93,0	0,24	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 4-6-8	1	EBLA08E3V3	-	Aria/acqua	8	Si	131	3,35	1	EKOMBG22AB	23,0	91,0	0,35	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 4-6-8	1	EBLA08E3V3	-	Aria/acqua	8	Si	131	3,35	1	EKOMB28AH	23,0	92,0	0,35	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 4-6-8	1	EBLA08E3V3	-	Aria/acqua	8	Si	131	3,35	1	EKOMBG28AB	28,0	91,0	0,28	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 4-6-8	1	EBLA08E3V3	-	Aria/acqua	8	Si	131	3,35	1	EKOMB33AH	26,0	93,0	0,30	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 4-6-8	1	EBLA08E3V3	-	Aria/acqua	8	Si	131	3,35	1	EKOMBG33AB	32,0	93,0	0,25	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 4-6-8	1	EBLA08EV3	-	Aria/acqua	8	Si	131	3,35	1	D2CND024A1A	23,0	93,0	0,35	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 4-6-8	1	EBLA08EV3	-	Aria/acqua	8	Si	131	3,35	1	D2CND028A1A	26,3	93,0	0,30	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 4-6-8	1	EBLA08EV3	-	Aria/acqua	8	Si	131	3,35	1	D2CND035A1A	33,2	93,0	0,24	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 4-6-8	1	EBLA08EV3	-	Aria/acqua	8	Si	131	3,35	1	EKOMBG22AB	23,0	91,0	0,35	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 4-6-8	1	EBLA08EV3	-	Aria/acqua	8	Si	131	3,35	1	EKOMB28AH	23,0	92,0	0,35	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 4-6-8	1	EBLA08EV3	-	Aria/acqua	8	Si	131	3,35	1	EKOMBG28AB	28,0	91,0	0,28	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 4-6-8	1	EBLA08EV3	-	Aria/acqua	8	Si	131	3,35	1	EKOMB33AH	26,0	93,0	0,30	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 4-6-8	1	EBLA08EV3	-	Aria/acqua	8	Si	131	3,35	1	EKOMBG33AB	32,0	93,0	0,25	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA09D3V3	-	Aria/acqua a bassa temperatura	9	Si	190	4,82	1	D2CND024A1A	23,0	93,0	0,39	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA09D3V3	-	Aria/acqua a bassa temperatura	9	Si	190	4,82	1	D2CND028A1A	26,3	93,0	0,34	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA09D3V3	-	Aria/acqua a bassa temperatura	9	Si	190	4,82	1	D2CND035A1A	33,2	93,0	0,27	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA09D3V3	-	Aria/acqua a bassa temperatura	9	Si	190	4,82	1	EKOMBG22AB	23,0	91,0	0,40	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA09D3V3	-	Aria/acqua a bassa temperatura	9	Si	190	4,82	1	EKOMB28AH	23,0	92,0	0,39	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA09D3V3	-	Aria/acqua a bassa temperatura	9	Si	190	4,82	1	EKOMBG28AB	28,0	91,0	0,32	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA09D3V3	-	Aria/acqua a bassa temperatura	9	Si	190	4,82	1	EKOMB33AH	26,0	93,0	0,34	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA09D3V3	-	Aria/acqua a bassa temperatura	9	Si	190	4,82	1	EKOMBG33AB	32,0	93,0	0,28	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA09DV3	-	Aria/acqua a bassa temperatura	9	Si	190	4,82	1	D2CND024A1A	23,0	93,0	0,39	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA09DV3	-	Aria/acqua a bassa temperatura	9	Si	190	4,82	1	D2CND028A1A	26,3	93,0	0,34	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA09DV3	-	Aria/acqua a bassa temperatura	9	Si	190	4,82	1	D2CND035A1A	33,2	93,0	0,27	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA09DV3	-	Aria/acqua a bassa temperatura	9	Si	190	4,82	1	EKOMBG22AB	23,0	91,0	0,40	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA09DV3	-	Aria/acqua a bassa temperatura	9	Si	190	4,82	1	EKOMB28AH	23,0	92,0	0,39	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA09DV3	-	Aria/acqua a bassa temperatura	9	Si	190	4,82	1	EKOMBG28AB	28,0	91,0	0,32	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA09DV3	-	Aria/acqua a bassa temperatura	9	Si	190	4,82	1	EKOMB33AH	26,0	93,0	0,34	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA09DV3	-	Aria/acqua a bassa temperatura	9	Si	190	4,82	1	EKOMBG33AB	32,0	93,0	0,28	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA11D3V3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	1	D2CND024A1A	23,0	93,0	0,44	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA11D3V3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	1	D2CND028A1A	26,3	93,0	0,38	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA11D3V3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	1	D2CND035A1A	33,2	93,0	0,30	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA11D3V3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	1	EKOMBG22AB	23,0	91,0	0,44	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA11D3V3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	1	EKOMB28AH	23,0	92,0	0,44	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA11D3V3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	1	EKOMBG28AB	28,0	91,0	0,35	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA11D3V3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	1	EKOMB33AH	26,0	93,0	0,38	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA11D3V3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	1	EKOMBG33AB	32,0	93,0	0,31	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA11DV3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	1	D2CND024A1A	23,0	93,0	0,44	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA11DV3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	1	D2CND028A1A	26,3	93,0	0,38	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA11DV3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	1	D2CND035A1A	33,2	93,0	0,30	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA11DV3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	1	EKOMBG22AB	23,0	91,0	0,44	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA11DV3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	1	EKOMB28AH	23,0	92,0	0,44	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA11DV3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	1	EKOMBG28AB	28,0	91,0	0,35	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA11DV3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	1	EKOMB33AH	26,0	93,0	0,38	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA11DV3	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	1	EKOMBG33AB	32,0	93,0	0,31	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA14D3V3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	1	D2CND024A1A	23,0	93,0	0,48	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA14D3V3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	1	D2CND028A1A	26,3	93,0	0,42	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA14D3V3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	1	D2CND035A1A	33,2	93,0	0,33	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA14D3V3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	1	EKOMBG22AB	23,0	91,0	0,49	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA14D3V3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	1	EKOMB28AH	23,0	92,0	0,48	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA14D3V3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	1	EKOMBG28AB	28,0	91,0	0,39	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA14D3V3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	1	EKOMB33AH	26,0	93,0	0,42	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA14D3V3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	1	EKOMBG33AB	32,0	93,0	0,34	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA14DV3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	1	D2CND024A1A	23,0	93,0	0,48	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA14DV3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	1	D2CND028A1A	26,3	93,0	0,42	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA14DV3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	1	D2CND035A1A	33,2	93,0	0,33	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA14DV3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	1	EKOMBG22AB	23,0	91,0	0,49	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA14DV3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	1	EKOMB28AH	23,0	92,0	0,48	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA14DV3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	1	EKOMBG28AB	28,0	91,0	0,39	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA14DV3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	1	EKOMB33AH	26,0	93,0	0,42	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA14DV3	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	1	EKOMBG33AB	32,0	93,0	0,34	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA16D3V37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	1	D2CND028A1A	26,3	93,0	0,46	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA16D3V37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	1	D2CND035A1A	33,2	93,0	0,36	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA16D3V37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	1	EKOMBG28AB	28,0	91,0	0,43	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA16D3V37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	1	EKOMB33AH	26,0	93,0	0,46	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA16D3V37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	1	EKOMBG33AB	32,0	93,0	0,38	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA16DV37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	1	D2CND028A1A	26,3	93,0	0,46	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA16DV37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	1	D2CND035A1A	33,2	93,0	0,36	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA16DV37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	1	EKOMBG28AB	28,0	91,0	0,43	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA16DV37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	1	EKOMB33AH	26,0	93,0	0,46	IT.MW504216	PdC MT in applicazione LT

ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA16DV37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	1	EKOMBG33AB	32,0	93,0	0,38	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA09D3V3	-	Aria/acqua	9	Si	135	3,44	1	D2CND024A1A	23,0	93,0	0,39	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA09D3V3	-	Aria/acqua	9	Si	135	3,44	1	D2CND028A1A	26,3	93,0	0,34	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA09D3V3	-	Aria/acqua	9	Si	135	3,44	1	D2CND035A1A	33,2	93,0	0,27	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA09D3V3	-	Aria/acqua	9	Si	135	3,44	1	EKOMBG22AB	23,0	91,0	0,40	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA09D3V3	-	Aria/acqua	9	Si	135	3,44	1	EKOMB28AH	23,0	92,0	0,39	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA09D3V3	-	Aria/acqua	9	Si	135	3,44	1	EKOMBG28AB	28,0	91,0	0,32	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA09D3V3	-	Aria/acqua	9	Si	135	3,44	1	EKOMB33AH	26,0	93,0	0,34	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA09D3V3	-	Aria/acqua	9	Si	135	3,44	1	EKOMBG33AB	32,0	93,0	0,28	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA09DV3	-	Aria/acqua	9	Si	135	3,44	1	D2CND024A1A	23,0	93,0	0,39	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA09DV3	-	Aria/acqua	9	Si	135	3,44	1	D2CND028A1A	26,3	93,0	0,34	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA09DV3	-	Aria/acqua	9	Si	135	3,44	1	D2CND035A1A	33,2	93,0	0,27	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA09DV3	-	Aria/acqua	9	Si	135	3,44	1	EKOMBG22AB	23,0	91,0	0,40	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA09DV3	-	Aria/acqua	9	Si	135	3,44	1	EKOMB28AH	23,0	92,0	0,39	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA09DV3	-	Aria/acqua	9	Si	135	3,44	1	EKOMBG28AB	28,0	91,0	0,32	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA09DV3	-	Aria/acqua	9	Si	135	3,44	1	EKOMB33AH	26,0	93,0	0,34	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA09DV3	-	Aria/acqua	9	Si	135	3,44	1	EKOMBG33AB	32,0	93,0	0,28	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA11D3V3	-	Aria/acqua	10	Si	132	3,37	1	D2CND024A1A	23,0	93,0	0,44	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA11D3V3	-	Aria/acqua	10	Si	132	3,37	1	D2CND028A1A	26,3	93,0	0,38	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA11D3V3	-	Aria/acqua	10	Si	132	3,37	1	D2CND035A1A	33,2	93,0	0,30	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA11D3V3	-	Aria/acqua	10	Si	132	3,37	1	EKOMBG22AB	23,0	91,0	0,44	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA11D3V3	-	Aria/acqua	10	Si	132	3,37	1	EKOMB28AH	23,0	92,0	0,44	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA11D3V3	-	Aria/acqua	10	Si	132	3,37	1	EKOMBG28AB	28,0	91,0	0,35	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA11D3V3	-	Aria/acqua	10	Si	132	3,37	1	EKOMB33AH	26,0	93,0	0,38	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA11D3V3	-	Aria/acqua	10	Si	132	3,37	1	EKOMBG33AB	32,0	93,0	0,31	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA11DV3	-	Aria/acqua	10	Si	132	3,37	1	D2CND024A1A	23,0	93,0	0,44	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA11DV3	-	Aria/acqua	10	Si	132	3,37	1	D2CND028A1A	26,3	93,0	0,38	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA11DV3	-	Aria/acqua	10	Si	132	3,37	1	D2CND035A1A	33,2	93,0	0,30	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA11DV3	-	Aria/acqua	10	Si	132	3,37	1	EKOMBG22AB	23,0	91,0	0,44	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA11DV3	-	Aria/acqua	10	Si	132	3,37	1	EKOMB28AH	23,0	92,0	0,44	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA11DV3	-	Aria/acqua	10	Si	132	3,37	1	EKOMBG28AB	28,0	91,0	0,35	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA11DV3	-	Aria/acqua	10	Si	132	3,37	1	EKOMB33AH	26,0	93,0	0,38	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA11DV3	-	Aria/acqua	10	Si	132	3,37	1	EKOMBG33AB	32,0	93,0	0,31	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA14D3V3	-	Aria/acqua	11	Si	134	3,42	1	D2CND024A1A	23,0	93,0	0,48	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA14D3V3	-	Aria/acqua	11	Si	134	3,42	1	D2CND028A1A	26,3	93,0	0,42	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA14D3V3	-	Aria/acqua	11	Si	134	3,42	1	D2CND035A1A	33,2	93,0	0,33	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA14D3V3	-	Aria/acqua	11	Si	134	3,42	1	EKOMBG22AB	23,0	91,0	0,49	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA14D3V3	-	Aria/acqua	11	Si	134	3,42	1	EKOMB28AH	23,0	92,0	0,48	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA14D3V3	-	Aria/acqua	11	Si	134	3,42	1	EKOMBG28AB	28,0	91,0	0,39	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA14D3V3	-	Aria/acqua	11	Si	134	3,42	1	EKOMB33AH	26,0	93,0	0,42	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA14D3V3	-	Aria/acqua	11	Si	134	3,42	1	EKOMBG33AB	32,0	93,0	0,34	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA14DV3	-	Aria/acqua	11	Si	134	3,42	1	D2CND024A1A	23,0	93,0	0,48	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA14DV3	-	Aria/acqua	11	Si	134	3,42	1	D2CND028A1A	26,3	93,0	0,42	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA14DV3	-	Aria/acqua	11	Si	134	3,42	1	D2CND035A1A	33,2	93,0	0,33	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA14DV3	-	Aria/acqua	11	Si	134	3,42	1	EKOMBG22AB	23,0	91,0	0,49	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA14DV3	-	Aria/acqua	11	Si	134	3,42	1	EKOMB28AH	23,0	92,0	0,48	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA14DV3	-	Aria/acqua	11	Si	134	3,42	1	EKOMBG28AB	28,0	91,0	0,39	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA14DV3	-	Aria/acqua	11	Si	134	3,42	1	EKOMB33AH	26,0	93,0	0,42	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA14DV3	-	Aria/acqua	11	Si	134	3,42	1	EKOMBG33AB	32,0	93,0	0,34	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA16D3V37	-	Aria/acqua	12	Si	132	3,37	1	D2CND028A1A	26,3	93,0	0,46	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA16D3V37	-	Aria/acqua	12	Si	132	3,37	1	D2CND035A1A	33,2	93,0	0,36	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA16D3V37	-	Aria/acqua	12	Si	132	3,37	1	EKOMBG28AB	28,0	91,0	0,43	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA16D3V37	-	Aria/acqua	12	Si	132	3,37	1	EKOMB33AH	26,0	93,0	0,46	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA16D3V37	-	Aria/acqua	12	Si	132	3,37	1	EKOMBG33AB	32,0	93,0	0,38	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA16DV37	-	Aria/acqua	12	Si	132	3,37	1	D2CND028A1A	26,3	93,0	0,46	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA16DV37	-	Aria/acqua	12	Si	132	3,37	1	D2CND035A1A	33,2	93,0	0,36	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA16DV37	-	Aria/acqua	12	Si	132	3,37	1	EKOMBG28AB	28,0	91,0	0,43	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA16DV37	-	Aria/acqua	12	Si	132	3,37	1	EKOMB33AH	26,0	93,0	0,46	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 1PH	1	EBLA16DV37	-	Aria/acqua	12	Si	132	3,37	1	EKOMBG33AB	32,0	93,0	0,38	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 3PH	1	EBLA11D3W1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	1	D2CND024A1A	23,0	93,0	0,44	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 3PH	1	EBLA11D3W1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	1	D2CND028A1A	26,3	93,0	0,38	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 3PH	1	EBLA11D3W1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	1	D2CND035A1A	33,2	93,0	0,30	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 3PH	1	EBLA11D3W1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	1	EKOMBG22AB	23,0	91,0	0,44	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 3PH	1	EBLA11D3W1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	1	EKOMB28AH	23,0	92,0	0,44	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 3PH	1	EBLA11D3W1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	1	EKOMBG28AB	28,0	91,0	0,35	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 3PH	1	EBLA11D3W1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	1	EKOMB33AH	26,0	93,0	0,38	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 3PH	1	EBLA11D3W1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	1	EKOMBG33AB	32,0	93,0	0,31	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 3PH	1	EBLA11DW1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	1	D2CND024A1A	23,0	93,0	0,44	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 3PH	1	EBLA11DW1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	1	D2CND028A1A	26,3	93,0	0,38	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 3PH	1	EBLA11DW1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	1	D2CND035A1A	33,2	93,0	0,30	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 3PH	1	EBLA11DW1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	1	EKOMBG22AB	23,0	91,0	0,44	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 3PH	1	EBLA11DW1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	1	EKOMB28AH	23,0	92,0	0,44	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 3PH	1	EBLA11DW1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	1	EKOMBG28AB	28,0	91,0	0,35	IT.MW504216	PdC MT in applicazione LT

ALTHERMA 3 M HYBRID P 9-11-14-16 3PH	1	EBLA11DW1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	1	EKOMB33AH	26,0	93,0	0,38	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 3PH	1	EBLA11DW1	-	Aria/acqua a bassa temperatura	10	Si	186	4,73	1	EKOMBG33AB	32,0	93,0	0,31	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 3PH	1	EBLA14D3W1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	1	D2CND024A1A	23,0	93,0	0,48	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 3PH	1	EBLA14D3W1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	1	D2CND028A1A	26,3	93,0	0,42	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 3PH	1	EBLA14D3W1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	1	D2CND035A1A	33,2	93,0	0,33	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 3PH	1	EBLA14D3W1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	1	EKOMBG22AB	23,0	91,0	0,49	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 3PH	1	EBLA14D3W1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	1	EKOMB28AH	23,0	92,0	0,48	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 3PH	1	EBLA14D3W1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	1	EKOMBG28AB	28,0	91,0	0,39	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 3PH	1	EBLA14D3W1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	1	EKOMB33AH	26,0	93,0	0,42	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 3PH	1	EBLA14D3W1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	1	EKOMBG33AB	32,0	93,0	0,34	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 3PH	1	EBLA14DW1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	1	D2CND024A1A	23,0	93,0	0,48	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 3PH	1	EBLA14DW1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	1	D2CND028A1A	26,3	93,0	0,42	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 3PH	1	EBLA14DW1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	1	D2CND035A1A	33,2	93,0	0,33	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 3PH	1	EBLA14DW1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	1	EKOMBG22AB	23,0	91,0	0,49	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 3PH	1	EBLA14DW1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	1	EKOMB28AH	23,0	92,0	0,48	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 3PH	1	EBLA14DW1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	1	EKOMBG28AB	28,0	91,0	0,39	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 3PH	1	EBLA14DW1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	1	EKOMB33AH	26,0	93,0	0,42	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 3PH	1	EBLA14DW1	-	Aria/acqua a bassa temperatura	11	Si	185	4,70	1	EKOMBG33AB	32,0	93,0	0,34	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 3PH	1	EBLA16D3W17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	1	D2CND028A1A	26,3	93,0	0,46	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 3PH	1	EBLA16D3W17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	1	D2CND035A1A	33,2	93,0	0,36	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 3PH	1	EBLA16D3W17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	1	EKOMBG28AB	28,0	91,0	0,43	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 3PH	1	EBLA16D3W17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	1	EKOMB33AH	26,0	93,0	0,46	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 3PH	1	EBLA16D3W17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	1	EKOMBG33AB	32,0	93,0	0,38	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 3PH	1	EBLA16DW17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	1	D2CND028A1A	26,3	93,0	0,46	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 3PH	1	EBLA16DW17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	1	D2CND035A1A	33,2	93,0	0,36	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 3PH	1	EBLA16DW17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	1	EKOMBG28AB	28,0	91,0	0,43	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 3PH	1	EBLA16DW17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	1	EKOMB33AH	26,0	93,0	0,46	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 3PH	1	EBLA16DW17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	1	EKOMBG33AB	32,0	93,0	0,38	IT.MW504216	PdC MT in applicazione LT
ALTHERMA 3 M HYBRID P 9-11-14-16 3PH	1	EBLA11D3W1	-	Aria/acqua	10	Si	132	3,37	1	D2CND024A1A	23,0	93,0	0,44	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 3PH	1	EBLA11D3W1	-	Aria/acqua	10	Si	132	3,37	1	D2CND028A1A	26,3	93,0	0,38	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 3PH	1	EBLA11D3W1	-	Aria/acqua	10	Si	132	3,37	1	D2CND035A1A	33,2	93,0	0,30	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 3PH	1	EBLA11D3W1	-	Aria/acqua	10	Si	132	3,37	1	EKOMBG22AB	23,0	91,0	0,44	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 3PH	1	EBLA11D3W1	-	Aria/acqua	10	Si	132	3,37	1	EKOMB28AH	23,0	92,0	0,44	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 3PH	1	EBLA11D3W1	-	Aria/acqua	10	Si	132	3,37	1	EKOMBG28AB	28,0	91,0	0,35	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 3PH	1	EBLA11D3W1	-	Aria/acqua	10	Si	132	3,37	1	EKOMB33AH	26,0	93,0	0,38	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 3PH	1	EBLA11D3W1	-	Aria/acqua	10	Si	132	3,37	1	EKOMBG33AB	32,0	93,0	0,31	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 3PH	1	EBLA11DW1	-	Aria/acqua	10	Si	132	3,37	1	D2CND024A1A	23,0	93,0	0,44	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 3PH	1	EBLA11DW1	-	Aria/acqua	10	Si	132	3,37	1	D2CND028A1A	26,3	93,0	0,38	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 3PH	1	EBLA11DW1	-	Aria/acqua	10	Si	132	3,37	1	D2CND035A1A	33,2	93,0	0,30	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 3PH	1	EBLA11DW1	-	Aria/acqua	10	Si	132	3,37	1	EKOMBG22AB	23,0	91,0	0,44	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 3PH	1	EBLA11DW1	-	Aria/acqua	10	Si	132	3,37	1	EKOMB28AH	23,0	92,0	0,44	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 3PH	1	EBLA11DW1	-	Aria/acqua	10	Si	132	3,37	1	EKOMBG28AB	28,0	91,0	0,35	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 3PH	1	EBLA11DW1	-	Aria/acqua	10	Si	132	3,37	1	EKOMB33AH	26,0	93,0	0,38	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 3PH	1	EBLA11DW1	-	Aria/acqua	10	Si	132	3,37	1	EKOMBG33AB	32,0	93,0	0,31	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 3PH	1	EBLA14D3W1	-	Aria/acqua	11	Si	134	3,42	1	D2CND024A1A	23,0	93,0	0,48	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 3PH	1	EBLA14D3W1	-	Aria/acqua	11	Si	134	3,42	1	D2CND028A1A	26,3	93,0	0,42	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 3PH	1	EBLA14D3W1	-	Aria/acqua	11	Si	134	3,42	1	D2CND035A1A	33,2	93,0	0,33	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 3PH	1	EBLA14D3W1	-	Aria/acqua	11	Si	134	3,42	1	EKOMBG22AB	23,0	91,0	0,49	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 3PH	1	EBLA14D3W1	-	Aria/acqua	11	Si	134	3,42	1	EKOMB28AH	23,0	92,0	0,48	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 3PH	1	EBLA14D3W1	-	Aria/acqua	11	Si	134	3,42	1	EKOMBG28AB	28,0	91,0	0,39	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 3PH	1	EBLA14D3W1	-	Aria/acqua	11	Si	134	3,42	1	EKOMB33AH	26,0	93,0	0,42	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 3PH	1	EBLA14D3W1	-	Aria/acqua	11	Si	134	3,42	1	EKOMBG33AB	32,0	93,0	0,34	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 3PH	1	EBLA14DW1	-	Aria/acqua	11	Si	134	3,42	1	D2CND024A1A	23,0	93,0	0,48	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 3PH	1	EBLA14DW1	-	Aria/acqua	11	Si	134	3,42	1	D2CND028A1A	26,3	93,0	0,42	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 3PH	1	EBLA14DW1	-	Aria/acqua	11	Si	134	3,42	1	D2CND035A1A	33,2	93,0	0,33	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 3PH	1	EBLA14DW1	-	Aria/acqua	11	Si	134	3,42	1	EKOMBG22AB	23,0	91,0	0,49	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 3PH	1	EBLA14DW1	-	Aria/acqua	11	Si	134	3,42	1	EKOMB28AH	23,0	92,0	0,48	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 3PH	1	EBLA14DW1	-	Aria/acqua	11	Si	134	3,42	1	EKOMBG28AB	28,0	91,0	0,39	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 3PH	1	EBLA14DW1	-	Aria/acqua	11	Si	134	3,42	1	EKOMB33AH	26,0	93,0	0,42	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 3PH	1	EBLA14DW1	-	Aria/acqua	11	Si	134	3,42	1	EKOMBG33AB	32,0	93,0	0,34	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 3PH	1	EBLA16D3W17	-	Aria/acqua	12	Si	132	3,37	1	D2CND028A1A	26,3	93,0	0,46	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 3PH	1	EBLA16D3W17	-	Aria/acqua	12	Si	132	3,37	1	D2CND035A1A	33,2	93,0	0,36	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 3PH	1	EBLA16D3W17	-	Aria/acqua	12	Si	132	3,37	1	EKOMBG28AB	28,0	91,0	0,43	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 3PH	1	EBLA16D3W17	-	Aria/acqua	12	Si	132	3,37	1	EKOMB33AH	26,0	93,0	0,46	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 3PH	1	EBLA16D3W17	-	Aria/acqua	12	Si	132	3,37	1	EKOMBG33AB	32,0	93,0	0,38	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 3PH	1	EBLA16DW17	-	Aria/acqua	12	Si	132	3,37	1	D2CND028A1A	26,3	93,0	0,46	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 3PH	1	EBLA16DW17	-	Aria/acqua	12	Si	132	3,37	1	D2CND035A1A	33,2	93,0	0,36	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 3PH	1	EBLA16DW17	-	Aria/acqua	12	Si	132	3,37	1	EKOMBG28AB	28,0	91,0	0,43	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 3PH	1	EBLA16DW17	-	Aria/acqua	12	Si	132	3,37	1	EKOMB33AH	26,0	93,0	0,46	IT.MW504216	PdC MT in applicazione MT
ALTHERMA 3 M HYBRID P 9-11-14-16 3PH	1	EBLA16DW17	-	Aria/acqua	12	Si	132	3,37	1	EKOMBG33AB	32,0	93,0	0,38	IT.MW504216	PdC MT in applicazione MT
ALTHERMA H HYBRID	1	EJHA04AV3	-	Aria/acqua a bassa temperatura	5	Si	163	4,14	1	EHY2KOMB28A	23,0	93,0	0,22	EKRUHML1	PdC MT in applicazione LT
ALTHERMA H HYBRID	1	EJHA04AV3	-	Aria/acqua a bassa temperatura	5	Si	163	4,15	1	EHY2KOMB32A	27,0	93,0	0,19	EKRUHML1	PdC MT in applicazione LT
ALTHERMA H HYBRID	1	EJHA04AV3	-	Aria/acqua	6	Si	128	3,26	1	EHY2KOMB28A	23,0	93,0	0,26	EKRUHML1	PdC MT in applicazione MT

ALTHERMA H HYBRID	1	EJHA04AV3	-	Aria/acqua	6	Si	128	3,28	1	EHY2KOMB32A	27,0	93,0	0,23	EKRUHML1	PdC MT in applicazione MT
ALTHERMA MULTIHYBRID	1	3MXM52A8	CHYHBH05AV32	Aria/acqua	8,2	Si	111,4	2,86	1	EHYKOMB33AA2	27,0	93,0	0,31	EKRUCBL1	PdC MT in applicazione MT
ALTHERMA MULTIHYBRID	1	3MXM52A9	CHYHBH05AV32	Aria/acqua	8,2	Si	111,4	2,86	1	EHYKOMB33AA2	27,0	93,0	0,31	EKRUCBL1	PdC MT in applicazione MT
ALTHERMA MULTIHYBRID	1	3MXM68A8	CHYHBH05AV32	Aria/acqua	8	Si	113,3	2,91	1	EHYKOMB33AA2	27,0	93,0	0,30	EKRUCBL1	PdC MT in applicazione MT
ALTHERMA MULTIHYBRID	1	3MXM68A9	CHYHBH05AV32	Aria/acqua	8	Si	113,3	2,91	1	EHYKOMB33AA2	27,0	93,0	0,30	EKRUCBL1	PdC MT in applicazione MT
ALTHERMA MULTIHYBRID	1	4MXM68A8	CHYHBH05AV32	Aria/acqua	8	Si	113,3	2,91	1	EHYKOMB33AA2	27,0	93,0	0,30	EKRUCBL1	PdC MT in applicazione MT
ALTHERMA MULTIHYBRID	1	4MXM68A9	CHYHBH05AV32	Aria/acqua	8	Si	113,3	2,91	1	EHYKOMB33AA2	27,0	93,0	0,30	EKRUCBL1	PdC MT in applicazione MT
ALTHERMA MULTIHYBRID	1	4MXM80A8	CHYHBH05AV32	Aria/acqua	8,2	Si	120,8	3,09	1	EHYKOMB33AA2	27,0	93,0	0,31	EKRUCBL1	PdC MT in applicazione MT
ALTHERMA MULTIHYBRID	1	4MXM80A8	CHYHBH08AV32	Aria/acqua	8,2	Si	120,8	3,09	1	EHYKOMB33AA2	27,0	93,0	0,31	EKRUCBL1	PdC MT in applicazione MT
ALTHERMA MULTIHYBRID	1	4MXM80A9	CHYHBH05AV32	Aria/acqua	8,2	Si	120,8	3,09	1	EHYKOMB33AA2	27,0	93,0	0,31	EKRUCBL1	PdC MT in applicazione MT
ALTHERMA MULTIHYBRID	1	4MXM80A9	CHYHBH08AV32	Aria/acqua	8,2	Si	120,8	3,09	1	EHYKOMB33AA2	27,0	93,0	0,31	EKRUCBL1	PdC MT in applicazione MT
ALTHERMA MULTIHYBRID	1	5MXM90A8	CHYHBH05AV32	Aria/acqua	8,2	Si	120,8	3,09	1	EHYKOMB33AA2	27,0	93,0	0,31	EKRUCBL1	PdC MT in applicazione MT
ALTHERMA MULTIHYBRID	1	5MXM90A8	CHYHBH08AV32	Aria/acqua	8,2	Si	120,8	3,09	1	EHYKOMB33AA2	27,0	93,0	0,31	EKRUCBL1	PdC MT in applicazione MT
ALTHERMA MULTIHYBRID	1	5MXM90A9	CHYHBH05AV32	Aria/acqua	8,2	Si	120,8	3,09	1	EHYKOMB33AA2	27,0	93,0	0,31	EKRUCBL1	PdC MT in applicazione MT
ALTHERMA MULTIHYBRID	1	5MXM90A9	CHYHBH08AV32	Aria/acqua	8,2	Si	120,8	3,09	1	EHYKOMB33AA2	27,0	93,0	0,31	EKRUCBL1	PdC MT in applicazione MT
ALTHERMA R HYBRID	1	EVLQ05CV3	EHYHBH05AV32	Aria/acqua a bassa temperatura	4,4	Si	177	4,50	1	EHYKOMB33AA2	27,0	93,0	0,17	EKRUCBL1	PdC MT in applicazione LT
ALTHERMA R HYBRID	1	EVLQ08CV3	EHYHBH08AV32	Aria/acqua a bassa temperatura	7,4	Si	167	4,25	1	EHYKOMB33AA2	27,0	93,0	0,28	EKRUCBL1	PdC MT in applicazione LT
ALTHERMA R HYBRID	1	EVLQ08CV3	EHYHBX08AV3	Aria/acqua a bassa temperatura	7,4	Si	168	4,28	1	EHYKOMB33AA2	27,0	93,0	0,28	EKRUCBL1	PdC MT in applicazione LT
ALTHERMA R HYBRID	1	EVLQ05CV3	EHYHBH05AV32	Aria/acqua	3,7	Si	128	3,28	1	EHYKOMB33AA2	27,0	93,0	0,14	EKRUCBL1	PdC MT in applicazione MT
ALTHERMA R HYBRID	1	EVLQ08CV3	EHYHBH08AV32	Aria/acqua	6,4	Si	127	3,24	1	EHYKOMB33AA2	27,0	93,0	0,24	EKRUCBL1	PdC MT in applicazione MT
ALTHERMA R HYBRID	1	EVLQ08CV3	EHYHBX08AV3	Aria/acqua	6,4	Si	129	3,29	1	EHYKOMB33AA2	27,0	93,0	0,24	EKRUCBL1	PdC MT in applicazione MT
Daikin Sensei Hybrid	1	EWYK020CZN-A1	-	Aria/acqua a bassa temperatura	13,67	Si	180	4,58	1	D2HWS060	57,4	1,0	0,24	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	1	EWYK020CZP-A1	-	Aria/acqua a bassa temperatura	13,42	Si	187	4,75	1	D2HWS060	57,4	1,0	0,23	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	1	EWYK025CZN-A1	-	Aria/acqua a bassa temperatura	17,01	Si	183	4,65	1	D2HWS060	57,4	1,0	0,30	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	1	EWYK025CZP-A1	-	Aria/acqua a bassa temperatura	16,72	Si	190	4,83	1	D2HWS060	57,4	1,0	0,29	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	1	EWYK030CZN-A1	-	Aria/acqua a bassa temperatura	21,16	Si	178	4,53	1	D2HWS060	57,4	1,0	0,37	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	1	EWYK030CZN-A1	-	Aria/acqua a bassa temperatura	21,16	Si	178	4,53	1	D2HWS100	91,7	1,0	0,23	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	1	EWYK030CZP-A1	-	Aria/acqua a bassa temperatura	20,86	Si	184	4,68	1	D2HWS060	57,4	1,0	0,36	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	1	EWYK030CZP-A1	-	Aria/acqua a bassa temperatura	20,86	Si	184	4,68	1	D2HWS100	91,7	1,0	0,23	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	1	EWYK040CZN-A1	-	Aria/acqua a bassa temperatura	27,96	Si	181	4,60	1	D2HWS060	57,4	1,0	0,49	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	1	EWYK040CZN-A1	-	Aria/acqua a bassa temperatura	27,96	Si	181	4,60	2	D2HWS060	57,4	1,0	0,24	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	1	EWYK040CZN-A1	-	Aria/acqua a bassa temperatura	27,96	Si	181	4,60	1	D2HWS100	91,7	1,0	0,30	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	1	EWYK040CZN-A1	-	Aria/acqua a bassa temperatura	27,96	Si	181	4,60	1	D2HWS150	138,7	1,0	0,20	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	1	EWYK040CZP-A1	-	Aria/acqua a bassa temperatura	27,64	Si	187	4,75	1	D2HWS060	57,4	1,0	0,48	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	1	EWYK040CZP-A1	-	Aria/acqua a bassa temperatura	27,64	Si	187	4,75	2	D2HWS060	57,4	1,0	0,24	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	1	EWYK040CZP-A1	-	Aria/acqua a bassa temperatura	27,64	Si	187	4,75	1	D2HWS100	91,7	1,0	0,30	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	1	EWYK040CZP-A1	-	Aria/acqua a bassa temperatura	27,64	Si	187	4,75	1	D2HWS150	138,7	1,0	0,20	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	1	EWYK050CZN-A2	-	Aria/acqua a bassa temperatura	32,2	Si	176	4,48	2	D2HWS060	57,4	1,0	0,28	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	1	EWYK050CZN-A2	-	Aria/acqua a bassa temperatura	32,2	Si	176	4,48	1	D2HWS100	91,7	1,0	0,35	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	1	EWYK050CZN-A2	-	Aria/acqua a bassa temperatura	32,2	Si	176	4,48	1	D2HWS150	138,7	1,0	0,23	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	1	EWYK050CZP-A2	-	Aria/acqua a bassa temperatura	31,86	Si	182	4,63	2	D2HWS060	57,4	1,0	0,28	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	1	EWYK050CZP-A2	-	Aria/acqua a bassa temperatura	31,86	Si	182	4,63	1	D2HWS100	91,7	1,0	0,35	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	1	EWYK050CZP-A2	-	Aria/acqua a bassa temperatura	31,86	Si	182	4,63	1	D2HWS150	138,7	1,0	0,23	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	1	EWYK060CZN-A2	-	Aria/acqua a bassa temperatura	38,88	Si	172	4,38	2	D2HWS060	57,4	1,0	0,34	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	1	EWYK060CZN-A2	-	Aria/acqua a bassa temperatura	38,88	Si	172	4,38	1	D2HWS100	91,7	1,0	0,42	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	1	EWYK060CZN-A2	-	Aria/acqua a bassa temperatura	38,88	Si	172	4,38	2	D2HWS100	91,7	1,0	0,21	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	1	EWYK060CZN-A2	-	Aria/acqua a bassa temperatura	38,88	Si	172	4,38	1	D2HWS150	138,7	1,0	0,28	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	1	EWYK060CZP-A2	-	Aria/acqua a bassa temperatura	38,4	Si	178	4,53	2	D2HWS060	57,4	1,0	0,33	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	1	EWYK060CZP-A2	-	Aria/acqua a bassa temperatura	38,4	Si	178	4,53	1	D2HWS100	91,7	1,0	0,42	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	1	EWYK060CZP-A2	-	Aria/acqua a bassa temperatura	38,4	Si	178	4,53	2	D2HWS100	91,7	1,0	0,21	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	1	EWYK060CZP-A2	-	Aria/acqua a bassa temperatura	38,4	Si	178	4,53	1	D2HWS150	138,7	1,0	0,28	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	1	EWYK070CZN-A2	-	Aria/acqua a bassa temperatura	47,06	Si	177	4,50	2	D2HWS060	57,4	1,0	0,41	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	1	EWYK070CZN-A2	-	Aria/acqua a bassa temperatura	47,06	Si	177	4,50	2	D2HWS100	91,7	1,0	0,26	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	1	EWYK070CZN-A2	-	Aria/acqua a bassa temperatura	47,06	Si	177	4,50	1	D2HWS150	138,7	1,0	0,34	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	1	EWYK070CZP-A2	-	Aria/acqua a bassa temperatura	46,58	Si	180	4,58	2	D2HWS060	57,4	1,0	0,41	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	1	EWYK070CZP-A2	-	Aria/acqua a bassa temperatura	46,58	Si	180	4,58	2	D2HWS100	91,7	1,0	0,25	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	1	EWYK070CZP-A2	-	Aria/acqua a bassa temperatura	46,58	Si	180	4,58	1	D2HWS150	138,7	1,0	0,34	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	1	EWYK085CZN-A2	-	Aria/acqua a bassa temperatura	55,33	Si	180	4,58	2	D2HWS060	57,4	1,0	0,48	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	1	EWYK085CZN-A2	-	Aria/acqua a bassa temperatura	55,33	Si	180	4,58	2	D2HWS100	91,7	1,0	0,30	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	1	EWYK085CZN-A2	-	Aria/acqua a bassa temperatura	55,33	Si	180	4,58	1	D2HWS150	138,7	1,0	0,40	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	1	EWYK085CZN-A2	-	Aria/acqua a bassa temperatura	55,33	Si	180	4,58	2	D2HWS150	138,7	1,0	0,20	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	1	EWYK085CZP-A2	-	Aria/acqua a bassa temperatura	54,81	Si	183	4,65	2	D2HWS060	57,4	1,0	0,48	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	1	EWYK085CZP-A2	-	Aria/acqua a bassa temperatura	54,81	Si	183	4,65	2	D2HWS100	91,7	1,0	0,30	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	1	EWYK085CZP-A2	-	Aria/acqua a bassa temperatura	54,81	Si	183	4,65	1	D2HWS150	138,7	1,0	0,40	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	1	EWYK085CZP-A2	-	Aria/acqua a bassa temperatura	54,81	Si	183	4,65	2	D2HWS150	138,7	1,0	0,20	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	1	EWYK020CZN-A1	-	Aria/acqua	14,1	Si	134	3,43	1	D2HWS060	57,4	1,0	0,25	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	1	EWYK020CZP-A1	-	Aria/acqua	13,9	Si	137	3,50	1	D2HWS060	57,4	1,0	0,24	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	1	EWYK025CZN-A1	-	Aria/acqua	17,3	Si	136	3,48	1	D2HWS060	57,4	1,0	0,30	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	1	EWYK025CZP-A1	-	Aria/acqua	17,1	Si	139	3,55	1	D2HWS060	57,4	1,0	0,30	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	1	EWYK030CZN-A1	-	Aria/acqua	21,3	Si	135	3,45	1	D2HWS060	57,4	1,0	0,37	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	1	EWYK030CZN-A1	-	Aria/acqua	21,3	Si	135	3,45	1	D2HWS100	91,7	1,0	0,23	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	1	EWYK030CZP-A1	-	Aria/acqua	21	Si	137	3,50	1	D2HWS060	57,4	1,0	0,37	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	1	EWYK030CZP-A1	-	Aria/acqua	21	Si	137	3,50	1	D2HWS100	91,7	1,0	0,23	EKRSCIOR	PdC MT in applicazione MT

Daikin Sensei Hybrid	1	EWYK040CZN-A1	-	Aria/acqua	27,9	Si	139	3,55	1	D2HWS060	57,4	1,0	0,49	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	1	EWYK040CZN-A1	-	Aria/acqua	27,9	Si	139	3,55	2	D2HWS060	57,4	1,0	0,24	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	1	EWYK040CZN-A1	-	Aria/acqua	27,9	Si	139	3,55	1	D2HWS100	91,7	1,0	0,30	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	1	EWYK040CZN-A1	-	Aria/acqua	27,9	Si	139	3,55	1	D2HWS150	138,7	1,0	0,20	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	1	EWYK040CZP-A1	-	Aria/acqua	27,6	Si	141	3,60	1	D2HWS060	57,4	1,0	0,48	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	1	EWYK040CZP-A1	-	Aria/acqua	27,6	Si	141	3,60	2	D2HWS060	57,4	1,0	0,24	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	1	EWYK040CZP-A1	-	Aria/acqua	27,6	Si	141	3,60	1	D2HWS100	91,7	1,0	0,30	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	1	EWYK040CZP-A1	-	Aria/acqua	27,6	Si	141	3,60	1	D2HWS150	138,7	1,0	0,20	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	1	EWYK050CZN-A2	-	Aria/acqua	32,8	Si	133	3,40	2	D2HWS060	57,4	1,0	0,29	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	1	EWYK050CZN-A2	-	Aria/acqua	32,8	Si	133	3,40	1	D2HWS100	91,7	1,0	0,36	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	1	EWYK050CZN-A2	-	Aria/acqua	32,8	Si	133	3,40	1	D2HWS150	138,7	1,0	0,24	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	1	EWYK050CZP-A2	-	Aria/acqua	32,5	Si	137	3,50	2	D2HWS060	57,4	1,0	0,28	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	1	EWYK050CZP-A2	-	Aria/acqua	32,5	Si	137	3,50	1	D2HWS100	91,7	1,0	0,35	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	1	EWYK050CZP-A2	-	Aria/acqua	32,5	Si	137	3,50	1	D2HWS150	138,7	1,0	0,23	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	1	EWYK060CZN-A2	-	Aria/acqua	39,2	Si	132	3,38	2	D2HWS060	57,4	1,0	0,34	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	1	EWYK060CZN-A2	-	Aria/acqua	39,2	Si	132	3,38	1	D2HWS100	91,7	1,0	0,43	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	1	EWYK060CZN-A2	-	Aria/acqua	39,2	Si	132	3,38	2	D2HWS100	91,7	1,0	0,21	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	1	EWYK060CZN-A2	-	Aria/acqua	39,2	Si	132	3,38	1	D2HWS150	138,7	1,0	0,28	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	1	EWYK060CZP-A2	-	Aria/acqua	38,8	Si	135	3,45	2	D2HWS060	57,4	1,0	0,34	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	1	EWYK060CZP-A2	-	Aria/acqua	38,8	Si	135	3,45	1	D2HWS100	91,7	1,0	0,42	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	1	EWYK060CZP-A2	-	Aria/acqua	38,8	Si	135	3,45	2	D2HWS100	91,7	1,0	0,21	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	1	EWYK060CZP-A2	-	Aria/acqua	38,8	Si	135	3,45	1	D2HWS150	138,7	1,0	0,28	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	1	EWYK070CZN-A2	-	Aria/acqua	47,4	Si	136	3,48	2	D2HWS060	57,4	1,0	0,41	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	1	EWYK070CZN-A2	-	Aria/acqua	47,4	Si	136	3,48	2	D2HWS100	91,7	1,0	0,26	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	1	EWYK070CZN-A2	-	Aria/acqua	47,4	Si	136	3,48	1	D2HWS150	138,7	1,0	0,34	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	1	EWYK070CZP-A2	-	Aria/acqua	47	Si	137	3,50	2	D2HWS060	57,4	1,0	0,41	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	1	EWYK070CZP-A2	-	Aria/acqua	47	Si	137	3,50	2	D2HWS100	91,7	1,0	0,26	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	1	EWYK070CZP-A2	-	Aria/acqua	47	Si	137	3,50	1	D2HWS150	138,7	1,0	0,34	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	1	EWYK085CZN-A2	-	Aria/acqua	55,5	Si	138	3,53	2	D2HWS060	57,4	1,0	0,48	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	1	EWYK085CZN-A2	-	Aria/acqua	55,5	Si	138	3,53	2	D2HWS100	91,7	1,0	0,30	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	1	EWYK085CZN-A2	-	Aria/acqua	55,5	Si	138	3,53	1	D2HWS150	138,7	1,0	0,40	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	1	EWYK085CZN-A2	-	Aria/acqua	55,5	Si	138	3,53	2	D2HWS150	138,7	1,0	0,20	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	1	EWYK085CZP-A2	-	Aria/acqua	55,1	Si	139	3,55	2	D2HWS060	57,4	1,0	0,48	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	1	EWYK085CZP-A2	-	Aria/acqua	55,1	Si	139	3,55	2	D2HWS100	91,7	1,0	0,30	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	1	EWYK085CZP-A2	-	Aria/acqua	55,1	Si	139	3,55	1	D2HWS150	138,7	1,0	0,40	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	1	EWYK085CZP-A2	-	Aria/acqua	55,1	Si	139	3,55	2	D2HWS150	138,7	1,0	0,20	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	2	EWYK020CZN-A1	-	Aria/acqua a bassa temperatura	13,67	Si	180	4,58	1	D2HWS060	57,4	1,0	0,48	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	2	EWYK020CZN-A1	-	Aria/acqua a bassa temperatura	13,67	Si	180	4,58	2	D2HWS060	57,4	1,0	0,24	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	2	EWYK020CZN-A1	-	Aria/acqua a bassa temperatura	13,67	Si	180	4,58	1	D2HWS100	91,7	1,0	0,30	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	2	EWYK020CZN-A1	-	Aria/acqua a bassa temperatura	13,67	Si	180	4,58	1	D2HWS150	138,7	1,0	0,20	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	2	EWYK020CZP-A1	-	Aria/acqua a bassa temperatura	13,42	Si	187	4,75	1	D2HWS060	57,4	1,0	0,47	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	2	EWYK020CZP-A1	-	Aria/acqua a bassa temperatura	13,42	Si	187	4,75	2	D2HWS060	57,4	1,0	0,23	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	2	EWYK020CZP-A1	-	Aria/acqua a bassa temperatura	13,42	Si	187	4,75	1	D2HWS100	91,7	1,0	0,29	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	2	EWYK020CZP-A1	-	Aria/acqua a bassa temperatura	13,42	Si	187	4,75	1	D2HWS150	138,7	1,0	0,19	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	2	EWYK025CZN-A1	-	Aria/acqua a bassa temperatura	17,01	Si	183	4,65	2	D2HWS060	57,4	1,0	0,30	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	2	EWYK025CZN-A1	-	Aria/acqua a bassa temperatura	17,01	Si	183	4,65	1	D2HWS100	91,7	1,0	0,37	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	2	EWYK025CZN-A1	-	Aria/acqua a bassa temperatura	17,01	Si	183	4,65	1	D2HWS150	138,7	1,0	0,25	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	2	EWYK025CZP-A1	-	Aria/acqua a bassa temperatura	16,72	Si	190	4,83	2	D2HWS060	57,4	1,0	0,29	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	2	EWYK025CZP-A1	-	Aria/acqua a bassa temperatura	16,72	Si	190	4,83	1	D2HWS100	91,7	1,0	0,36	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	2	EWYK025CZP-A1	-	Aria/acqua a bassa temperatura	16,72	Si	190	4,83	1	D2HWS150	138,7	1,0	0,24	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	2	EWYK030CZN-A1	-	Aria/acqua a bassa temperatura	21,16	Si	178	4,53	2	D2HWS060	57,4	1,0	0,37	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	2	EWYK030CZN-A1	-	Aria/acqua a bassa temperatura	21,16	Si	178	4,53	1	D2HWS100	91,7	1,0	0,46	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	2	EWYK030CZN-A1	-	Aria/acqua a bassa temperatura	21,16	Si	178	4,53	2	D2HWS100	91,7	1,0	0,23	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	2	EWYK030CZN-A1	-	Aria/acqua a bassa temperatura	21,16	Si	178	4,53	1	D2HWS150	138,7	1,0	0,31	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	2	EWYK030CZP-A1	-	Aria/acqua a bassa temperatura	20,86	Si	184	4,68	2	D2HWS060	57,4	1,0	0,36	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	2	EWYK030CZP-A1	-	Aria/acqua a bassa temperatura	20,86	Si	184	4,68	1	D2HWS100	91,7	1,0	0,45	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	2	EWYK030CZP-A1	-	Aria/acqua a bassa temperatura	20,86	Si	184	4,68	2	D2HWS100	91,7	1,0	0,23	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	2	EWYK030CZP-A1	-	Aria/acqua a bassa temperatura	20,86	Si	184	4,68	1	D2HWS150	138,7	1,0	0,30	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	2	EWYK040CZN-A1	-	Aria/acqua a bassa temperatura	27,96	Si	181	4,60	2	D2HWS060	57,4	1,0	0,49	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	2	EWYK040CZN-A1	-	Aria/acqua a bassa temperatura	27,96	Si	181	4,60	2	D2HWS100	91,7	1,0	0,30	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	2	EWYK040CZN-A1	-	Aria/acqua a bassa temperatura	27,96	Si	181	4,60	1	D2HWS150	138,7	1,0	0,40	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	2	EWYK040CZN-A1	-	Aria/acqua a bassa temperatura	27,96	Si	181	4,60	2	D2HWS150	138,7	1,0	0,20	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	2	EWYK040CZP-A1	-	Aria/acqua a bassa temperatura	27,64	Si	187	4,75	2	D2HWS060	57,4	1,0	0,48	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	2	EWYK040CZP-A1	-	Aria/acqua a bassa temperatura	27,64	Si	187	4,75	2	D2HWS100	91,7	1,0	0,30	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	2	EWYK040CZP-A1	-	Aria/acqua a bassa temperatura	27,64	Si	187	4,75	1	D2HWS150	138,7	1,0	0,40	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	2	EWYK040CZP-A1	-	Aria/acqua a bassa temperatura	27,64	Si	187	4,75	2	D2HWS150	138,7	1,0	0,20	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	2	EWYK050CZN-A2	-	Aria/acqua a bassa temperatura	32,2	Si	176	4,48	2	D2HWS100	91,7	1,0	0,35	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	2	EWYK050CZN-A2	-	Aria/acqua a bassa temperatura	32,2	Si	176	4,48	1	D2HWS150	138,7	1,0	0,46	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	2	EWYK050CZN-A2	-	Aria/acqua a bassa temperatura	32,2	Si	176	4,48	2	D2HWS150	138,7	1,0	0,23	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	2	EWYK050CZP-A2	-	Aria/acqua a bassa temperatura	31,86	Si	182	4,63	2	D2HWS100	91,7	1,0	0,35	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	2	EWYK050CZP-A2	-	Aria/acqua a bassa temperatura	31,86	Si	182	4,63	1	D2HWS150	138,7	1,0	0,46	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	2	EWYK050CZP-A2	-	Aria/acqua a bassa temperatura	31,86	Si	182	4,63	2	D2HWS150	138,7	1,0	0,23	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	2	EWYK060CZN-A2	-	Aria/acqua a bassa temperatura	38,88	Si	172	4,38	2	D2HWS100	91,7	1,0	0,42	EKRSCIOR	PdC MT in applicazione LT

Daikin Sensei Hybrid	2	EWYK060CZN-A2	-	Aria/acqua a bassa temperatura	38,88	Si	172	4,38	2	D2HWS150	138,7	1,0	0,28	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	2	EWYK060CZP-A2	-	Aria/acqua a bassa temperatura	38,4	Si	178	4,53	2	D2HWS100	91,7	1,0	0,42	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	2	EWYK060CZP-A2	-	Aria/acqua a bassa temperatura	38,4	Si	178	4,53	2	D2HWS150	138,7	1,0	0,28	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	2	EWYK070CZN-A2	-	Aria/acqua a bassa temperatura	47,06	Si	177	4,50	2	D2HWS150	138,7	1,0	0,34	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	2	EWYK070CZN-A2	-	Aria/acqua a bassa temperatura	47,06	Si	177	4,50	3	D2HWS150	138,7	1,0	0,23	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	2	EWYK070CZP-A2	-	Aria/acqua a bassa temperatura	46,58	Si	180	4,58	2	D2HWS150	138,7	1,0	0,34	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	2	EWYK070CZP-A2	-	Aria/acqua a bassa temperatura	46,58	Si	180	4,58	3	D2HWS150	138,7	1,0	0,22	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	2	EWYK085CZN-A2	-	Aria/acqua a bassa temperatura	55,33	Si	180	4,58	2	D2HWS150	138,7	1,0	0,40	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	2	EWYK085CZN-A2	-	Aria/acqua a bassa temperatura	55,33	Si	180	4,58	3	D2HWS150	138,7	1,0	0,27	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	2	EWYK085CZN-A2	-	Aria/acqua a bassa temperatura	55,33	Si	180	4,58	4	D2HWS150	138,7	1,0	0,20	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	2	EWYK085CZP-A2	-	Aria/acqua a bassa temperatura	54,81	Si	183	4,65	2	D2HWS150	138,7	1,0	0,40	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	2	EWYK085CZP-A2	-	Aria/acqua a bassa temperatura	54,81	Si	183	4,65	3	D2HWS150	138,7	1,0	0,26	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	2	EWYK085CZP-A2	-	Aria/acqua a bassa temperatura	54,81	Si	183	4,65	4	D2HWS150	138,7	1,0	0,20	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	2	EWYK020CZN-A1	-	Aria/acqua	14,1	Si	134	3,43	1	D2HWS060	57,4	1,0	0,49	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	2	EWYK020CZN-A1	-	Aria/acqua	14,1	Si	134	3,43	2	D2HWS060	57,4	1,0	0,25	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	2	EWYK020CZN-A1	-	Aria/acqua	14,1	Si	134	3,43	1	D2HWS100	91,7	1,0	0,31	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	2	EWYK020CZN-A1	-	Aria/acqua	14,1	Si	134	3,43	1	D2HWS150	138,7	1,0	0,20	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	2	EWYK020CZP-A1	-	Aria/acqua	13,9	Si	137	3,50	1	D2HWS060	57,4	1,0	0,48	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	2	EWYK020CZP-A1	-	Aria/acqua	13,9	Si	137	3,50	2	D2HWS060	57,4	1,0	0,24	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	2	EWYK020CZP-A1	-	Aria/acqua	13,9	Si	137	3,50	1	D2HWS100	91,7	1,0	0,30	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	2	EWYK020CZP-A1	-	Aria/acqua	13,9	Si	137	3,50	1	D2HWS150	138,7	1,0	0,20	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	2	EWYK025CZN-A1	-	Aria/acqua	17,3	Si	136	3,48	2	D2HWS060	57,4	1,0	0,30	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	2	EWYK025CZN-A1	-	Aria/acqua	17,3	Si	136	3,48	1	D2HWS100	91,7	1,0	0,38	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	2	EWYK025CZN-A1	-	Aria/acqua	17,3	Si	136	3,48	1	D2HWS150	138,7	1,0	0,25	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	2	EWYK025CZP-A1	-	Aria/acqua	17,1	Si	139	3,55	2	D2HWS060	57,4	1,0	0,30	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	2	EWYK025CZP-A1	-	Aria/acqua	17,1	Si	139	3,55	1	D2HWS100	91,7	1,0	0,37	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	2	EWYK025CZP-A1	-	Aria/acqua	17,1	Si	139	3,55	1	D2HWS150	138,7	1,0	0,25	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	2	EWYK030CZN-A1	-	Aria/acqua	21,3	Si	135	3,45	2	D2HWS060	57,4	1,0	0,37	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	2	EWYK030CZN-A1	-	Aria/acqua	21,3	Si	135	3,45	1	D2HWS100	91,7	1,0	0,46	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	2	EWYK030CZN-A1	-	Aria/acqua	21,3	Si	135	3,45	2	D2HWS100	91,7	1,0	0,23	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	2	EWYK030CZN-A1	-	Aria/acqua	21,3	Si	135	3,45	1	D2HWS150	138,7	1,0	0,31	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	2	EWYK030CZP-A1	-	Aria/acqua	21	Si	137	3,50	2	D2HWS060	57,4	1,0	0,37	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	2	EWYK030CZP-A1	-	Aria/acqua	21	Si	137	3,50	1	D2HWS100	91,7	1,0	0,46	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	2	EWYK030CZP-A1	-	Aria/acqua	21	Si	137	3,50	2	D2HWS100	91,7	1,0	0,23	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	2	EWYK030CZP-A1	-	Aria/acqua	21	Si	137	3,50	1	D2HWS150	138,7	1,0	0,30	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	2	EWYK040CZN-A1	-	Aria/acqua	27,9	Si	139	3,55	2	D2HWS060	57,4	1,0	0,49	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	2	EWYK040CZN-A1	-	Aria/acqua	27,9	Si	139	3,55	2	D2HWS100	91,7	1,0	0,30	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	2	EWYK040CZN-A1	-	Aria/acqua	27,9	Si	139	3,55	1	D2HWS150	138,7	1,0	0,40	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	2	EWYK040CZN-A1	-	Aria/acqua	27,9	Si	139	3,55	2	D2HWS150	138,7	1,0	0,20	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	2	EWYK040CZP-A1	-	Aria/acqua	27,6	Si	141	3,60	2	D2HWS060	57,4	1,0	0,48	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	2	EWYK040CZP-A1	-	Aria/acqua	27,6	Si	141	3,60	2	D2HWS100	91,7	1,0	0,30	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	2	EWYK040CZP-A1	-	Aria/acqua	27,6	Si	141	3,60	1	D2HWS150	138,7	1,0	0,40	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	2	EWYK040CZP-A1	-	Aria/acqua	27,6	Si	141	3,60	2	D2HWS150	138,7	1,0	0,20	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	2	EWYK050CZN-A2	-	Aria/acqua	32,8	Si	133	3,40	2	D2HWS100	91,7	1,0	0,36	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	2	EWYK050CZN-A2	-	Aria/acqua	32,8	Si	133	3,40	1	D2HWS150	138,7	1,0	0,47	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	2	EWYK050CZN-A2	-	Aria/acqua	32,8	Si	133	3,40	2	D2HWS150	138,7	1,0	0,24	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	2	EWYK050CZP-A2	-	Aria/acqua	32,5	Si	137	3,50	2	D2HWS100	91,7	1,0	0,35	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	2	EWYK050CZP-A2	-	Aria/acqua	32,5	Si	137	3,50	1	D2HWS150	138,7	1,0	0,47	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	2	EWYK050CZP-A2	-	Aria/acqua	32,5	Si	137	3,50	2	D2HWS150	138,7	1,0	0,23	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	2	EWYK060CZN-A2	-	Aria/acqua	39,2	Si	132	3,38	2	D2HWS100	91,7	1,0	0,43	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	2	EWYK060CZN-A2	-	Aria/acqua	39,2	Si	132	3,38	2	D2HWS150	138,7	1,0	0,28	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	2	EWYK060CZP-A2	-	Aria/acqua	38,8	Si	135	3,45	2	D2HWS100	91,7	1,0	0,42	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	2	EWYK060CZP-A2	-	Aria/acqua	38,8	Si	135	3,45	2	D2HWS150	138,7	1,0	0,28	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	2	EWYK070CZN-A2	-	Aria/acqua	47,4	Si	136	3,48	2	D2HWS150	138,7	1,0	0,34	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	2	EWYK070CZN-A2	-	Aria/acqua	47,4	Si	136	3,48	3	D2HWS150	138,7	1,0	0,23	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	2	EWYK070CZP-A2	-	Aria/acqua	47	Si	137	3,50	2	D2HWS150	138,7	1,0	0,34	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	2	EWYK070CZP-A2	-	Aria/acqua	47	Si	137	3,50	3	D2HWS150	138,7	1,0	0,23	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	2	EWYK085CZN-A2	-	Aria/acqua	55,5	Si	138	3,53	2	D2HWS150	138,7	1,0	0,40	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	2	EWYK085CZN-A2	-	Aria/acqua	55,5	Si	138	3,53	3	D2HWS150	138,7	1,0	0,27	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	2	EWYK085CZP-A2	-	Aria/acqua	55,1	Si	139	3,55	2	D2HWS150	138,7	1,0	0,40	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	2	EWYK085CZP-A2	-	Aria/acqua	55,1	Si	139	3,55	3	D2HWS150	138,7	1,0	0,26	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	3	EWYK060CZN-A2	-	Aria/acqua a bassa temperatura	38,88	Si	172	4,38	3	D2HWS150	138,7	1,0	0,28	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	3	EWYK060CZN-A2	-	Aria/acqua a bassa temperatura	38,88	Si	172	4,38	4	D2HWS150	138,7	1,0	0,21	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	3	EWYK060CZP-A2	-	Aria/acqua a bassa temperatura	38,4	Si	178	4,53	3	D2HWS150	138,7	1,0	0,28	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	3	EWYK060CZP-A2	-	Aria/acqua a bassa temperatura	38,4	Si	178	4,53	4	D2HWS150	138,7	1,0	0,21	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	3	EWYK070CZN-A2	-	Aria/acqua a bassa temperatura	47,06	Si	177	4,50	4	D2HWS150	138,7	1,0	0,25	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	3	EWYK070CZN-A2	-	Aria/acqua a bassa temperatura	47,06	Si	177	4,50	5	D2HWS150	138,7	1,0	0,20	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	3	EWYK070CZN-A2	-	Aria/acqua	47,4	Si	136	3,48	4	D2HWS150	138,7	1,0	0,26	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	3	EWYK070CZN-A2	-	Aria/acqua	47,4	Si	136	3,48	5	D2HWS150	138,7	1,0	0,21	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	3	EWYK070CZP-A2	-	Aria/acqua a bassa temperatura	46,58	Si	180	4,58	4	D2HWS150	138,7	1,0	0,25	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	3	EWYK070CZP-A2	-	Aria/acqua a bassa temperatura	46,58	Si	180	4,58	5	D2HWS150	138,7	1,0	0,20	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	3	EWYK070CZP-A2	-	Aria/acqua	47	Si	137	3,50	4	D2HWS150	138,7	1,0	0,25	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	3	EWYK070CZP-A2	-	Aria/acqua	47	Si	137	3,50	5	D2HWS150	138,7	1,0	0,20	EKRSCIOR	PdC MT in applicazione LT

Daikin Sensei Hybrid	3	EWYK085CZN-A2	-	Aria/acqua a bassa temperatura	55,33	Si	180	4,58	3	D2HWS150	138,7	1,0	0,40	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	3	EWYK085CZN-A2	-	Aria/acqua a bassa temperatura	55,33	Si	180	4,58	4	D2HWS150	138,7	1,0	0,30	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	3	EWYK085CZN-A2	-	Aria/acqua a bassa temperatura	55,33	Si	180	4,58	5	D2HWS150	138,7	1,0	0,24	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	3	EWYK085CZN-A2	-	Aria/acqua	55,5	Si	138	3,53	3	D2HWS150	138,7	1,0	0,40	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	3	EWYK085CZN-A2	-	Aria/acqua	55,5	Si	138	3,53	4	D2HWS150	138,7	1,0	0,30	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	3	EWYK085CZN-A2	-	Aria/acqua	55,5	Si	138	3,53	5	D2HWS150	138,7	1,0	0,24	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	3	EWYK085CZP-A2	-	Aria/acqua a bassa temperatura	54,81	Si	183	4,65	3	D2HWS150	138,7	1,0	0,40	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	3	EWYK085CZP-A2	-	Aria/acqua a bassa temperatura	54,81	Si	183	4,65	4	D2HWS150	138,7	1,0	0,30	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	3	EWYK085CZP-A2	-	Aria/acqua a bassa temperatura	54,81	Si	183	4,65	5	D2HWS150	138,7	1,0	0,24	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	3	EWYK085CZP-A2	-	Aria/acqua	55,1	Si	139	3,55	3	D2HWS150	138,7	1,0	0,40	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	3	EWYK085CZP-A2	-	Aria/acqua	55,1	Si	139	3,55	4	D2HWS150	138,7	1,0	0,30	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	3	EWYK085CZP-A2	-	Aria/acqua	55,1	Si	139	3,55	5	D2HWS150	138,7	1,0	0,24	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	3	EWYK060CZN-A2	-	Aria/acqua	39,2	Si	132	3,38	3	D2HWS150	138,7	1,0	0,28	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	3	EWYK060CZN-A2	-	Aria/acqua	39,2	Si	132	3,38	4	D2HWS150	138,7	1,0	0,21	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	3	EWYK060CZP-A2	-	Aria/acqua	38,8	Si	135	3,45	3	D2HWS150	138,7	1,0	0,28	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	3	EWYK060CZP-A2	-	Aria/acqua	38,8	Si	135	3,45	4	D2HWS150	138,7	1,0	0,21	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	4	EWYK060CZN-A2	-	Aria/acqua a bassa temperatura	38,88	Si	172	4,38	4	D2HWS150	138,7	1,0	0,28	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	4	EWYK060CZN-A2	-	Aria/acqua a bassa temperatura	38,88	Si	172	4,38	5	D2HWS150	138,7	1,0	0,22	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	4	EWYK060CZP-A2	-	Aria/acqua a bassa temperatura	38,4	Si	178	4,53	4	D2HWS150	138,7	1,0	0,28	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	4	EWYK060CZP-A2	-	Aria/acqua a bassa temperatura	38,4	Si	178	4,53	5	D2HWS150	138,7	1,0	0,22	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	4	EWYK070CZN-A2	-	Aria/acqua a bassa temperatura	47,06	Si	177	4,50	3	D2HWS150	138,7	1,0	0,45	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	4	EWYK070CZN-A2	-	Aria/acqua a bassa temperatura	47,06	Si	177	4,50	4	D2HWS150	138,7	1,0	0,34	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	4	EWYK070CZN-A2	-	Aria/acqua a bassa temperatura	47,06	Si	177	4,50	5	D2HWS150	138,7	1,0	0,27	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	4	EWYK070CZN-A2	-	Aria/acqua a bassa temperatura	47,06	Si	177	4,50	6	D2HWS150	138,7	1,0	0,23	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	4	EWYK070CZN-A2	-	Aria/acqua	47,4	Si	136	3,48	3	D2HWS150	138,7	1,0	0,46	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	4	EWYK070CZN-A2	-	Aria/acqua	47,4	Si	136	3,48	4	D2HWS150	138,7	1,0	0,34	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	4	EWYK070CZN-A2	-	Aria/acqua	47,4	Si	136	3,48	5	D2HWS150	138,7	1,0	0,27	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	4	EWYK070CZN-A2	-	Aria/acqua	47,4	Si	136	3,48	6	D2HWS150	138,7	1,0	0,23	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	4	EWYK070CZP-A2	-	Aria/acqua a bassa temperatura	46,58	Si	180	4,58	3	D2HWS150	138,7	1,0	0,45	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	4	EWYK070CZP-A2	-	Aria/acqua a bassa temperatura	46,58	Si	180	4,58	4	D2HWS150	138,7	1,0	0,34	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	4	EWYK070CZP-A2	-	Aria/acqua a bassa temperatura	46,58	Si	180	4,58	5	D2HWS150	138,7	1,0	0,27	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	4	EWYK070CZP-A2	-	Aria/acqua a bassa temperatura	46,58	Si	180	4,58	6	D2HWS150	138,7	1,0	0,22	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	4	EWYK070CZP-A2	-	Aria/acqua	47	Si	137	3,50	3	D2HWS150	138,7	1,0	0,45	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	4	EWYK070CZP-A2	-	Aria/acqua	47	Si	137	3,50	4	D2HWS150	138,7	1,0	0,34	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	4	EWYK070CZP-A2	-	Aria/acqua	47	Si	137	3,50	5	D2HWS150	138,7	1,0	0,27	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	4	EWYK070CZP-A2	-	Aria/acqua	47	Si	137	3,50	6	D2HWS150	138,7	1,0	0,23	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	4	EWYK085CZN-A2	-	Aria/acqua a bassa temperatura	55,33	Si	180	4,58	4	D2HWS150	138,7	1,0	0,40	EKRSCIOR	PdC MT in applicazione LT

Daikin Sensei Hybrid	4	EWYK085CZN-A2	-	Aria/acqua a bassa temperatura	55,33	Si	180	4,58	5	D2HWS150	138,7	1,0	0,32	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	4	EWYK085CZN-A2	-	Aria/acqua a bassa temperatura	55,33	Si	180	4,58	6	D2HWS150	138,7	1,0	0,27	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	4	EWYK085CZN-A2	-	Aria/acqua	55,5	Si	138	3,53	4	D2HWS150	138,7	1,0	0,40	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	4	EWYK085CZN-A2	-	Aria/acqua	55,5	Si	138	3,53	5	D2HWS150	138,7	1,0	0,32	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	4	EWYK085CZN-A2	-	Aria/acqua	55,5	Si	138	3,53	6	D2HWS150	138,7	1,0	0,27	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	4	EWYK085CZP-A2	-	Aria/acqua a bassa temperatura	54,81	Si	183	4,65	4	D2HWS150	138,7	1,0	0,40	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	4	EWYK085CZP-A2	-	Aria/acqua a bassa temperatura	54,81	Si	183	4,65	5	D2HWS150	138,7	1,0	0,32	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	4	EWYK085CZP-A2	-	Aria/acqua a bassa temperatura	54,81	Si	183	4,65	6	D2HWS150	138,7	1,0	0,26	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	4	EWYK085CZP-A2	-	Aria/acqua	55,1	Si	139	3,55	4	D2HWS150	138,7	1,0	0,40	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	4	EWYK085CZP-A2	-	Aria/acqua	55,1	Si	139	3,55	5	D2HWS150	138,7	1,0	0,32	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	4	EWYK085CZP-A2	-	Aria/acqua	55,1	Si	139	3,55	6	D2HWS150	138,7	1,0	0,26	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	4	EWYK060CZN-A2	-	Aria/acqua	39,2	Si	132	3,38	4	D2HWS150	138,7	1,0	0,28	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	4	EWYK060CZN-A2	-	Aria/acqua	39,2	Si	132	3,38	5	D2HWS150	138,7	1,0	0,23	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	4	EWYK060CZP-A2	-	Aria/acqua	38,8	Si	135	3,45	4	D2HWS150	138,7	1,0	0,28	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	4	EWYK060CZP-A2	-	Aria/acqua	38,8	Si	135	3,45	5	D2HWS150	138,7	1,0	0,22	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	5	EWYK060CZN-A2	-	Aria/acqua a bassa temperatura	38,88	Si	172	4,38	5	D2HWS150	138,7	1,0	0,28	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	5	EWYK060CZN-A2	-	Aria/acqua a bassa temperatura	38,88	Si	172	4,38	6	D2HWS150	138,7	1,0	0,23	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	5	EWYK060CZP-A2	-	Aria/acqua a bassa temperatura	38,4	Si	178	4,53	5	D2HWS150	138,7	1,0	0,28	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	5	EWYK060CZP-A2	-	Aria/acqua a bassa temperatura	38,4	Si	178	4,53	6	D2HWS150	138,7	1,0	0,23	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	5	EWYK070CZN-A2	-	Aria/acqua a bassa temperatura	47,06	Si	177	4,50	4	D2HWS150	138,7	1,0	0,42	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	5	EWYK070CZN-A2	-	Aria/acqua a bassa temperatura	47,06	Si	177	4,50	5	D2HWS150	138,7	1,0	0,34	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	5	EWYK070CZN-A2	-	Aria/acqua a bassa temperatura	47,06	Si	177	4,50	6	D2HWS150	138,7	1,0	0,28	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	5	EWYK070CZN-A2	-	Aria/acqua	47,4	Si	136	3,48	4	D2HWS150	138,7	1,0	0,43	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	5	EWYK070CZN-A2	-	Aria/acqua	47,4	Si	136	3,48	5	D2HWS150	138,7	1,0	0,34	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	5	EWYK070CZN-A2	-	Aria/acqua	47,4	Si	136	3,48	6	D2HWS150	138,7	1,0	0,28	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	5	EWYK070CZP-A2	-	Aria/acqua a bassa temperatura	46,58	Si	180	4,58	4	D2HWS150	138,7	1,0	0,42	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	5	EWYK070CZP-A2	-	Aria/acqua a bassa temperatura	46,58	Si	180	4,58	5	D2HWS150	138,7	1,0	0,34	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	5	EWYK070CZP-A2	-	Aria/acqua a bassa temperatura	46,58	Si	180	4,58	6	D2HWS150	138,7	1,0	0,28	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	5	EWYK070CZP-A2	-	Aria/acqua	47	Si	137	3,50	4	D2HWS150	138,7	1,0	0,42	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	5	EWYK070CZP-A2	-	Aria/acqua	47	Si	137	3,50	5	D2HWS150	138,7	1,0	0,34	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	5	EWYK070CZP-A2	-	Aria/acqua	47	Si	137	3,50	6	D2HWS150	138,7	1,0	0,28	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	5	EWYK085CZN-A2	-	Aria/acqua a bassa temperatura	55,33	Si	180	4,58	5	D2HWS150	138,7	1,0	0,40	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	5	EWYK085CZN-A2	-	Aria/acqua a bassa temperatura	55,33	Si	180	4,58	6	D2HWS150	138,7	1,0	0,33	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	5	EWYK085CZN-A2	-	Aria/acqua	55,5	Si	138	3,53	5	D2HWS150	138,7	1,0	0,40	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	5	EWYK085CZN-A2	-	Aria/acqua	55,5	Si	138	3,53	6	D2HWS150	138,7	1,0	0,33	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	5	EWYK085CZP-A2	-	Aria/acqua a bassa temperatura	54,81	Si	183	4,65	5	D2HWS150	138,7	1,0	0,40	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	5	EWYK085CZP-A2	-	Aria/acqua a bassa temperatura	54,81	Si	183	4,65	6	D2HWS150	138,7	1,0	0,33	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	5	EWYK085CZP-A2	-	Aria/acqua	55,1	Si	139	3,55	5	D2HWS150	138,7	1,0	0,40	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	5	EWYK085CZP-A2	-	Aria/acqua	55,1	Si	139	3,55	6	D2HWS150	138,7	1,0	0,33	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	5	EWYK060CZN-A2	-	Aria/acqua	39,2	Si	132	3,38	5	D2HWS150	138,7	1,0	0,28	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	5	EWYK060CZN-A2	-	Aria/acqua	39,2	Si	132	3,38	6	D2HWS150	138,7	1,0	0,24	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	5	EWYK060CZP-A2	-	Aria/acqua	38,8	Si	135	3,45	5	D2HWS150	138,7	1,0	0,28	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	5	EWYK060CZP-A2	-	Aria/acqua	38,8	Si	135	3,45	6	D2HWS150	138,7	1,0	0,23	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	6	EWYK060CZN-A2	-	Aria/acqua a bassa temperatura	38,88	Si	172	4,38	6	D2HWS150	138,7	1,0	0,28	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	6	EWYK060CZP-A2	-	Aria/acqua a bassa temperatura	38,4	Si	178	4,53	6	D2HWS150	138,7	1,0	0,28	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	6	EWYK085CZN-A2	-	Aria/acqua a bassa temperatura	55,33	Si	180	4,58	5	D2HWS150	138,7	1,0	0,48	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	6	EWYK085CZN-A2	-	Aria/acqua a bassa temperatura	55,33	Si	180	4,58	6	D2HWS150	138,7	1,0	0,40	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	6	EWYK085CZN-A2	-	Aria/acqua	55,5	Si	138	3,53	5	D2HWS150	138,7	1,0	0,48	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	6	EWYK085CZN-A2	-	Aria/acqua	55,5	Si	138	3,53	6	D2HWS150	138,7	1,0	0,40	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	6	EWYK085CZP-A2	-	Aria/acqua a bassa temperatura	54,81	Si	183	4,65	5	D2HWS150	138,7	1,0	0,47	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	6	EWYK085CZP-A2	-	Aria/acqua a bassa temperatura	54,81	Si	183	4,65	6	D2HWS150	138,7	1,0	0,40	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	6	EWYK085CZP-A2	-	Aria/acqua	55,1	Si	139	3,55	5	D2HWS150	138,7	1,0	0,48	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	6	EWYK085CZP-A2	-	Aria/acqua	55,1	Si	139	3,55	6	D2HWS150	138,7	1,0	0,40	EKRSCIOR	PdC MT in applicazione LT
Daikin Sensei Hybrid	6	EWYK060CZN-A2	-	Aria/acqua	39,2	Si	132	3,38	6	D2HWS150	138,7	1,0	0,28	EKRSCIOR	PdC MT in applicazione MT
Daikin Sensei Hybrid	6	EWYK060CZP-A2	-	Aria/acqua	38,8	Si	135	3,45	6	D2HWS150	138,7	1,0	0,28	EKRSCIOR	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYT016CZH-A1	-	Aria/acqua a bassa temperatura	12,17	Si	152	3,88	1	D2HWS060	57,0	91,0	0,21	EKRSCIOH	PdC LT in applicazione LT
SENSEI HYBRID	1	EWYT016CZN-A1	-	Aria/acqua a bassa temperatura	12,38	Si	153	3,89	1	D2HWS060	57,0	91,0	0,22	EKRSCIOH	PdC LT in applicazione LT
SENSEI HYBRID	1	EWYT016CZP-A1	-	Aria/acqua a bassa temperatura	12,27	Si	158	4,03	1	D2HWS060	57,0	91,0	0,21	EKRSCIOH	PdC LT in applicazione LT
SENSEI HYBRID	1	EBLA16D3V37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	1	D2HWS060	57,0	91,0	0,21	EKRP1HBA	PdC MT in applicazione LT
SENSEI HYBRID	1	EBLA16D3W17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	1	D2HWS060	57,0	91,0	0,21	EKRP1HBA	PdC MT in applicazione LT
SENSEI HYBRID	1	EBLA16DV37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	1	D2HWS060	57,0	91,0	0,21	EKRP1HBA	PdC MT in applicazione LT
SENSEI HYBRID	1	EBLA16DW17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	1	D2HWS060	57,0	91,0	0,21	EKRP1HBA	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYE019CZN-A1	-	Aria/acqua a bassa temperatura	16,823	Si	152	3,89	1	D2HWS060	57,0	91,0	0,29	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYE019CZP-A1	-	Aria/acqua a bassa temperatura	16,933	Si	157	4,00	1	D2HWS060	57,0	91,0	0,30	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYE022CZN-A1	-	Aria/acqua a bassa temperatura	16,823	Si	152	3,89	1	D2HWS060	57,0	91,0	0,29	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYE022CZP-A1	-	Aria/acqua a bassa temperatura	16,933	Si	157	4,00	1	D2HWS060	57,0	91,0	0,30	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYE025CZN-A1	-	Aria/acqua a bassa temperatura	16,823	Si	152	3,89	1	D2HWS060	57,0	91,0	0,29	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYE025CZN-A1	-	Aria/acqua a bassa temperatura	16,823	Si	152	3,89	1	D2HWS100	92,0	93,0	0,18	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYE025CZP-A1	-	Aria/acqua a bassa temperatura	16,933	Si	157	4,00	1	D2HWS060	57,0	91,0	0,30	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYE025CZP-A1	-	Aria/acqua a bassa temperatura	16,933	Si	157	4,00	1	D2HWS100	92,0	93,0	0,18	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYE030CZN-A1	-	Aria/acqua a bassa temperatura	24,707	Si	169	4,31	1	D2HWS060	57,0	91,0	0,43	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYE030CZN-A1	-	Aria/acqua a bassa temperatura	24,707	Si	169	4,31	2	D2HWS060	57,0	91,0	0,22	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYE030CZN-A1	-	Aria/acqua a bassa temperatura	24,707	Si	169	4,31	1	D2HWS100	92,0	93,0	0,27	EKRSCIOC	PdC MT in applicazione LT

SENSEI HYBRID	1	EWYE030CZP-A1	-	Aria/acqua a bassa temperatura	24,421	Si	172	4,38	1	D2HWS060	57,0	91,0	0,43	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYE030CZP-A1	-	Aria/acqua a bassa temperatura	24,421	Si	172	4,38	2	D2HWS060	57,0	91,0	0,21	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYE030CZP-A1	-	Aria/acqua a bassa temperatura	24,421	Si	172	4,38	1	D2HWS100	92,0	93,0	0,27	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYE035CZN-A1	-	Aria/acqua a bassa temperatura	24,707	Si	169	4,31	1	D2HWS060	57,0	91,0	0,43	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYE035CZN-A1	-	Aria/acqua a bassa temperatura	24,707	Si	169	4,31	2	D2HWS060	57,0	91,0	0,22	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYE035CZN-A1	-	Aria/acqua a bassa temperatura	24,707	Si	169	4,31	1	D2HWS100	92,0	93,0	0,27	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYE035CZN-A1	-	Aria/acqua a bassa temperatura	24,707	Si	169	4,31	1	D2HWS150	139,0	94,0	0,18	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYE035CZP-A1	-	Aria/acqua a bassa temperatura	24,421	Si	172	4,38	1	D2HWS060	57,0	91,0	0,43	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYE035CZP-A1	-	Aria/acqua a bassa temperatura	24,421	Si	172	4,38	2	D2HWS060	57,0	91,0	0,21	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYE035CZP-A1	-	Aria/acqua a bassa temperatura	24,421	Si	172	4,38	1	D2HWS100	92,0	93,0	0,27	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYE035CZP-A1	-	Aria/acqua a bassa temperatura	24,421	Si	172	4,38	1	D2HWS150	139,0	94,0	0,18	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYE050CZN-A2	-	Aria/acqua a bassa temperatura	43,266	Si	146	3,72	2	D2HWS060	57,0	91,0	0,38	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYE050CZN-A2	-	Aria/acqua a bassa temperatura	43,266	Si	146	3,72	1	D2HWS100	92,0	93,0	0,47	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYE050CZN-A2	-	Aria/acqua a bassa temperatura	43,266	Si	146	3,72	2	D2HWS100	92,0	93,0	0,24	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYE050CZN-A2	-	Aria/acqua a bassa temperatura	43,266	Si	146	3,72	1	D2HWS150	139,0	94,0	0,31	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYE050CZP-A2	-	Aria/acqua a bassa temperatura	42,871	Si	152	3,87	2	D2HWS060	57,0	91,0	0,37	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYE050CZP-A2	-	Aria/acqua a bassa temperatura	42,871	Si	152	3,87	1	D2HWS100	92,0	93,0	0,47	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYE050CZP-A2	-	Aria/acqua a bassa temperatura	42,871	Si	152	3,87	2	D2HWS100	92,0	93,0	0,23	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYE050CZP-A2	-	Aria/acqua a bassa temperatura	42,871	Si	152	3,87	1	D2HWS150	139,0	94,0	0,31	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYE060CZN-A2	-	Aria/acqua a bassa temperatura	43,266	Si	146	3,72	2	D2HWS060	57,0	91,0	0,38	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYE060CZN-A2	-	Aria/acqua a bassa temperatura	43,266	Si	146	3,72	1	D2HWS100	92,0	93,0	0,47	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYE060CZN-A2	-	Aria/acqua a bassa temperatura	43,266	Si	146	3,72	2	D2HWS100	92,0	93,0	0,24	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYE060CZN-A2	-	Aria/acqua a bassa temperatura	43,266	Si	146	3,72	1	D2HWS150	139,0	94,0	0,31	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYE060CZP-A2	-	Aria/acqua a bassa temperatura	42,871	Si	152	3,87	2	D2HWS060	57,0	91,0	0,37	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYE060CZP-A2	-	Aria/acqua a bassa temperatura	42,871	Si	152	3,87	1	D2HWS100	92,0	93,0	0,47	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYE060CZP-A2	-	Aria/acqua a bassa temperatura	42,871	Si	152	3,87	2	D2HWS100	92,0	93,0	0,23	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYE060CZP-A2	-	Aria/acqua a bassa temperatura	42,871	Si	152	3,87	1	D2HWS150	139,0	94,0	0,31	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYE070CZN-A2	-	Aria/acqua a bassa temperatura	53,056	Si	157	4,00	2	D2HWS060	57,0	91,0	0,46	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYE070CZN-A2	-	Aria/acqua a bassa temperatura	53,056	Si	157	4,00	2	D2HWS100	92,0	93,0	0,29	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYE070CZN-A2	-	Aria/acqua a bassa temperatura	53,056	Si	157	4,00	1	D2HWS150	139,0	94,0	0,38	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYE070CZN-A2	-	Aria/acqua a bassa temperatura	53,056	Si	157	4,00	2	D2HWS150	139,0	94,0	0,19	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYE070CZP-A2	-	Aria/acqua a bassa temperatura	52,649	Si	159	4,06	2	D2HWS060	57,0	91,0	0,46	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYE070CZP-A2	-	Aria/acqua a bassa temperatura	52,649	Si	159	4,06	2	D2HWS100	92,0	93,0	0,29	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYE070CZP-A2	-	Aria/acqua a bassa temperatura	52,649	Si	159	4,06	1	D2HWS150	139,0	94,0	0,38	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYE070CZP-A2	-	Aria/acqua a bassa temperatura	52,649	Si	159	4,06	2	D2HWS150	139,0	94,0	0,19	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYT021CZH-A1	-	Aria/acqua a bassa temperatura	15,69	Si	159	4,06	1	D2HWS060	57,0	91,0	0,27	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYT021CZN-A1	-	Aria/acqua a bassa temperatura	15,95	Si	157	4,00	1	D2HWS060	57,0	91,0	0,28	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYT021CZP-A1	-	Aria/acqua a bassa temperatura	15,8	Si	165	4,19	1	D2HWS060	57,0	91,0	0,28	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYT025CZH-A1	-	Aria/acqua a bassa temperatura	19,49	Si	160	4,08	1	D2HWS060	57,0	91,0	0,34	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYT025CZH-A1	-	Aria/acqua a bassa temperatura	19,49	Si	160	4,08	1	D2HWS100	92,0	93,0	0,21	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYT025CZN-A1	-	Aria/acqua a bassa temperatura	19,75	Si	160	4,07	1	D2HWS060	57,0	91,0	0,34	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYT025CZN-A1	-	Aria/acqua a bassa temperatura	19,75	Si	160	4,07	1	D2HWS100	92,0	93,0	0,22	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYT025CZP-A1	-	Aria/acqua a bassa temperatura	19,6	Si	165	4,19	1	D2HWS060	57,0	91,0	0,34	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYT025CZP-A1	-	Aria/acqua a bassa temperatura	19,6	Si	165	4,19	1	D2HWS100	92,0	93,0	0,21	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYT032CZH-A1	-	Aria/acqua a bassa temperatura	24,87	Si	161	4,11	1	D2HWS060	57,0	91,0	0,43	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYT032CZH-A1	-	Aria/acqua a bassa temperatura	24,87	Si	161	4,11	2	D2HWS060	57,0	91,0	0,22	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYT032CZH-A1	-	Aria/acqua a bassa temperatura	24,87	Si	161	4,11	1	D2HWS100	92,0	93,0	0,27	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYT032CZN-A1	-	Aria/acqua a bassa temperatura	25,13	Si	159	4,06	1	D2HWS060	57,0	91,0	0,44	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYT032CZN-A1	-	Aria/acqua a bassa temperatura	25,13	Si	159	4,06	2	D2HWS060	57,0	91,0	0,22	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYT032CZN-A1	-	Aria/acqua a bassa temperatura	25,13	Si	159	4,06	1	D2HWS100	92,0	93,0	0,27	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYT032CZP-A1	-	Aria/acqua a bassa temperatura	24,96	Si	164	4,18	1	D2HWS060	57,0	91,0	0,43	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYT032CZP-A1	-	Aria/acqua a bassa temperatura	24,96	Si	164	4,18	2	D2HWS060	57,0	91,0	0,22	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYT032CZP-A1	-	Aria/acqua a bassa temperatura	24,96	Si	164	4,18	1	D2HWS100	92,0	93,0	0,27	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYT040CZH-A1	-	Aria/acqua a bassa temperatura	30,57	Si	162	4,13	2	D2HWS060	57,0	91,0	0,27	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYT040CZH-A1	-	Aria/acqua a bassa temperatura	30,57	Si	162	4,13	1	D2HWS100	92,0	93,0	0,33	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYT040CZH-A1	-	Aria/acqua a bassa temperatura	30,57	Si	162	4,13	1	D2HWS150	139,0	94,0	0,22	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYT040CZH-A2	-	Aria/acqua a bassa temperatura	31,61	Si	163	4,14	2	D2HWS060	57,0	91,0	0,28	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYT040CZH-A2	-	Aria/acqua a bassa temperatura	31,61	Si	163	4,14	1	D2HWS100	92,0	93,0	0,34	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYT040CZH-A2	-	Aria/acqua a bassa temperatura	31,61	Si	163	4,14	1	D2HWS150	139,0	94,0	0,23	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYT040CZN-A1	-	Aria/acqua a bassa temperatura	30,86	Si	160	4,07	2	D2HWS060	57,0	91,0	0,27	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYT040CZN-A1	-	Aria/acqua a bassa temperatura	30,86	Si	160	4,07	1	D2HWS100	92,0	93,0	0,34	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYT040CZN-A1	-	Aria/acqua a bassa temperatura	30,86	Si	160	4,07	1	D2HWS150	139,0	94,0	0,22	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYT040CZN-A2	-	Aria/acqua a bassa temperatura	31,9	Si	158	4,02	2	D2HWS060	57,0	91,0	0,28	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYT040CZN-A2	-	Aria/acqua a bassa temperatura	31,9	Si	158	4,02	1	D2HWS100	92,0	93,0	0,35	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYT040CZN-A2	-	Aria/acqua a bassa temperatura	31,9	Si	158	4,02	1	D2HWS150	139,0	94,0	0,23	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYT040CZP-A1	-	Aria/acqua a bassa temperatura	30,66	Si	164	4,18	2	D2HWS060	57,0	91,0	0,27	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYT040CZP-A1	-	Aria/acqua a bassa temperatura	30,66	Si	164	4,18	1	D2HWS100	92,0	93,0	0,33	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYT040CZP-A1	-	Aria/acqua a bassa temperatura	30,66	Si	164	4,18	1	D2HWS150	139,0	94,0	0,22	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYT040CZP-A2	-	Aria/acqua a bassa temperatura	31,7	Si	165	4,19	2	D2HWS060	57,0	91,0	0,28	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYT040CZP-A2	-	Aria/acqua a bassa temperatura	31,7	Si	165	4,19	1	D2HWS100	92,0	93,0	0,35	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYT040CZP-A2	-	Aria/acqua a bassa temperatura	31,7	Si	165	4,19	1	D2HWS150	139,0	94,0	0,23	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYT050CZH-A2	-	Aria/acqua a bassa temperatura	39,29	Si	161	4,09	2	D2HWS060	57,0	91,0	0,34	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYT050CZH-A2	-	Aria/acqua a bassa temperatura	39,29	Si	161	4,09	1	D2HWS100	92,0	93,0	0,43	EKRSCIOH	PdC MT in applicazione LT

SENSEI HYBRID	1	EWYT050CZH-A2	-	Aria/acqua a bassa temperatura	39,29	Si	161	4,09	2	D2HWS100	92,0	93,0	0,21	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYT050CZH-A2	-	Aria/acqua a bassa temperatura	39,29	Si	161	4,09	1	D2HWS150	139,0	94,0	0,28	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYT050CZN-A2	-	Aria/acqua a bassa temperatura	39,61	Si	157	4,00	2	D2HWS060	57,0	91,0	0,35	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYT050CZN-A2	-	Aria/acqua a bassa temperatura	39,61	Si	157	4,00	1	D2HWS100	92,0	93,0	0,43	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYT050CZN-A2	-	Aria/acqua a bassa temperatura	39,61	Si	157	4,00	2	D2HWS100	92,0	93,0	0,22	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYT050CZN-A2	-	Aria/acqua a bassa temperatura	39,61	Si	157	4,00	1	D2HWS150	139,0	94,0	0,29	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYT050CZP-A2	-	Aria/acqua a bassa temperatura	39,38	Si	162	4,12	2	D2HWS060	57,0	91,0	0,34	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYT050CZP-A2	-	Aria/acqua a bassa temperatura	39,38	Si	162	4,12	1	D2HWS100	92,0	93,0	0,43	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYT050CZP-A2	-	Aria/acqua a bassa temperatura	39,38	Si	162	4,12	2	D2HWS100	92,0	93,0	0,21	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYT050CZP-A2	-	Aria/acqua a bassa temperatura	39,38	Si	162	4,12	1	D2HWS150	139,0	94,0	0,28	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYT064CZH-A2	-	Aria/acqua a bassa temperatura	48,81	Si	155	3,94	2	D2HWS060	57,0	91,0	0,43	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYT064CZH-A2	-	Aria/acqua a bassa temperatura	48,81	Si	155	3,94	2	D2HWS100	92,0	93,0	0,27	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYT064CZH-A2	-	Aria/acqua a bassa temperatura	48,81	Si	155	3,94	1	D2HWS150	139,0	94,0	0,35	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYT064CZN-A2	-	Aria/acqua a bassa temperatura	49,16	Si	156	3,98	2	D2HWS060	57,0	91,0	0,43	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYT064CZN-A2	-	Aria/acqua a bassa temperatura	49,16	Si	156	3,98	2	D2HWS100	92,0	93,0	0,27	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYT064CZN-A2	-	Aria/acqua a bassa temperatura	49,16	Si	156	3,98	1	D2HWS150	139,0	94,0	0,35	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYT064CZP-A2	-	Aria/acqua a bassa temperatura	48,88	Si	157	4,01	2	D2HWS060	57,0	91,0	0,43	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYT064CZP-A2	-	Aria/acqua a bassa temperatura	48,88	Si	157	4,01	2	D2HWS100	92,0	93,0	0,27	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYT064CZP-A2	-	Aria/acqua a bassa temperatura	48,88	Si	157	4,01	1	D2HWS150	139,0	94,0	0,35	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYT090CZH-A2	-	Aria/acqua a bassa temperatura	68,19	Si	157	4,00	2	D2HWS100	92,0	93,0	0,37	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYT090CZH-A2	-	Aria/acqua a bassa temperatura	68,19	Si	157	4,00	1	D2HWS150	139,0	94,0	0,49	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYT090CZN-A2	-	Aria/acqua a bassa temperatura	68,56	Si	157	4,00	2	D2HWS100	92,0	93,0	0,37	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYT090CZN-A2	-	Aria/acqua a bassa temperatura	68,56	Si	157	4,00	1	D2HWS150	139,0	94,0	0,49	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYT090CZP-A2	-	Aria/acqua a bassa temperatura	68,23	Si	159	4,04	2	D2HWS100	92,0	93,0	0,37	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	1	EWYT090CZP-A2	-	Aria/acqua a bassa temperatura	68,23	Si	159	4,04	1	D2HWS150	139,0	94,0	0,49	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	1	EBLA16D3V37	-	Aria/acqua	12	Si	132	3,37	1	D2HWS060	57,0	91,0	0,21	EKRP1HBA	PdC MT in applicazione MT
SENSEI HYBRID	1	EBLA16D3W17	-	Aria/acqua	12	Si	132	3,37	1	D2HWS060	57,0	91,0	0,21	EKRP1HBA	PdC MT in applicazione MT
SENSEI HYBRID	1	EBLA16DV37	-	Aria/acqua	12	Si	132	3,37	1	D2HWS060	57,0	91,0	0,21	EKRP1HBA	PdC MT in applicazione MT
SENSEI HYBRID	1	EBLA16DW17	-	Aria/acqua	12	Si	132	3,37	1	D2HWS060	57,0	91,0	0,21	EKRP1HBA	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYE019CZN-A1	-	Aria/acqua	16,712	Si	110	2,83	1	D2HWS060	57,0	91,0	0,29	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYE019CZP-A1	-	Aria/acqua	16,814	Si	110	2,83	1	D2HWS060	57,0	91,0	0,29	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYE022CZN-A1	-	Aria/acqua	16,712	Si	110	2,83	1	D2HWS060	57,0	91,0	0,29	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYE022CZP-A1	-	Aria/acqua	16,814	Si	110	2,83	1	D2HWS060	57,0	91,0	0,29	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYE025CZN-A1	-	Aria/acqua	16,712	Si	110	2,83	1	D2HWS060	57,0	91,0	0,29	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYE025CZN-A1	-	Aria/acqua	16,712	Si	110	2,83	1	D2HWS100	92,0	93,0	0,18	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYE025CZP-A1	-	Aria/acqua	16,814	Si	110	2,83	1	D2HWS060	57,0	91,0	0,29	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYE025CZP-A1	-	Aria/acqua	16,814	Si	110	2,83	1	D2HWS100	92,0	93,0	0,18	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYE030CZN-A1	-	Aria/acqua	23,763	Si	125	3,20	1	D2HWS060	57,0	91,0	0,41	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYE030CZN-A1	-	Aria/acqua	23,763	Si	125	3,20	2	D2HWS060	57,0	91,0	0,21	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYE030CZN-A1	-	Aria/acqua	23,763	Si	125	3,20	1	D2HWS100	92,0	93,0	0,26	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYE030CZP-A1	-	Aria/acqua	23,548	Si	125	3,20	1	D2HWS060	57,0	91,0	0,41	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYE030CZP-A1	-	Aria/acqua	23,548	Si	125	3,20	2	D2HWS060	57,0	91,0	0,21	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYE030CZP-A1	-	Aria/acqua	23,548	Si	125	3,20	1	D2HWS100	92,0	93,0	0,26	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYE035CZN-A1	-	Aria/acqua	23,763	Si	125	3,20	1	D2HWS060	57,0	91,0	0,41	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYE035CZN-A1	-	Aria/acqua	23,763	Si	125	3,20	2	D2HWS060	57,0	91,0	0,21	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYE035CZN-A1	-	Aria/acqua	23,763	Si	125	3,20	1	D2HWS100	92,0	93,0	0,26	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYE035CZN-A1	-	Aria/acqua	23,763	Si	125	3,20	1	D2HWS150	139,0	94,0	0,17	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYE035CZP-A1	-	Aria/acqua	23,548	Si	125	3,20	1	D2HWS060	57,0	91,0	0,41	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYE035CZP-A1	-	Aria/acqua	23,548	Si	125	3,20	2	D2HWS060	57,0	91,0	0,21	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYE035CZP-A1	-	Aria/acqua	23,548	Si	125	3,20	1	D2HWS100	92,0	93,0	0,26	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYE035CZP-A1	-	Aria/acqua	23,548	Si	125	3,20	1	D2HWS150	139,0	94,0	0,17	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYE050CZN-A2	-	Aria/acqua	42,429	Si	110	2,83	2	D2HWS060	57,0	91,0	0,37	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYE050CZN-A2	-	Aria/acqua	42,429	Si	110	2,83	1	D2HWS100	92,0	93,0	0,46	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYE050CZN-A2	-	Aria/acqua	42,429	Si	110	2,83	2	D2HWS100	92,0	93,0	0,23	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYE050CZN-A2	-	Aria/acqua	42,429	Si	110	2,83	1	D2HWS150	139,0	94,0	0,31	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYE050CZP-A2	-	Aria/acqua	42,192	Si	110	2,83	2	D2HWS060	57,0	91,0	0,37	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYE050CZP-A2	-	Aria/acqua	42,192	Si	110	2,83	1	D2HWS100	92,0	93,0	0,46	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYE050CZP-A2	-	Aria/acqua	42,192	Si	110	2,83	2	D2HWS100	92,0	93,0	0,23	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYE050CZP-A2	-	Aria/acqua	42,192	Si	110	2,83	1	D2HWS150	139,0	94,0	0,30	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYE060CZN-A2	-	Aria/acqua	42,429	Si	110	2,83	2	D2HWS060	57,0	91,0	0,37	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYE060CZN-A2	-	Aria/acqua	42,429	Si	110	2,83	1	D2HWS100	92,0	93,0	0,46	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYE060CZN-A2	-	Aria/acqua	42,429	Si	110	2,83	2	D2HWS100	92,0	93,0	0,23	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYE060CZN-A2	-	Aria/acqua	42,429	Si	110	2,83	1	D2HWS150	139,0	94,0	0,31	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYE060CZP-A2	-	Aria/acqua	42,192	Si	110	2,83	2	D2HWS060	57,0	91,0	0,37	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYE060CZP-A2	-	Aria/acqua	42,192	Si	110	2,83	1	D2HWS100	92,0	93,0	0,46	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYE060CZP-A2	-	Aria/acqua	42,192	Si	110	2,83	2	D2HWS100	92,0	93,0	0,23	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYE060CZP-A2	-	Aria/acqua	42,192	Si	110	2,83	1	D2HWS150	139,0	94,0	0,30	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYE070CZN-A2	-	Aria/acqua	52,96	Si	117	3,01	2	D2HWS060	57,0	91,0	0,46	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYE070CZN-A2	-	Aria/acqua	52,96	Si	117	3,01	2	D2HWS100	92,0	93,0	0,29	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYE070CZN-A2	-	Aria/acqua	52,96	Si	117	3,01	1	D2HWS150	139,0	94,0	0,38	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYE070CZN-A2	-	Aria/acqua	52,96	Si	117	3,01	2	D2HWS150	139,0	94,0	0,19	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYE070CZP-A2	-	Aria/acqua	52,621	Si	118	3,02	2	D2HWS060	57,0	91,0	0,46	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYE070CZP-A2	-	Aria/acqua	52,621	Si	118	3,02	2	D2HWS100	92,0	93,0	0,29	EKRSCIOC	PdC MT in applicazione MT

SENSEI HYBRID	1	EWYE070CZP-A2	-	Aria/acqua	52,621	Si	118	3,02	1	D2HWS150	139,0	94,0	0,38	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYE070CZP-A2	-	Aria/acqua	52,621	Si	118	3,02	2	D2HWS150	139,0	94,0	0,19	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYT021CZH-A1	-	Aria/acqua	14	Si	111	2,84	1	D2HWS060	57,0	91,0	0,24	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYT021CZN-A1	-	Aria/acqua	14	Si	110	2,83	1	D2HWS060	57,0	91,0	0,24	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYT021CZP-A1	-	Aria/acqua	13,68	Si	114	2,93	1	D2HWS060	57,0	91,0	0,24	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYT025CZH-A1	-	Aria/acqua	17	Si	113	2,89	1	D2HWS060	57,0	91,0	0,30	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYT025CZH-A1	-	Aria/acqua	17	Si	113	2,89	1	D2HWS100	92,0	93,0	0,19	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYT025CZN-A1	-	Aria/acqua	18	Si	113	2,89	1	D2HWS060	57,0	91,0	0,31	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYT025CZN-A1	-	Aria/acqua	18	Si	113	2,89	1	D2HWS100	92,0	93,0	0,20	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYT025CZP-A1	-	Aria/acqua	17,39	Si	116	2,97	1	D2HWS060	57,0	91,0	0,30	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYT025CZP-A1	-	Aria/acqua	17,39	Si	116	2,97	1	D2HWS100	92,0	93,0	0,19	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYT032CZH-A1	-	Aria/acqua	22	Si	112	2,87	1	D2HWS060	57,0	91,0	0,38	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYT032CZH-A1	-	Aria/acqua	22	Si	112	2,87	2	D2HWS060	57,0	91,0	0,19	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYT032CZH-A1	-	Aria/acqua	22	Si	112	2,87	1	D2HWS100	92,0	93,0	0,24	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYT032CZN-A1	-	Aria/acqua	22	Si	111	2,85	1	D2HWS060	57,0	91,0	0,38	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYT032CZN-A1	-	Aria/acqua	22	Si	111	2,85	2	D2HWS060	57,0	91,0	0,19	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYT032CZN-A1	-	Aria/acqua	22	Si	111	2,85	1	D2HWS100	92,0	93,0	0,24	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYT032CZP-A1	-	Aria/acqua	21,94	Si	113	2,90	1	D2HWS060	57,0	91,0	0,38	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYT032CZP-A1	-	Aria/acqua	21,94	Si	113	2,90	2	D2HWS060	57,0	91,0	0,19	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYT032CZP-A1	-	Aria/acqua	21,94	Si	113	2,90	1	D2HWS100	92,0	93,0	0,24	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYT040CZH-A1	-	Aria/acqua	27	Si	113	2,91	1	D2HWS060	57,0	91,0	0,47	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYT040CZH-A1	-	Aria/acqua	27	Si	113	2,91	2	D2HWS060	57,0	91,0	0,24	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYT040CZH-A1	-	Aria/acqua	27	Si	113	2,91	1	D2HWS100	92,0	93,0	0,29	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYT040CZH-A1	-	Aria/acqua	27	Si	113	2,91	1	D2HWS150	139,0	94,0	0,19	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYT040CZH-A2	-	Aria/acqua	27	Si	116	2,98	1	D2HWS060	57,0	91,0	0,47	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYT040CZH-A2	-	Aria/acqua	27	Si	116	2,98	2	D2HWS060	57,0	91,0	0,24	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYT040CZH-A2	-	Aria/acqua	27	Si	116	2,98	1	D2HWS100	92,0	93,0	0,29	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYT040CZH-A2	-	Aria/acqua	27	Si	116	2,98	1	D2HWS150	139,0	94,0	0,19	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYT040CZN-A1	-	Aria/acqua	27	Si	113	2,89	1	D2HWS060	57,0	91,0	0,47	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYT040CZN-A1	-	Aria/acqua	27	Si	113	2,89	2	D2HWS060	57,0	91,0	0,24	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYT040CZN-A1	-	Aria/acqua	27	Si	113	2,89	1	D2HWS100	92,0	93,0	0,29	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYT040CZN-A1	-	Aria/acqua	27	Si	113	2,89	1	D2HWS150	139,0	94,0	0,19	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYT040CZN-A2	-	Aria/acqua	28	Si	114	2,93	1	D2HWS060	57,0	91,0	0,49	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYT040CZN-A2	-	Aria/acqua	28	Si	114	2,93	2	D2HWS060	57,0	91,0	0,24	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYT040CZN-A2	-	Aria/acqua	28	Si	114	2,93	1	D2HWS100	92,0	93,0	0,31	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYT040CZN-A2	-	Aria/acqua	28	Si	114	2,93	1	D2HWS150	139,0	94,0	0,20	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYT040CZP-A1	-	Aria/acqua	26,96	Si	115	2,95	1	D2HWS060	57,0	91,0	0,47	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYT040CZP-A1	-	Aria/acqua	26,96	Si	115	2,95	2	D2HWS060	57,0	91,0	0,23	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYT040CZP-A1	-	Aria/acqua	26,96	Si	115	2,95	1	D2HWS100	92,0	93,0	0,29	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYT040CZP-A1	-	Aria/acqua	26,96	Si	115	2,95	1	D2HWS150	139,0	94,0	0,19	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYT040CZP-A2	-	Aria/acqua	27,45	Si	118	3,02	1	D2HWS060	57,0	91,0	0,48	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYT040CZP-A2	-	Aria/acqua	27,45	Si	118	3,02	2	D2HWS060	57,0	91,0	0,24	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYT040CZP-A2	-	Aria/acqua	27,45	Si	118	3,02	1	D2HWS100	92,0	93,0	0,30	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYT040CZP-A2	-	Aria/acqua	27,45	Si	118	3,02	1	D2HWS150	139,0	94,0	0,20	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYT050CZH-A2	-	Aria/acqua	35	Si	115	2,96	2	D2HWS060	57,0	91,0	0,30	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYT050CZH-A2	-	Aria/acqua	35	Si	115	2,96	1	D2HWS100	92,0	93,0	0,38	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYT050CZH-A2	-	Aria/acqua	35	Si	115	2,96	2	D2HWS100	92,0	93,0	0,19	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYT050CZH-A2	-	Aria/acqua	35	Si	115	2,96	1	D2HWS150	139,0	94,0	0,25	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYT050CZN-A2	-	Aria/acqua	35	Si	114	2,92	2	D2HWS060	57,0	91,0	0,30	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYT050CZN-A2	-	Aria/acqua	35	Si	114	2,92	1	D2HWS100	92,0	93,0	0,38	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYT050CZN-A2	-	Aria/acqua	35	Si	114	2,92	2	D2HWS100	92,0	93,0	0,19	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYT050CZN-A2	-	Aria/acqua	35	Si	114	2,92	1	D2HWS150	139,0	94,0	0,25	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYT050CZP-A2	-	Aria/acqua	34,86	Si	116	2,98	2	D2HWS060	57,0	91,0	0,30	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYT050CZP-A2	-	Aria/acqua	34,86	Si	116	2,98	1	D2HWS100	92,0	93,0	0,38	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYT050CZP-A2	-	Aria/acqua	34,86	Si	116	2,98	2	D2HWS100	92,0	93,0	0,19	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYT050CZP-A2	-	Aria/acqua	34,86	Si	116	2,98	1	D2HWS150	139,0	94,0	0,25	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYT064CZH-A2	-	Aria/acqua	43	Si	111	2,84	2	D2HWS060	57,0	91,0	0,37	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYT064CZH-A2	-	Aria/acqua	43	Si	111	2,84	1	D2HWS100	92,0	93,0	0,47	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYT064CZH-A2	-	Aria/acqua	43	Si	111	2,84	1	D2HWS150	139,0	94,0	0,31	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYT064CZN-A2	-	Aria/acqua	44	Si	113	2,90	2	D2HWS060	57,0	91,0	0,38	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYT064CZN-A2	-	Aria/acqua	44	Si	113	2,90	1	D2HWS100	92,0	93,0	0,48	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYT064CZN-A2	-	Aria/acqua	44	Si	113	2,90	1	D2HWS150	139,0	94,0	0,32	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYT064CZP-A2	-	Aria/acqua	43,42	Si	112	2,87	2	D2HWS060	57,0	91,0	0,38	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYT064CZP-A2	-	Aria/acqua	43,42	Si	112	2,87	1	D2HWS100	92,0	93,0	0,47	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYT064CZP-A2	-	Aria/acqua	43,42	Si	112	2,87	1	D2HWS150	139,0	94,0	0,31	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYT090CZH-A2	-	Aria/acqua	60	Si	112	2,88	2	D2HWS100	92,0	93,0	0,33	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYT090CZH-A2	-	Aria/acqua	60	Si	112	2,88	1	D2HWS150	139,0	94,0	0,43	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYT090CZN-A2	-	Aria/acqua	60	Si	113	2,89	2	D2HWS100	92,0	93,0	0,33	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYT090CZN-A2	-	Aria/acqua	60	Si	113	2,89	1	D2HWS150	139,0	94,0	0,43	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYT090CZP-A2	-	Aria/acqua	59,91	Si	113	2,91	2	D2HWS100	92,0	93,0	0,33	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	1	EWYT090CZP-A2	-	Aria/acqua	59,91	Si	113	2,91	1	D2HWS150	139,0	94,0	0,43	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYT016CZH-A1	-	Aria/acqua a bassa temperatura	12,17	Si	152	3,88	1	D2HWS060	57,0	91,0	0,42	EKRSCIOH	PdC LT in applicazione LT
SENSEI HYBRID	2	EWYT016CZH-A1	-	Aria/acqua a bassa temperatura	12,17	Si	152	3,88	2	D2HWS060	57,0	91,0	0,21	EKRSCIOH	PdC LT in applicazione LT

SENSEI HYBRID	2	EWYT016CZH-A1	-	Aria/acqua a bassa temperatura	12,17	Si	152	3,88	1	D2HWS100	92,0	93,0	0,27	EKRSCIOH	PdC LT in applicazione LT
SENSEI HYBRID	2	EWYT016CZN-A1	-	Aria/acqua a bassa temperatura	12,38	Si	153	3,89	1	D2HWS060	57,0	91,0	0,43	EKRSCIOH	PdC LT in applicazione LT
SENSEI HYBRID	2	EWYT016CZN-A1	-	Aria/acqua a bassa temperatura	12,38	Si	153	3,89	2	D2HWS060	57,0	91,0	0,22	EKRSCIOH	PdC LT in applicazione LT
SENSEI HYBRID	2	EWYT016CZN-A1	-	Aria/acqua a bassa temperatura	12,38	Si	153	3,89	1	D2HWS100	92,0	93,0	0,27	EKRSCIOH	PdC LT in applicazione LT
SENSEI HYBRID	2	EWYT016CZP-A1	-	Aria/acqua a bassa temperatura	12,27	Si	158	4,03	1	D2HWS060	57,0	91,0	0,43	EKRSCIOH	PdC LT in applicazione LT
SENSEI HYBRID	2	EWYT016CZP-A1	-	Aria/acqua a bassa temperatura	12,27	Si	158	4,03	2	D2HWS060	57,0	91,0	0,21	EKRSCIOH	PdC LT in applicazione LT
SENSEI HYBRID	2	EWYT016CZP-A1	-	Aria/acqua a bassa temperatura	12,27	Si	158	4,03	1	D2HWS100	92,0	93,0	0,27	EKRSCIOH	PdC LT in applicazione LT
SENSEI HYBRID	2	EBLA16D3V37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	1	D2HWS060	57,0	91,0	0,42	EKCC(9)-W	PdC MT in applicazione LT
SENSEI HYBRID	2	EBLA16D3V37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	2	D2HWS060	57,0	91,0	0,21	EKCC(9)-W	PdC MT in applicazione LT
SENSEI HYBRID	2	EBLA16D3V37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	1	D2HWS100	92,0	93,0	0,26	EKCC(9)-W	PdC MT in applicazione LT
SENSEI HYBRID	2	EBLA16D3V37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	2	D2HWS100	92,0	93,0	0,13	EKCC(9)-W	PdC MT in applicazione LT
SENSEI HYBRID	2	EBLA16D3V37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	1	D2HWS150	139,0	94,0	0,17	EKCC(9)-W	PdC MT in applicazione LT
SENSEI HYBRID	2	EBLA16D3W17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	1	D2HWS060	57,0	91,0	0,42	EKCC(9)-W	PdC MT in applicazione LT
SENSEI HYBRID	2	EBLA16D3W17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	2	D2HWS060	57,0	91,0	0,21	EKCC(9)-W	PdC MT in applicazione LT
SENSEI HYBRID	2	EBLA16D3W17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	1	D2HWS100	92,0	93,0	0,26	EKCC(9)-W	PdC MT in applicazione LT
SENSEI HYBRID	2	EBLA16D3W17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	2	D2HWS100	92,0	93,0	0,13	EKCC(9)-W	PdC MT in applicazione LT
SENSEI HYBRID	2	EBLA16D3W17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	1	D2HWS150	139,0	94,0	0,17	EKCC(9)-W	PdC MT in applicazione LT
SENSEI HYBRID	2	EBLA16DV37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	1	D2HWS060	57,0	91,0	0,42	EKCC(9)-W	PdC MT in applicazione LT
SENSEI HYBRID	2	EBLA16DV37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	2	D2HWS060	57,0	91,0	0,21	EKCC(9)-W	PdC MT in applicazione LT
SENSEI HYBRID	2	EBLA16DV37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	1	D2HWS100	92,0	93,0	0,26	EKCC(9)-W	PdC MT in applicazione LT
SENSEI HYBRID	2	EBLA16DV37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	2	D2HWS100	92,0	93,0	0,13	EKCC(9)-W	PdC MT in applicazione LT
SENSEI HYBRID	2	EBLA16DV37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	1	D2HWS150	139,0	94,0	0,17	EKCC(9)-W	PdC MT in applicazione LT
SENSEI HYBRID	2	EBLA16DW17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	1	D2HWS060	57,0	91,0	0,42	EKCC(9)-W	PdC MT in applicazione LT
SENSEI HYBRID	2	EBLA16DW17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	2	D2HWS060	57,0	91,0	0,21	EKCC(9)-W	PdC MT in applicazione LT
SENSEI HYBRID	2	EBLA16DW17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	1	D2HWS100	92,0	93,0	0,26	EKCC(9)-W	PdC MT in applicazione LT
SENSEI HYBRID	2	EBLA16DW17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	2	D2HWS100	92,0	93,0	0,13	EKCC(9)-W	PdC MT in applicazione LT
SENSEI HYBRID	2	EBLA16DW17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	1	D2HWS150	139,0	94,0	0,17	EKCC(9)-W	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYE019CZN-A1	-	Aria/acqua a bassa temperatura	16,823	Si	152	3,89	2	D2HWS060	57,0	91,0	0,29	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYE019CZN-A1	-	Aria/acqua a bassa temperatura	16,823	Si	152	3,89	1	D2HWS100	92,0	93,0	0,37	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYE019CZN-A1	-	Aria/acqua a bassa temperatura	16,823	Si	152	3,89	1	D2HWS150	139,0	94,0	0,24	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYE019CZP-A1	-	Aria/acqua a bassa temperatura	16,933	Si	157	4,00	2	D2HWS060	57,0	91,0	0,30	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYE019CZP-A1	-	Aria/acqua a bassa temperatura	16,933	Si	157	4,00	1	D2HWS100	92,0	93,0	0,37	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYE019CZP-A1	-	Aria/acqua a bassa temperatura	16,933	Si	157	4,00	1	D2HWS150	139,0	94,0	0,24	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYE022CZN-A1	-	Aria/acqua a bassa temperatura	16,823	Si	152	3,89	2	D2HWS060	57,0	91,0	0,29	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYE022CZN-A1	-	Aria/acqua a bassa temperatura	16,823	Si	152	3,89	1	D2HWS100	92,0	93,0	0,37	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYE022CZN-A1	-	Aria/acqua a bassa temperatura	16,823	Si	152	3,89	1	D2HWS150	139,0	94,0	0,24	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYE022CZP-A1	-	Aria/acqua a bassa temperatura	16,933	Si	157	4,00	2	D2HWS060	57,0	91,0	0,30	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYE022CZP-A1	-	Aria/acqua a bassa temperatura	16,933	Si	157	4,00	1	D2HWS100	92,0	93,0	0,37	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYE022CZP-A1	-	Aria/acqua a bassa temperatura	16,933	Si	157	4,00	1	D2HWS150	139,0	94,0	0,24	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYE025CZN-A1	-	Aria/acqua a bassa temperatura	16,823	Si	152	3,89	2	D2HWS060	57,0	91,0	0,29	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYE025CZN-A1	-	Aria/acqua a bassa temperatura	16,823	Si	152	3,89	1	D2HWS100	92,0	93,0	0,37	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYE025CZN-A1	-	Aria/acqua a bassa temperatura	16,823	Si	152	3,89	2	D2HWS100	92,0	93,0	0,18	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYE025CZN-A1	-	Aria/acqua a bassa temperatura	16,823	Si	152	3,89	1	D2HWS150	139,0	94,0	0,24	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYE025CZP-A1	-	Aria/acqua a bassa temperatura	16,933	Si	157	4,00	2	D2HWS060	57,0	91,0	0,30	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYE025CZP-A1	-	Aria/acqua a bassa temperatura	16,933	Si	157	4,00	1	D2HWS100	92,0	93,0	0,37	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYE025CZP-A1	-	Aria/acqua a bassa temperatura	16,933	Si	157	4,00	2	D2HWS100	92,0	93,0	0,18	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYE025CZP-A1	-	Aria/acqua a bassa temperatura	16,933	Si	157	4,00	1	D2HWS150	139,0	94,0	0,24	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYE030CZN-A1	-	Aria/acqua a bassa temperatura	24,707	Si	169	4,31	2	D2HWS060	57,0	91,0	0,43	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYE030CZN-A1	-	Aria/acqua a bassa temperatura	24,707	Si	169	4,31	2	D2HWS100	92,0	93,0	0,27	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYE030CZN-A1	-	Aria/acqua a bassa temperatura	24,707	Si	169	4,31	1	D2HWS150	139,0	94,0	0,36	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYE030CZP-A1	-	Aria/acqua a bassa temperatura	24,421	Si	172	4,38	2	D2HWS060	57,0	91,0	0,43	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYE030CZP-A1	-	Aria/acqua a bassa temperatura	24,421	Si	172	4,38	2	D2HWS100	92,0	93,0	0,27	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYE030CZP-A1	-	Aria/acqua a bassa temperatura	24,421	Si	172	4,38	1	D2HWS150	139,0	94,0	0,35	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYE035CZN-A1	-	Aria/acqua a bassa temperatura	24,707	Si	169	4,31	2	D2HWS060	57,0	91,0	0,43	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYE035CZN-A1	-	Aria/acqua a bassa temperatura	24,707	Si	169	4,31	2	D2HWS100	92,0	93,0	0,27	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYE035CZN-A1	-	Aria/acqua a bassa temperatura	24,707	Si	169	4,31	1	D2HWS150	139,0	94,0	0,36	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYE035CZP-A1	-	Aria/acqua a bassa temperatura	24,421	Si	172	4,38	2	D2HWS060	57,0	91,0	0,43	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYE035CZP-A1	-	Aria/acqua a bassa temperatura	24,421	Si	172	4,38	2	D2HWS100	92,0	93,0	0,27	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYE035CZP-A1	-	Aria/acqua a bassa temperatura	24,421	Si	172	4,38	1	D2HWS150	139,0	94,0	0,35	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYE050CZN-A2	-	Aria/acqua a bassa temperatura	43,266	Si	146	3,72	2	D2HWS100	92,0	93,0	0,47	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYE050CZN-A2	-	Aria/acqua a bassa temperatura	43,266	Si	146	3,72	2	D2HWS150	139,0	94,0	0,31	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYE050CZP-A2	-	Aria/acqua a bassa temperatura	42,871	Si	152	3,87	2	D2HWS100	92,0	93,0	0,47	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYE050CZP-A2	-	Aria/acqua a bassa temperatura	42,871	Si	152	3,87	2	D2HWS150	139,0	94,0	0,31	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYE060CZN-A2	-	Aria/acqua a bassa temperatura	43,266	Si	146	3,72	2	D2HWS100	92,0	93,0	0,47	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYE060CZN-A2	-	Aria/acqua a bassa temperatura	43,266	Si	146	3,72	2	D2HWS150	139,0	94,0	0,31	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYE060CZN-A2	-	Aria/acqua a bassa temperatura	43,266	Si	146	3,72	3	D2HWS150	139,0	94,0	0,21	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYE060CZP-A2	-	Aria/acqua a bassa temperatura	42,871	Si	152	3,87	2	D2HWS100	92,0	93,0	0,47	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYE060CZP-A2	-	Aria/acqua a bassa temperatura	42,871	Si	152	3,87	2	D2HWS150	139,0	94,0	0,31	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYE060CZP-A2	-	Aria/acqua a bassa temperatura	42,871	Si	152	3,87	3	D2HWS150	139,0	94,0	0,21	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYE070CZN-A2	-	Aria/acqua a bassa temperatura	53,056	Si	157	4,00	2	D2HWS150	139,0	94,0	0,38	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYE070CZN-A2	-	Aria/acqua a bassa temperatura	53,056	Si	157	4,00	3	D2HWS150	139,0	94,0	0,26	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYE070CZP-A2	-	Aria/acqua a bassa temperatura	52,649	Si	159	4,06	2	D2HWS150	139,0	94,0	0,38	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYE070CZP-A2	-	Aria/acqua a bassa temperatura	52,649	Si	159	4,06	3	D2HWS150	139,0	94,0	0,25	EKRSCIOC	PdC MT in applicazione LT

SENSEI HYBRID	2	EWYT021CZH-A1	-	Aria/acqua a bassa temperatura	15,69	Si	159	4,06	2	D2HWS060	57,0	91,0	0,27	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYT021CZH-A1	-	Aria/acqua a bassa temperatura	15,69	Si	159	4,06	1	D2HWS100	92,0	93,0	0,34	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYT021CZH-A1	-	Aria/acqua a bassa temperatura	15,69	Si	159	4,06	2	D2HWS100	92,0	93,0	0,17	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYT021CZH-A1	-	Aria/acqua a bassa temperatura	15,69	Si	159	4,06	1	D2HWS150	139,0	94,0	0,23	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYT021CZH-A1	-	Aria/acqua a bassa temperatura	15,69	Si	159	4,06	2	D2HWS150	139,0	94,0	0,11	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYT021CZN-A1	-	Aria/acqua a bassa temperatura	15,95	Si	157	4,00	2	D2HWS060	57,0	91,0	0,28	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYT021CZN-A1	-	Aria/acqua a bassa temperatura	15,95	Si	157	4,00	1	D2HWS100	92,0	93,0	0,35	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYT021CZN-A1	-	Aria/acqua a bassa temperatura	15,95	Si	157	4,00	2	D2HWS100	92,0	93,0	0,17	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYT021CZN-A1	-	Aria/acqua a bassa temperatura	15,95	Si	157	4,00	1	D2HWS150	139,0	94,0	0,23	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYT021CZN-A1	-	Aria/acqua a bassa temperatura	15,95	Si	157	4,00	2	D2HWS150	139,0	94,0	0,11	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYT021CZP-A1	-	Aria/acqua a bassa temperatura	15,8	Si	165	4,19	2	D2HWS060	57,0	91,0	0,28	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYT021CZP-A1	-	Aria/acqua a bassa temperatura	15,8	Si	165	4,19	1	D2HWS100	92,0	93,0	0,34	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYT021CZP-A1	-	Aria/acqua a bassa temperatura	15,8	Si	165	4,19	2	D2HWS100	92,0	93,0	0,17	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYT021CZP-A1	-	Aria/acqua a bassa temperatura	15,8	Si	165	4,19	1	D2HWS150	139,0	94,0	0,23	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYT021CZP-A1	-	Aria/acqua a bassa temperatura	15,8	Si	165	4,19	2	D2HWS150	139,0	94,0	0,11	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYT025CZH-A1	-	Aria/acqua a bassa temperatura	19,49	Si	160	4,08	2	D2HWS060	57,0	91,0	0,34	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYT025CZH-A1	-	Aria/acqua a bassa temperatura	19,49	Si	160	4,08	1	D2HWS100	92,0	93,0	0,43	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYT025CZH-A1	-	Aria/acqua a bassa temperatura	19,49	Si	160	4,08	2	D2HWS100	92,0	93,0	0,21	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYT025CZH-A1	-	Aria/acqua a bassa temperatura	19,49	Si	160	4,08	1	D2HWS150	139,0	94,0	0,28	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYT025CZN-A1	-	Aria/acqua a bassa temperatura	19,75	Si	160	4,07	2	D2HWS060	57,0	91,0	0,34	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYT025CZN-A1	-	Aria/acqua a bassa temperatura	19,75	Si	160	4,07	1	D2HWS100	92,0	93,0	0,43	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYT025CZN-A1	-	Aria/acqua a bassa temperatura	19,75	Si	160	4,07	2	D2HWS100	92,0	93,0	0,22	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYT025CZN-A1	-	Aria/acqua a bassa temperatura	19,75	Si	160	4,07	1	D2HWS150	139,0	94,0	0,28	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYT025CZP-A1	-	Aria/acqua a bassa temperatura	19,6	Si	165	4,19	2	D2HWS060	57,0	91,0	0,34	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYT025CZP-A1	-	Aria/acqua a bassa temperatura	19,6	Si	165	4,19	1	D2HWS100	92,0	93,0	0,43	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYT025CZP-A1	-	Aria/acqua a bassa temperatura	19,6	Si	165	4,19	2	D2HWS100	92,0	93,0	0,21	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYT025CZP-A1	-	Aria/acqua a bassa temperatura	19,6	Si	165	4,19	1	D2HWS150	139,0	94,0	0,28	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYT032CZH-A1	-	Aria/acqua a bassa temperatura	24,87	Si	161	4,11	2	D2HWS060	57,0	91,0	0,43	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYT032CZH-A1	-	Aria/acqua a bassa temperatura	24,87	Si	161	4,11	2	D2HWS100	92,0	93,0	0,27	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYT032CZH-A1	-	Aria/acqua a bassa temperatura	24,87	Si	161	4,11	1	D2HWS150	139,0	94,0	0,36	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYT032CZN-A1	-	Aria/acqua a bassa temperatura	25,13	Si	159	4,06	2	D2HWS060	57,0	91,0	0,44	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYT032CZN-A1	-	Aria/acqua a bassa temperatura	25,13	Si	159	4,06	2	D2HWS100	92,0	93,0	0,27	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYT032CZN-A1	-	Aria/acqua a bassa temperatura	25,13	Si	159	4,06	1	D2HWS150	139,0	94,0	0,36	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYT032CZP-A1	-	Aria/acqua a bassa temperatura	24,96	Si	164	4,18	2	D2HWS060	57,0	91,0	0,43	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYT032CZP-A1	-	Aria/acqua a bassa temperatura	24,96	Si	164	4,18	2	D2HWS100	92,0	93,0	0,27	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYT032CZP-A1	-	Aria/acqua a bassa temperatura	24,96	Si	164	4,18	1	D2HWS150	139,0	94,0	0,36	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYT040CZH-A1	-	Aria/acqua a bassa temperatura	30,57	Si	162	4,13	2	D2HWS100	92,0	93,0	0,33	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYT040CZH-A1	-	Aria/acqua a bassa temperatura	30,57	Si	162	4,13	1	D2HWS150	139,0	94,0	0,44	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYT040CZH-A1	-	Aria/acqua a bassa temperatura	30,57	Si	162	4,13	2	D2HWS150	139,0	94,0	0,22	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYT040CZH-A2	-	Aria/acqua a bassa temperatura	31,61	Si	163	4,14	2	D2HWS100	92,0	93,0	0,34	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYT040CZH-A2	-	Aria/acqua a bassa temperatura	31,61	Si	163	4,14	1	D2HWS150	139,0	94,0	0,46	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYT040CZH-A2	-	Aria/acqua a bassa temperatura	31,61	Si	163	4,14	2	D2HWS150	139,0	94,0	0,23	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYT040CZN-A1	-	Aria/acqua a bassa temperatura	30,86	Si	160	4,07	2	D2HWS100	92,0	93,0	0,34	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYT040CZN-A1	-	Aria/acqua a bassa temperatura	30,86	Si	160	4,07	1	D2HWS150	139,0	94,0	0,44	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYT040CZN-A1	-	Aria/acqua a bassa temperatura	30,86	Si	160	4,07	2	D2HWS150	139,0	94,0	0,22	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYT040CZN-A2	-	Aria/acqua a bassa temperatura	31,9	Si	158	4,02	2	D2HWS100	92,0	93,0	0,35	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYT040CZN-A2	-	Aria/acqua a bassa temperatura	31,9	Si	158	4,02	1	D2HWS150	139,0	94,0	0,46	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYT040CZN-A2	-	Aria/acqua a bassa temperatura	31,9	Si	158	4,02	2	D2HWS150	139,0	94,0	0,23	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYT040CZP-A1	-	Aria/acqua a bassa temperatura	30,66	Si	164	4,18	2	D2HWS100	92,0	93,0	0,33	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYT040CZP-A1	-	Aria/acqua a bassa temperatura	30,66	Si	164	4,18	1	D2HWS150	139,0	94,0	0,44	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYT040CZP-A1	-	Aria/acqua a bassa temperatura	30,66	Si	164	4,18	2	D2HWS150	139,0	94,0	0,22	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYT040CZP-A2	-	Aria/acqua a bassa temperatura	31,7	Si	165	4,19	2	D2HWS100	92,0	93,0	0,35	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYT040CZP-A2	-	Aria/acqua a bassa temperatura	31,7	Si	165	4,19	1	D2HWS150	139,0	94,0	0,46	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYT040CZP-A2	-	Aria/acqua a bassa temperatura	31,7	Si	165	4,19	2	D2HWS150	139,0	94,0	0,23	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYT050CZH-A2	-	Aria/acqua a bassa temperatura	39,29	Si	161	4,09	2	D2HWS100	92,0	93,0	0,43	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYT050CZH-A2	-	Aria/acqua a bassa temperatura	39,29	Si	161	4,09	2	D2HWS150	139,0	94,0	0,28	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYT050CZN-A2	-	Aria/acqua a bassa temperatura	39,61	Si	157	4,00	2	D2HWS100	92,0	93,0	0,43	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYT050CZN-A2	-	Aria/acqua a bassa temperatura	39,61	Si	157	4,00	2	D2HWS150	139,0	94,0	0,29	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYT050CZP-A2	-	Aria/acqua a bassa temperatura	39,38	Si	162	4,12	2	D2HWS100	92,0	93,0	0,43	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYT050CZP-A2	-	Aria/acqua a bassa temperatura	39,38	Si	162	4,12	2	D2HWS150	139,0	94,0	0,28	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYT064CZH-A2	-	Aria/acqua a bassa temperatura	48,81	Si	155	3,94	2	D2HWS150	139,0	94,0	0,35	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYT064CZH-A2	-	Aria/acqua a bassa temperatura	48,81	Si	155	3,94	3	D2HWS150	139,0	94,0	0,23	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYT064CZN-A2	-	Aria/acqua a bassa temperatura	49,16	Si	156	3,98	2	D2HWS150	139,0	94,0	0,35	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYT064CZN-A2	-	Aria/acqua a bassa temperatura	49,16	Si	156	3,98	3	D2HWS150	139,0	94,0	0,24	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYT064CZP-A2	-	Aria/acqua a bassa temperatura	48,88	Si	157	4,01	2	D2HWS150	139,0	94,0	0,35	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYT064CZP-A2	-	Aria/acqua a bassa temperatura	48,88	Si	157	4,01	3	D2HWS150	139,0	94,0	0,23	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYT090CZH-A2	-	Aria/acqua a bassa temperatura	68,19	Si	157	4,00	2	D2HWS150	139,0	94,0	0,49	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYT090CZH-A2	-	Aria/acqua a bassa temperatura	68,19	Si	157	4,00	3	D2HWS150	139,0	94,0	0,33	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYT090CZN-A2	-	Aria/acqua a bassa temperatura	68,56	Si	157	4,00	2	D2HWS150	139,0	94,0	0,49	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYT090CZN-A2	-	Aria/acqua a bassa temperatura	68,56	Si	157	4,00	3	D2HWS150	139,0	94,0	0,33	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYT090CZP-A2	-	Aria/acqua a bassa temperatura	68,23	Si	159	4,04	2	D2HWS150	139,0	94,0	0,49	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	2	EWYT090CZP-A2	-	Aria/acqua a bassa temperatura	68,23	Si	159	4,04	3	D2HWS150	139,0	94,0	0,33	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	2	EBLA16D3V37	-	Aria/acqua	12	Si	132	3,37	1	D2HWS060	57,0	91,0	0,42	EKCC(9)-W	PdC MT in applicazione MT

SENSEI HYBRID	2	EBLA16D3V37	-	Aria/acqua	12	Si	132	3,37	2	D2HWS060	57,0	91,0	0,21	EKCC(9)-W	PdC MT in applicazione MT
SENSEI HYBRID	2	EBLA16D3V37	-	Aria/acqua	12	Si	132	3,37	1	D2HWS100	92,0	93,0	0,26	EKCC(9)-W	PdC MT in applicazione MT
SENSEI HYBRID	2	EBLA16D3V37	-	Aria/acqua	12	Si	132	3,37	2	D2HWS100	92,0	93,0	0,13	EKCC(9)-W	PdC MT in applicazione MT
SENSEI HYBRID	2	EBLA16D3V37	-	Aria/acqua	12	Si	132	3,37	1	D2HWS150	139,0	94,0	0,17	EKCC(9)-W	PdC MT in applicazione MT
SENSEI HYBRID	2	EBLA16D3W17	-	Aria/acqua	12	Si	132	3,37	1	D2HWS060	57,0	91,0	0,42	EKCC(9)-W	PdC MT in applicazione MT
SENSEI HYBRID	2	EBLA16D3W17	-	Aria/acqua	12	Si	132	3,37	2	D2HWS060	57,0	91,0	0,21	EKCC(9)-W	PdC MT in applicazione MT
SENSEI HYBRID	2	EBLA16D3W17	-	Aria/acqua	12	Si	132	3,37	1	D2HWS100	92,0	93,0	0,26	EKCC(9)-W	PdC MT in applicazione MT
SENSEI HYBRID	2	EBLA16D3W17	-	Aria/acqua	12	Si	132	3,37	2	D2HWS100	92,0	93,0	0,13	EKCC(9)-W	PdC MT in applicazione MT
SENSEI HYBRID	2	EBLA16D3W17	-	Aria/acqua	12	Si	132	3,37	1	D2HWS150	139,0	94,0	0,17	EKCC(9)-W	PdC MT in applicazione MT
SENSEI HYBRID	2	EBLA16DV37	-	Aria/acqua	12	Si	132	3,37	1	D2HWS060	57,0	91,0	0,42	EKCC(9)-W	PdC MT in applicazione MT
SENSEI HYBRID	2	EBLA16DV37	-	Aria/acqua	12	Si	132	3,37	2	D2HWS060	57,0	91,0	0,21	EKCC(9)-W	PdC MT in applicazione MT
SENSEI HYBRID	2	EBLA16DV37	-	Aria/acqua	12	Si	132	3,37	1	D2HWS100	92,0	93,0	0,26	EKCC(9)-W	PdC MT in applicazione MT
SENSEI HYBRID	2	EBLA16DV37	-	Aria/acqua	12	Si	132	3,37	2	D2HWS100	92,0	93,0	0,13	EKCC(9)-W	PdC MT in applicazione MT
SENSEI HYBRID	2	EBLA16DV37	-	Aria/acqua	12	Si	132	3,37	1	D2HWS150	139,0	94,0	0,17	EKCC(9)-W	PdC MT in applicazione MT
SENSEI HYBRID	2	EBLA16DW17	-	Aria/acqua	12	Si	132	3,37	1	D2HWS060	57,0	91,0	0,42	EKCC(9)-W	PdC MT in applicazione MT
SENSEI HYBRID	2	EBLA16DW17	-	Aria/acqua	12	Si	132	3,37	2	D2HWS060	57,0	91,0	0,21	EKCC(9)-W	PdC MT in applicazione MT
SENSEI HYBRID	2	EBLA16DW17	-	Aria/acqua	12	Si	132	3,37	1	D2HWS100	92,0	93,0	0,26	EKCC(9)-W	PdC MT in applicazione MT
SENSEI HYBRID	2	EBLA16DW17	-	Aria/acqua	12	Si	132	3,37	2	D2HWS100	92,0	93,0	0,13	EKCC(9)-W	PdC MT in applicazione MT
SENSEI HYBRID	2	EBLA16DW17	-	Aria/acqua	12	Si	132	3,37	1	D2HWS150	139,0	94,0	0,17	EKCC(9)-W	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYE019CZN-A1	-	Aria/acqua	16,712	Si	110	2,83	2	D2HWS060	57,0	91,0	0,29	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYE019CZN-A1	-	Aria/acqua	16,712	Si	110	2,83	1	D2HWS100	92,0	93,0	0,36	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYE019CZN-A1	-	Aria/acqua	16,712	Si	110	2,83	1	D2HWS150	139,0	94,0	0,24	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYE019CZP-A1	-	Aria/acqua	16,814	Si	110	2,83	2	D2HWS060	57,0	91,0	0,29	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYE019CZP-A1	-	Aria/acqua	16,814	Si	110	2,83	1	D2HWS100	92,0	93,0	0,37	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYE019CZP-A1	-	Aria/acqua	16,814	Si	110	2,83	1	D2HWS150	139,0	94,0	0,24	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYE022CZN-A1	-	Aria/acqua	16,712	Si	110	2,83	2	D2HWS060	57,0	91,0	0,29	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYE022CZN-A1	-	Aria/acqua	16,712	Si	110	2,83	1	D2HWS100	92,0	93,0	0,36	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYE022CZN-A1	-	Aria/acqua	16,712	Si	110	2,83	1	D2HWS150	139,0	94,0	0,24	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYE022CZP-A1	-	Aria/acqua	16,814	Si	110	2,83	2	D2HWS060	57,0	91,0	0,29	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYE022CZP-A1	-	Aria/acqua	16,814	Si	110	2,83	1	D2HWS100	92,0	93,0	0,37	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYE022CZP-A1	-	Aria/acqua	16,814	Si	110	2,83	1	D2HWS150	139,0	94,0	0,24	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYE025CZN-A1	-	Aria/acqua	16,712	Si	110	2,83	2	D2HWS060	57,0	91,0	0,29	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYE025CZN-A1	-	Aria/acqua	16,712	Si	110	2,83	1	D2HWS100	92,0	93,0	0,36	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYE025CZN-A1	-	Aria/acqua	16,712	Si	110	2,83	2	D2HWS100	92,0	93,0	0,18	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYE025CZN-A1	-	Aria/acqua	16,712	Si	110	2,83	1	D2HWS150	139,0	94,0	0,24	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYE025CZP-A1	-	Aria/acqua	16,814	Si	110	2,83	2	D2HWS060	57,0	91,0	0,29	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYE025CZP-A1	-	Aria/acqua	16,814	Si	110	2,83	1	D2HWS100	92,0	93,0	0,37	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYE025CZP-A1	-	Aria/acqua	16,814	Si	110	2,83	2	D2HWS100	92,0	93,0	0,18	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYE025CZP-A1	-	Aria/acqua	16,814	Si	110	2,83	1	D2HWS150	139,0	94,0	0,24	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYE030CZN-A1	-	Aria/acqua	23,763	Si	125	3,20	2	D2HWS060	57,0	91,0	0,41	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYE030CZN-A1	-	Aria/acqua	23,763	Si	125	3,20	2	D2HWS100	92,0	93,0	0,26	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYE030CZN-A1	-	Aria/acqua	23,763	Si	125	3,20	1	D2HWS150	139,0	94,0	0,34	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYE030CZP-A1	-	Aria/acqua	23,548	Si	125	3,20	2	D2HWS060	57,0	91,0	0,41	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYE030CZP-A1	-	Aria/acqua	23,548	Si	125	3,20	2	D2HWS100	92,0	93,0	0,26	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYE030CZP-A1	-	Aria/acqua	23,548	Si	125	3,20	1	D2HWS150	139,0	94,0	0,34	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYE035CZN-A1	-	Aria/acqua	23,763	Si	125	3,20	2	D2HWS060	57,0	91,0	0,41	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYE035CZN-A1	-	Aria/acqua	23,763	Si	125	3,20	2	D2HWS100	92,0	93,0	0,26	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYE035CZN-A1	-	Aria/acqua	23,763	Si	125	3,20	1	D2HWS150	139,0	94,0	0,34	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYE035CZP-A1	-	Aria/acqua	23,548	Si	125	3,20	2	D2HWS060	57,0	91,0	0,41	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYE035CZP-A1	-	Aria/acqua	23,548	Si	125	3,20	2	D2HWS100	92,0	93,0	0,26	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYE035CZP-A1	-	Aria/acqua	23,548	Si	125	3,20	1	D2HWS150	139,0	94,0	0,34	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYE050CZN-A2	-	Aria/acqua	42,429	Si	110	2,83	2	D2HWS100	92,0	93,0	0,46	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYE050CZN-A2	-	Aria/acqua	42,429	Si	110	2,83	2	D2HWS150	139,0	94,0	0,31	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYE050CZP-A2	-	Aria/acqua	42,192	Si	110	2,83	2	D2HWS100	92,0	93,0	0,46	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYE050CZP-A2	-	Aria/acqua	42,192	Si	110	2,83	2	D2HWS150	139,0	94,0	0,30	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYE060CZN-A2	-	Aria/acqua	42,429	Si	110	2,83	2	D2HWS100	92,0	93,0	0,46	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYE060CZN-A2	-	Aria/acqua	42,429	Si	110	2,83	2	D2HWS150	139,0	94,0	0,31	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYE060CZN-A2	-	Aria/acqua	42,429	Si	110	2,83	3	D2HWS150	139,0	94,0	0,20	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYE060CZP-A2	-	Aria/acqua	42,192	Si	110	2,83	2	D2HWS100	92,0	93,0	0,46	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYE060CZP-A2	-	Aria/acqua	42,192	Si	110	2,83	2	D2HWS150	139,0	94,0	0,30	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYE060CZP-A2	-	Aria/acqua	42,192	Si	110	2,83	3	D2HWS150	139,0	94,0	0,20	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYE070CZN-A2	-	Aria/acqua	52,96	Si	117	3,01	2	D2HWS150	139,0	94,0	0,38	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYE070CZN-A2	-	Aria/acqua	52,96	Si	117	3,01	3	D2HWS150	139,0	94,0	0,25	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYE070CZP-A2	-	Aria/acqua	52,621	Si	118	3,02	2	D2HWS150	139,0	94,0	0,38	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYE070CZP-A2	-	Aria/acqua	52,621	Si	118	3,02	3	D2HWS150	139,0	94,0	0,25	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYT021CZH-A1	-	Aria/acqua	14	Si	111	2,84	1	D2HWS060	57,0	91,0	0,49	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYT021CZH-A1	-	Aria/acqua	14	Si	111	2,84	2	D2HWS060	57,0	91,0	0,24	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYT021CZH-A1	-	Aria/acqua	14	Si	111	2,84	1	D2HWS100	92,0	93,0	0,31	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYT021CZH-A1	-	Aria/acqua	14	Si	111	2,84	2	D2HWS100	92,0	93,0	0,15	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYT021CZH-A1	-	Aria/acqua	14	Si	111	2,84	1	D2HWS150	139,0	94,0	0,20	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYT021CZH-A1	-	Aria/acqua	14	Si	111	2,84	2	D2HWS150	139,0	94,0	0,10	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYT021CZN-A1	-	Aria/acqua	14	Si	110	2,83	1	D2HWS060	57,0	91,0	0,49	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYT021CZN-A1	-	Aria/acqua	14	Si	110	2,83	2	D2HWS060	57,0	91,0	0,24	EKRSCIOH	PdC MT in applicazione MT

SENSEI HYBRID	2	EWYT021CZN-A1	-	Aria/acqua	14	Si	110	2,83	1	D2HWS100	92,0	93,0	0,31	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYT021CZN-A1	-	Aria/acqua	14	Si	110	2,83	2	D2HWS100	92,0	93,0	0,15	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYT021CZN-A1	-	Aria/acqua	14	Si	110	2,83	1	D2HWS150	139,0	94,0	0,20	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYT021CZN-A1	-	Aria/acqua	14	Si	110	2,83	2	D2HWS150	139,0	94,0	0,10	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYT021CZP-A1	-	Aria/acqua	13,68	Si	114	2,93	1	D2HWS060	57,0	91,0	0,48	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYT021CZP-A1	-	Aria/acqua	13,68	Si	114	2,93	2	D2HWS060	57,0	91,0	0,24	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYT021CZP-A1	-	Aria/acqua	13,68	Si	114	2,93	1	D2HWS100	92,0	93,0	0,30	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYT021CZP-A1	-	Aria/acqua	13,68	Si	114	2,93	2	D2HWS100	92,0	93,0	0,15	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYT021CZP-A1	-	Aria/acqua	13,68	Si	114	2,93	1	D2HWS150	139,0	94,0	0,20	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYT021CZP-A1	-	Aria/acqua	13,68	Si	114	2,93	2	D2HWS150	139,0	94,0	0,10	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYT025CZH-A1	-	Aria/acqua	17	Si	113	2,89	2	D2HWS060	57,0	91,0	0,30	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYT025CZH-A1	-	Aria/acqua	17	Si	113	2,89	1	D2HWS100	92,0	93,0	0,37	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYT025CZH-A1	-	Aria/acqua	17	Si	113	2,89	2	D2HWS100	92,0	93,0	0,19	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYT025CZH-A1	-	Aria/acqua	17	Si	113	2,89	1	D2HWS150	139,0	94,0	0,25	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYT025CZN-A1	-	Aria/acqua	18	Si	113	2,89	2	D2HWS060	57,0	91,0	0,31	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYT025CZN-A1	-	Aria/acqua	18	Si	113	2,89	1	D2HWS100	92,0	93,0	0,39	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYT025CZN-A1	-	Aria/acqua	18	Si	113	2,89	2	D2HWS100	92,0	93,0	0,20	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYT025CZN-A1	-	Aria/acqua	18	Si	113	2,89	1	D2HWS150	139,0	94,0	0,26	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYT025CZP-A1	-	Aria/acqua	17,39	Si	116	2,97	2	D2HWS060	57,0	91,0	0,30	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYT025CZP-A1	-	Aria/acqua	17,39	Si	116	2,97	1	D2HWS100	92,0	93,0	0,38	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYT025CZP-A1	-	Aria/acqua	17,39	Si	116	2,97	2	D2HWS100	92,0	93,0	0,19	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYT025CZP-A1	-	Aria/acqua	17,39	Si	116	2,97	1	D2HWS150	139,0	94,0	0,25	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYT032CZH-A1	-	Aria/acqua	22	Si	112	2,87	2	D2HWS060	57,0	91,0	0,38	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYT032CZH-A1	-	Aria/acqua	22	Si	112	2,87	1	D2HWS100	92,0	93,0	0,48	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYT032CZH-A1	-	Aria/acqua	22	Si	112	2,87	2	D2HWS100	92,0	93,0	0,24	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYT032CZH-A1	-	Aria/acqua	22	Si	112	2,87	1	D2HWS150	139,0	94,0	0,32	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYT032CZN-A1	-	Aria/acqua	22	Si	111	2,85	2	D2HWS060	57,0	91,0	0,38	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYT032CZN-A1	-	Aria/acqua	22	Si	111	2,85	1	D2HWS100	92,0	93,0	0,48	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYT032CZN-A1	-	Aria/acqua	22	Si	111	2,85	2	D2HWS100	92,0	93,0	0,24	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYT032CZN-A1	-	Aria/acqua	22	Si	111	2,85	1	D2HWS150	139,0	94,0	0,32	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYT032CZP-A1	-	Aria/acqua	21,94	Si	113	2,90	2	D2HWS060	57,0	91,0	0,38	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYT032CZP-A1	-	Aria/acqua	21,94	Si	113	2,90	1	D2HWS100	92,0	93,0	0,48	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYT032CZP-A1	-	Aria/acqua	21,94	Si	113	2,90	2	D2HWS100	92,0	93,0	0,24	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYT032CZP-A1	-	Aria/acqua	21,94	Si	113	2,90	1	D2HWS150	139,0	94,0	0,32	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYT040CZH-A1	-	Aria/acqua	27	Si	113	2,91	2	D2HWS060	57,0	91,0	0,47	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYT040CZH-A1	-	Aria/acqua	27	Si	113	2,91	2	D2HWS100	92,0	93,0	0,29	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYT040CZH-A1	-	Aria/acqua	27	Si	113	2,91	1	D2HWS150	139,0	94,0	0,39	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYT040CZH-A1	-	Aria/acqua	27	Si	113	2,91	2	D2HWS150	139,0	94,0	0,19	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYT040CZH-A2	-	Aria/acqua	27	Si	116	2,98	2	D2HWS060	57,0	91,0	0,47	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYT040CZH-A2	-	Aria/acqua	27	Si	116	2,98	2	D2HWS100	92,0	93,0	0,29	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYT040CZH-A2	-	Aria/acqua	27	Si	116	2,98	1	D2HWS150	139,0	94,0	0,39	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYT040CZH-A2	-	Aria/acqua	27	Si	116	2,98	2	D2HWS150	139,0	94,0	0,19	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYT040CZN-A1	-	Aria/acqua	27	Si	113	2,89	2	D2HWS060	57,0	91,0	0,47	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYT040CZN-A1	-	Aria/acqua	27	Si	113	2,89	2	D2HWS100	92,0	93,0	0,29	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYT040CZN-A1	-	Aria/acqua	27	Si	113	2,89	1	D2HWS150	139,0	94,0	0,39	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYT040CZN-A1	-	Aria/acqua	27	Si	113	2,89	2	D2HWS150	139,0	94,0	0,19	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYT040CZN-A2	-	Aria/acqua	28	Si	114	2,93	2	D2HWS060	57,0	91,0	0,49	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYT040CZN-A2	-	Aria/acqua	28	Si	114	2,93	2	D2HWS100	92,0	93,0	0,31	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYT040CZN-A2	-	Aria/acqua	28	Si	114	2,93	1	D2HWS150	139,0	94,0	0,40	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYT040CZN-A2	-	Aria/acqua	28	Si	114	2,93	2	D2HWS150	139,0	94,0	0,20	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYT040CZP-A1	-	Aria/acqua	26,96	Si	115	2,95	2	D2HWS060	57,0	91,0	0,47	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYT040CZP-A1	-	Aria/acqua	26,96	Si	115	2,95	2	D2HWS100	92,0	93,0	0,29	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYT040CZP-A1	-	Aria/acqua	26,96	Si	115	2,95	1	D2HWS150	139,0	94,0	0,39	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYT040CZP-A1	-	Aria/acqua	26,96	Si	115	2,95	2	D2HWS150	139,0	94,0	0,19	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYT040CZP-A2	-	Aria/acqua	27,45	Si	118	3,02	2	D2HWS060	57,0	91,0	0,48	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYT040CZP-A2	-	Aria/acqua	27,45	Si	118	3,02	2	D2HWS100	92,0	93,0	0,30	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYT040CZP-A2	-	Aria/acqua	27,45	Si	118	3,02	1	D2HWS150	139,0	94,0	0,40	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYT040CZP-A2	-	Aria/acqua	27,45	Si	118	3,02	2	D2HWS150	139,0	94,0	0,20	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYT050CZH-A2	-	Aria/acqua	35	Si	115	2,96	2	D2HWS100	92,0	93,0	0,38	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYT050CZH-A2	-	Aria/acqua	35	Si	115	2,96	2	D2HWS150	139,0	94,0	0,25	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYT050CZN-A2	-	Aria/acqua	35	Si	114	2,92	2	D2HWS100	92,0	93,0	0,38	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYT050CZN-A2	-	Aria/acqua	35	Si	114	2,92	2	D2HWS150	139,0	94,0	0,25	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYT050CZP-A2	-	Aria/acqua	34,86	Si	116	2,98	2	D2HWS100	92,0	93,0	0,38	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYT050CZP-A2	-	Aria/acqua	34,86	Si	116	2,98	2	D2HWS150	139,0	94,0	0,25	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYT064CZH-A2	-	Aria/acqua	43	Si	111	2,84	2	D2HWS100	92,0	93,0	0,47	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYT064CZH-A2	-	Aria/acqua	43	Si	111	2,84	2	D2HWS150	139,0	94,0	0,31	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYT064CZH-A2	-	Aria/acqua	43	Si	111	2,84	3	D2HWS150	139,0	94,0	0,21	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYT064CZN-A2	-	Aria/acqua	44	Si	113	2,90	2	D2HWS100	92,0	93,0	0,48	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYT064CZN-A2	-	Aria/acqua	44	Si	113	2,90	2	D2HWS150	139,0	94,0	0,32	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYT064CZN-A2	-	Aria/acqua	44	Si	113	2,90	3	D2HWS150	139,0	94,0	0,21	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYT064CZP-A2	-	Aria/acqua	43,42	Si	112	2,87	2	D2HWS100	92,0	93,0	0,47	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYT064CZP-A2	-	Aria/acqua	43,42	Si	112	2,87	2	D2HWS150	139,0	94,0	0,31	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYT064CZP-A2	-	Aria/acqua	43,42	Si	112	2,87	3	D2HWS150	139,0	94,0	0,21	EKRSCIOH	PdC MT in applicazione MT

SENSEI HYBRID	2	EWYT090CZH-A2	-	Aria/acqua	60	Si	112	2,88	2	D2HWS150	139,0	94,0	0,43	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYT090CZH-A2	-	Aria/acqua	60	Si	112	2,88	3	D2HWS150	139,0	94,0	0,29	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYT090CZN-A2	-	Aria/acqua	60	Si	113	2,89	2	D2HWS150	139,0	94,0	0,43	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYT090CZN-A2	-	Aria/acqua	60	Si	113	2,89	3	D2HWS150	139,0	94,0	0,29	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYT090CZP-A2	-	Aria/acqua	59,91	Si	113	2,91	2	D2HWS150	139,0	94,0	0,43	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	2	EWYT090CZP-A2	-	Aria/acqua	59,91	Si	113	2,91	3	D2HWS150	139,0	94,0	0,29	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	3	EBLA16D3V37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	2	D2HWS060	57,0	91,0	0,31	EKCC(9)-W	PdC MT in applicazione LT
SENSEI HYBRID	3	EBLA16D3V37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	1	D2HWS100	92,0	93,0	0,39	EKCC(9)-W	PdC MT in applicazione LT
SENSEI HYBRID	3	EBLA16D3V37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	2	D2HWS100	92,0	93,0	0,20	EKCC(9)-W	PdC MT in applicazione LT
SENSEI HYBRID	3	EBLA16D3V37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	1	D2HWS150	139,0	94,0	0,26	EKCC(9)-W	PdC MT in applicazione LT
SENSEI HYBRID	3	EBLA16D3W17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	2	D2HWS060	57,0	91,0	0,31	EKCC(9)-W	PdC MT in applicazione LT
SENSEI HYBRID	3	EBLA16D3W17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	1	D2HWS100	92,0	93,0	0,39	EKCC(9)-W	PdC MT in applicazione LT
SENSEI HYBRID	3	EBLA16D3W17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	2	D2HWS100	92,0	93,0	0,20	EKCC(9)-W	PdC MT in applicazione LT
SENSEI HYBRID	3	EBLA16D3W17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	1	D2HWS150	139,0	94,0	0,26	EKCC(9)-W	PdC MT in applicazione LT
SENSEI HYBRID	3	EBLA16DV37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	2	D2HWS060	57,0	91,0	0,31	EKCC(9)-W	PdC MT in applicazione LT
SENSEI HYBRID	3	EBLA16DV37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	1	D2HWS100	92,0	93,0	0,39	EKCC(9)-W	PdC MT in applicazione LT
SENSEI HYBRID	3	EBLA16DV37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	2	D2HWS100	92,0	93,0	0,20	EKCC(9)-W	PdC MT in applicazione LT
SENSEI HYBRID	3	EBLA16DV37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	1	D2HWS150	139,0	94,0	0,26	EKCC(9)-W	PdC MT in applicazione LT
SENSEI HYBRID	3	EBLA16DW17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	2	D2HWS060	57,0	91,0	0,31	EKCC(9)-W	PdC MT in applicazione LT
SENSEI HYBRID	3	EBLA16DW17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	1	D2HWS100	92,0	93,0	0,39	EKCC(9)-W	PdC MT in applicazione LT
SENSEI HYBRID	3	EBLA16DW17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	2	D2HWS100	92,0	93,0	0,20	EKCC(9)-W	PdC MT in applicazione LT
SENSEI HYBRID	3	EBLA16DW17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	1	D2HWS150	139,0	94,0	0,26	EKCC(9)-W	PdC MT in applicazione LT
SENSEI HYBRID	3	EWYE060CZN-A2	-	Aria/acqua a bassa temperatura	43,266	Si	146	3,72	3	D2HWS150	139,0	94,0	0,31	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	3	EWYE060CZP-A2	-	Aria/acqua a bassa temperatura	42,871	Si	152	3,87	3	D2HWS150	139,0	94,0	0,31	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	3	EWYE070CZN-A2	-	Aria/acqua a bassa temperatura	53,056	Si	157	4,00	4	D2HWS150	139,0	94,0	0,29	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	3	EWYE070CZP-A2	-	Aria/acqua a bassa temperatura	52,649	Si	159	4,06	4	D2HWS150	139,0	94,0	0,28	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	3	EWYT064CZH-A2	-	Aria/acqua a bassa temperatura	48,81	Si	155	3,94	4	D2HWS150	139,0	94,0	0,26	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	3	EWYT064CZH-A2	-	Aria/acqua a bassa temperatura	48,81	Si	155	3,94	3	D2HWS150	139,0	94,0	0,35	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	3	EWYT064CZN-A2	-	Aria/acqua a bassa temperatura	49,16	Si	156	3,98	4	D2HWS150	139,0	94,0	0,27	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	3	EWYT064CZN-A2	-	Aria/acqua a bassa temperatura	49,16	Si	156	3,98	3	D2HWS150	139,0	94,0	0,35	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	3	EWYT064CZP-A2	-	Aria/acqua a bassa temperatura	48,88	Si	157	4,01	4	D2HWS150	139,0	94,0	0,26	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	3	EWYT064CZP-A2	-	Aria/acqua a bassa temperatura	48,88	Si	157	4,01	3	D2HWS150	139,0	94,0	0,35	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	3	EWYT090CZH-A2	-	Aria/acqua a bassa temperatura	68,19	Si	157	4,00	3	D2HWS150	139,0	94,0	0,49	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	3	EWYT090CZH-A2	-	Aria/acqua a bassa temperatura	68,19	Si	157	4,00	4	D2HWS150	139,0	94,0	0,37	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	3	EWYT090CZH-A2	-	Aria/acqua a bassa temperatura	68,19	Si	157	4,00	5	D2HWS150	139,0	94,0	0,29	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	3	EWYT090CZN-A2	-	Aria/acqua a bassa temperatura	68,56	Si	157	4,00	3	D2HWS150	139,0	94,0	0,49	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	3	EWYT090CZN-A2	-	Aria/acqua a bassa temperatura	68,56	Si	157	4,00	4	D2HWS150	139,0	94,0	0,37	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	3	EWYT090CZN-A2	-	Aria/acqua a bassa temperatura	68,56	Si	157	4,00	5	D2HWS150	139,0	94,0	0,30	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	3	EWYT090CZP-A2	-	Aria/acqua a bassa temperatura	68,23	Si	159	4,04	3	D2HWS150	139,0	94,0	0,49	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	3	EWYT090CZP-A2	-	Aria/acqua a bassa temperatura	68,23	Si	159	4,04	4	D2HWS150	139,0	94,0	0,37	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	3	EWYT090CZP-A2	-	Aria/acqua a bassa temperatura	68,23	Si	159	4,04	5	D2HWS150	139,0	94,0	0,30	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	3	EBLA16D3V37	-	Aria/acqua	12	Si	132	3,37	2	D2HWS060	57,0	91,0	0,31	EKCC(9)-W	PdC MT in applicazione MT
SENSEI HYBRID	3	EBLA16D3V37	-	Aria/acqua	12	Si	132	3,37	1	D2HWS100	92,0	93,0	0,39	EKCC(9)-W	PdC MT in applicazione MT
SENSEI HYBRID	3	EBLA16D3V37	-	Aria/acqua	12	Si	132	3,37	2	D2HWS100	92,0	93,0	0,20	EKCC(9)-W	PdC MT in applicazione MT
SENSEI HYBRID	3	EBLA16D3V37	-	Aria/acqua	12	Si	132	3,37	1	D2HWS150	139,0	94,0	0,26	EKCC(9)-W	PdC MT in applicazione MT
SENSEI HYBRID	3	EBLA16D3W17	-	Aria/acqua	12	Si	132	3,37	2	D2HWS060	57,0	91,0	0,31	EKCC(9)-W	PdC MT in applicazione MT
SENSEI HYBRID	3	EBLA16D3W17	-	Aria/acqua	12	Si	132	3,37	1	D2HWS100	92,0	93,0	0,39	EKCC(9)-W	PdC MT in applicazione MT
SENSEI HYBRID	3	EBLA16D3W17	-	Aria/acqua	12	Si	132	3,37	2	D2HWS100	92,0	93,0	0,20	EKCC(9)-W	PdC MT in applicazione MT
SENSEI HYBRID	3	EBLA16D3W17	-	Aria/acqua	12	Si	132	3,37	1	D2HWS150	139,0	94,0	0,26	EKCC(9)-W	PdC MT in applicazione MT
SENSEI HYBRID	3	EBLA16DV37	-	Aria/acqua	12	Si	132	3,37	2	D2HWS060	57,0	91,0	0,31	EKCC(9)-W	PdC MT in applicazione MT
SENSEI HYBRID	3	EBLA16DV37	-	Aria/acqua	12	Si	132	3,37	1	D2HWS100	92,0	93,0	0,39	EKCC(9)-W	PdC MT in applicazione MT
SENSEI HYBRID	3	EBLA16DV37	-	Aria/acqua	12	Si	132	3,37	2	D2HWS100	92,0	93,0	0,20	EKCC(9)-W	PdC MT in applicazione MT
SENSEI HYBRID	3	EBLA16DV37	-	Aria/acqua	12	Si	132	3,37	1	D2HWS150	139,0	94,0	0,26	EKCC(9)-W	PdC MT in applicazione MT
SENSEI HYBRID	3	EBLA16DW17	-	Aria/acqua	12	Si	132	3,37	2	D2HWS060	57,0	91,0	0,31	EKCC(9)-W	PdC MT in applicazione MT
SENSEI HYBRID	3	EBLA16DW17	-	Aria/acqua	12	Si	132	3,37	1	D2HWS100	92,0	93,0	0,39	EKCC(9)-W	PdC MT in applicazione MT
SENSEI HYBRID	3	EBLA16DW17	-	Aria/acqua	12	Si	132	3,37	2	D2HWS100	92,0	93,0	0,20	EKCC(9)-W	PdC MT in applicazione MT
SENSEI HYBRID	3	EBLA16DW17	-	Aria/acqua	12	Si	132	3,37	1	D2HWS150	139,0	94,0	0,26	EKCC(9)-W	PdC MT in applicazione MT
SENSEI HYBRID	3	EWYE060CZN-A2	-	Aria/acqua	42,429	Si	110	2,83	3	D2HWS150	139,0	94,0	0,31	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	3	EWYE060CZP-A2	-	Aria/acqua	42,192	Si	110	2,83	3	D2HWS150	139,0	94,0	0,30	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	3	EWYE070CZN-A2	-	Aria/acqua	52,96	Si	117	3,01	4	D2HWS150	139,0	94,0	0,29	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	3	EWYE070CZP-A2	-	Aria/acqua	52,621	Si	118	3,02	4	D2HWS150	139,0	94,0	0,28	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	3	EWYT064CZH-A2	-	Aria/acqua	43	Si	111	2,84	4	D2HWS150	139,0	94,0	0,23	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	3	EWYT064CZH-A2	-	Aria/acqua	43	Si	111	2,84	3	D2HWS150	139,0	94,0	0,31	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	3	EWYT064CZN-A2	-	Aria/acqua	44	Si	113	2,90	4	D2HWS150	139,0	94,0	0,24	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	3	EWYT064CZN-A2	-	Aria/acqua	44	Si	113	2,90	3	D2HWS150	139,0	94,0	0,32	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	3	EWYT064CZP-A2	-	Aria/acqua	43,42	Si	112	2,87	4	D2HWS150	139,0	94,0	0,23	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	3	EWYT064CZP-A2	-	Aria/acqua	43,42	Si	112	2,87	3	D2HWS150	139,0	94,0	0,31	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	3	EWYT090CZH-A2	-	Aria/acqua	60	Si	112	2,88	3	D2HWS150	139,0	94,0	0,43	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	3	EWYT090CZH-A2	-	Aria/acqua	60	Si	112	2,88	4	D2HWS150	139,0	94,0	0,32	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	3	EWYT090CZH-A2	-	Aria/acqua	60	Si	112	2,88	5	D2HWS150	139,0	94,0	0,26	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	3	EWYT090CZN-A2	-	Aria/acqua	60	Si	113	2,89	3	D2HWS150	139,0	94,0	0,43	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	3	EWYT090CZN-A2	-	Aria/acqua	60	Si	113	2,89	4	D2HWS150	139,0	94,0	0,32	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	3	EWYT090CZN-A2	-	Aria/acqua	60	Si	113	2,89	5	D2HWS150	139,0	94,0	0,26	EKRSCIOH	PdC MT in applicazione MT

SENSEI HYBRID	3	EWYT090CZP-A2	-	Aria/acqua	59,91	Si	113	2,91	3	D2HWS150	139,0	94,0	0,43	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	3	EWYT090CZP-A2	-	Aria/acqua	59,91	Si	113	2,91	4	D2HWS150	139,0	94,0	0,32	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	3	EWYT090CZP-A2	-	Aria/acqua	59,91	Si	113	2,91	5	D2HWS150	139,0	94,0	0,26	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	4	EBLA16D3V37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	2	D2HWS060	57,0	91,0	0,42	EKCC(9)-W	PdC MT in applicazione LT
SENSEI HYBRID	4	EBLA16D3V37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	3	D2HWS060	57,0	91,0	0,28	EKCC(9)-W	PdC MT in applicazione LT
SENSEI HYBRID	4	EBLA16D3V37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	2	D2HWS100	92,0	93,0	0,26	EKCC(9)-W	PdC MT in applicazione LT
SENSEI HYBRID	4	EBLA16D3V37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	1	D2HWS150	139,0	94,0	0,35	EKCC(9)-W	PdC MT in applicazione LT
SENSEI HYBRID	4	EBLA16D3W17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	2	D2HWS060	57,0	91,0	0,42	EKCC(9)-W	PdC MT in applicazione LT
SENSEI HYBRID	4	EBLA16D3W17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	3	D2HWS060	57,0	91,0	0,28	EKCC(9)-W	PdC MT in applicazione LT
SENSEI HYBRID	4	EBLA16D3W17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	2	D2HWS100	92,0	93,0	0,26	EKCC(9)-W	PdC MT in applicazione LT
SENSEI HYBRID	4	EBLA16D3W17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	1	D2HWS150	139,0	94,0	0,35	EKCC(9)-W	PdC MT in applicazione LT
SENSEI HYBRID	4	EBLA16DV37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	2	D2HWS060	57,0	91,0	0,42	EKCC(9)-W	PdC MT in applicazione LT
SENSEI HYBRID	4	EBLA16DV37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	3	D2HWS060	57,0	91,0	0,28	EKCC(9)-W	PdC MT in applicazione LT
SENSEI HYBRID	4	EBLA16DV37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	2	D2HWS100	92,0	93,0	0,26	EKCC(9)-W	PdC MT in applicazione LT
SENSEI HYBRID	4	EBLA16DV37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	1	D2HWS150	139,0	94,0	0,35	EKCC(9)-W	PdC MT in applicazione LT
SENSEI HYBRID	4	EBLA16DW17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	2	D2HWS060	57,0	91,0	0,42	EKCC(9)-W	PdC MT in applicazione LT
SENSEI HYBRID	4	EBLA16DW17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	3	D2HWS060	57,0	91,0	0,28	EKCC(9)-W	PdC MT in applicazione LT
SENSEI HYBRID	4	EBLA16DW17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	2	D2HWS100	92,0	93,0	0,26	EKCC(9)-W	PdC MT in applicazione LT
SENSEI HYBRID	4	EBLA16DW17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	1	D2HWS150	139,0	94,0	0,35	EKCC(9)-W	PdC MT in applicazione LT
SENSEI HYBRID	4	EWYE050CZN-A2	-	Aria/acqua a bassa temperatura	43,266	Si	146	3,72	3	D2HWS150	139,0	94,0	0,42	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	4	EWYE050CZP-A2	-	Aria/acqua a bassa temperatura	42,871	Si	152	3,87	3	D2HWS150	139,0	94,0	0,41	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	4	EWYE060CZN-A2	-	Aria/acqua a bassa temperatura	43,266	Si	146	3,72	4	D2HWS150	139,0	94,0	0,31	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	4	EWYE060CZP-A2	-	Aria/acqua a bassa temperatura	42,871	Si	152	3,87	4	D2HWS150	139,0	94,0	0,31	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	4	EWYE070CZN-A2	-	Aria/acqua a bassa temperatura	53,056	Si	157	4,00	5	D2HWS150	139,0	94,0	0,31	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	4	EWYE070CZP-A2	-	Aria/acqua a bassa temperatura	52,649	Si	159	4,06	5	D2HWS150	139,0	94,0	0,30	EKRSCIOC	PdC MT in applicazione LT
SENSEI HYBRID	4	EWYT064CZH-A2	-	Aria/acqua a bassa temperatura	48,81	Si	155	3,94	5	D2HWS150	139,0	94,0	0,28	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	4	EWYT064CZH-A2	-	Aria/acqua a bassa temperatura	48,81	Si	155	3,94	4	D2HWS150	139,0	94,0	0,35	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	4	EWYT064CZN-A2	-	Aria/acqua a bassa temperatura	49,16	Si	156	3,98	5	D2HWS150	139,0	94,0	0,28	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	4	EWYT064CZN-A2	-	Aria/acqua a bassa temperatura	49,16	Si	156	3,98	4	D2HWS150	139,0	94,0	0,35	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	4	EWYT064CZP-A2	-	Aria/acqua a bassa temperatura	48,88	Si	157	4,01	5	D2HWS150	139,0	94,0	0,28	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	4	EWYT064CZP-A2	-	Aria/acqua a bassa temperatura	48,88	Si	157	4,01	4	D2HWS150	139,0	94,0	0,35	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	4	EWYT090CZH-A2	-	Aria/acqua a bassa temperatura	68,19	Si	157	4,00	4	D2HWS150	139,0	94,0	0,49	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	4	EWYT090CZH-A2	-	Aria/acqua a bassa temperatura	68,19	Si	157	4,00	5	D2HWS150	139,0	94,0	0,39	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	4	EWYT090CZH-A2	-	Aria/acqua a bassa temperatura	68,19	Si	157	4,00	6	D2HWS150	139,0	94,0	0,33	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	4	EWYT090CZN-A2	-	Aria/acqua a bassa temperatura	68,56	Si	157	4,00	4	D2HWS150	139,0	94,0	0,49	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	4	EWYT090CZN-A2	-	Aria/acqua a bassa temperatura	68,56	Si	157	4,00	5	D2HWS150	139,0	94,0	0,40	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	4	EWYT090CZN-A2	-	Aria/acqua a bassa temperatura	68,56	Si	157	4,00	6	D2HWS150	139,0	94,0	0,33	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	4	EWYT090CZP-A2	-	Aria/acqua a bassa temperatura	68,23	Si	159	4,04	4	D2HWS150	139,0	94,0	0,49	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	4	EWYT090CZP-A2	-	Aria/acqua a bassa temperatura	68,23	Si	159	4,04	5	D2HWS150	139,0	94,0	0,39	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	4	EWYT090CZP-A2	-	Aria/acqua a bassa temperatura	68,23	Si	159	4,04	6	D2HWS150	139,0	94,0	0,33	EKRSCIOH	PdC MT in applicazione LT
SENSEI HYBRID	4	EBLA16D3V37	-	Aria/acqua	12	Si	132	3,37	2	D2HWS060	57,0	91,0	0,42	EKCC(9)-W	PdC MT in applicazione MT
SENSEI HYBRID	4	EBLA16D3V37	-	Aria/acqua	12	Si	132	3,37	3	D2HWS060	57,0	91,0	0,28	EKCC(9)-W	PdC MT in applicazione MT
SENSEI HYBRID	4	EBLA16D3V37	-	Aria/acqua	12	Si	132	3,37	2	D2HWS100	92,0	93,0	0,26	EKCC(9)-W	PdC MT in applicazione MT
SENSEI HYBRID	4	EBLA16D3V37	-	Aria/acqua	12	Si	132	3,37	1	D2HWS150	139,0	94,0	0,35	EKCC(9)-W	PdC MT in applicazione MT
SENSEI HYBRID	4	EBLA16D3W17	-	Aria/acqua	12	Si	132	3,37	2	D2HWS060	57,0	91,0	0,42	EKCC(9)-W	PdC MT in applicazione MT
SENSEI HYBRID	4	EBLA16D3W17	-	Aria/acqua	12	Si	132	3,37	3	D2HWS060	57,0	91,0	0,28	EKCC(9)-W	PdC MT in applicazione MT
SENSEI HYBRID	4	EBLA16D3W17	-	Aria/acqua	12	Si	132	3,37	2	D2HWS100	92,0	93,0	0,26	EKCC(9)-W	PdC MT in applicazione MT
SENSEI HYBRID	4	EBLA16D3W17	-	Aria/acqua	12	Si	132	3,37	1	D2HWS150	139,0	94,0	0,35	EKCC(9)-W	PdC MT in applicazione MT
SENSEI HYBRID	4	EBLA16DV37	-	Aria/acqua	12	Si	132	3,37	2	D2HWS060	57,0	91,0	0,42	EKCC(9)-W	PdC MT in applicazione MT
SENSEI HYBRID	4	EBLA16DV37	-	Aria/acqua	12	Si	132	3,37	3	D2HWS060	57,0	91,0	0,28	EKCC(9)-W	PdC MT in applicazione MT
SENSEI HYBRID	4	EBLA16DV37	-	Aria/acqua	12	Si	132	3,37	2	D2HWS100	92,0	93,0	0,26	EKCC(9)-W	PdC MT in applicazione MT
SENSEI HYBRID	4	EBLA16DV37	-	Aria/acqua	12	Si	132	3,37	1	D2HWS150	139,0	94,0	0,35	EKCC(9)-W	PdC MT in applicazione MT
SENSEI HYBRID	4	EBLA16DW17	-	Aria/acqua	12	Si	132	3,37	2	D2HWS060	57,0	91,0	0,42	EKCC(9)-W	PdC MT in applicazione MT
SENSEI HYBRID	4	EBLA16DW17	-	Aria/acqua	12	Si	132	3,37	3	D2HWS060	57,0	91,0	0,28	EKCC(9)-W	PdC MT in applicazione MT
SENSEI HYBRID	4	EBLA16DW17	-	Aria/acqua	12	Si	132	3,37	2	D2HWS100	92,0	93,0	0,26	EKCC(9)-W	PdC MT in applicazione MT
SENSEI HYBRID	4	EBLA16DW17	-	Aria/acqua	12	Si	132	3,37	1	D2HWS150	139,0	94,0	0,35	EKCC(9)-W	PdC MT in applicazione MT
SENSEI HYBRID	4	EWYE050CZN-A2	-	Aria/acqua	42,429	Si	110	2,83	3	D2HWS150	139,0	94,0	0,41	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	4	EWYE050CZP-A2	-	Aria/acqua	42,192	Si	110	2,83	3	D2HWS150	139,0	94,0	0,40	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	4	EWYE060CZN-A2	-	Aria/acqua	42,429	Si	110	2,83	4	D2HWS150	139,0	94,0	0,31	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	4	EWYE060CZP-A2	-	Aria/acqua	42,192	Si	110	2,83	4	D2HWS150	139,0	94,0	0,30	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	4	EWYE070CZN-A2	-	Aria/acqua	52,96	Si	117	3,01	5	D2HWS150	139,0	94,0	0,31	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	4	EWYE070CZP-A2	-	Aria/acqua	52,621	Si	118	3,02	5	D2HWS150	139,0	94,0	0,30	EKRSCIOC	PdC MT in applicazione MT
SENSEI HYBRID	4	EWYT064CZH-A2	-	Aria/acqua	43	Si	111	2,84	5	D2HWS150	139,0	94,0	0,25	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	4	EWYT064CZH-A2	-	Aria/acqua	43	Si	111	2,84	4	D2HWS150	139,0	94,0	0,31	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	4	EWYT064CZN-A2	-	Aria/acqua	44	Si	113	2,90	5	D2HWS150	139,0	94,0	0,25	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	4	EWYT064CZN-A2	-	Aria/acqua	44	Si	113	2,90	4	D2HWS150	139,0	94,0	0,32	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	4	EWYT064CZP-A2	-	Aria/acqua	43,42	Si	112	2,87	5	D2HWS150	139,0	94,0	0,25	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	4	EWYT064CZP-A2	-	Aria/acqua	43,42	Si	112	2,87	4	D2HWS150	139,0	94,0	0,31	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	4	EWYT090CZH-A2	-	Aria/acqua	60	Si	112	2,88	4	D2HWS150	139,0	94,0	0,43	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	4	EWYT090CZH-A2	-	Aria/acqua	60	Si	112	2,88	5	D2HWS150	139,0	94,0	0,35	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	4	EWYT090CZH-A2	-	Aria/acqua	60	Si	112	2,88	6	D2HWS150	139,0	94,0	0,29	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	4	EWYT090CZN-A2	-	Aria/acqua	60	Si	113	2,89	4	D2HWS150	139,0	94,0	0,43	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	4	EWYT090CZN-A2	-	Aria/acqua	60	Si	113	2,89	5	D2HWS150	139,0	94,0	0,35	EKRSCIOH	PdC MT in applicazione MT

SENSEI HYBRID	4	EWYT090CZN-A2	-	Aria/acqua	60	Si	113	2,89	6	D2HWS150	139,0	94,0	0,29	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	4	EWYT090CZP-A2	-	Aria/acqua	59,91	Si	113	2,91	4	D2HWS150	139,0	94,0	0,43	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	4	EWYT090CZP-A2	-	Aria/acqua	59,91	Si	113	2,91	5	D2HWS150	139,0	94,0	0,35	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	4	EWYT090CZP-A2	-	Aria/acqua	59,91	Si	113	2,91	6	D2HWS150	139,0	94,0	0,29	EKRSCIOH	PdC MT in applicazione MT
SENSEI HYBRID	5	EBLA16D3V37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	3	D2HWS060	57,0	91,0	0,35	EKCC(9)-W	PdC MT in applicazione LT
SENSEI HYBRID	5	EBLA16D3V37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	2	D2HWS100	92,0	93,0	0,33	EKCC(9)-W	PdC MT in applicazione LT
SENSEI HYBRID	5	EBLA16D3V37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	1	D2HWS150	139,0	94,0	0,43	EKCC(9)-W	PdC MT in applicazione LT
SENSEI HYBRID	5	EBLA16D3W17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	3	D2HWS060	57,0	91,0	0,35	EKCC(9)-W	PdC MT in applicazione LT
SENSEI HYBRID	5	EBLA16D3W17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	2	D2HWS100	92,0	93,0	0,33	EKCC(9)-W	PdC MT in applicazione LT
SENSEI HYBRID	5	EBLA16D3W17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	1	D2HWS150	139,0	94,0	0,43	EKCC(9)-W	PdC MT in applicazione LT
SENSEI HYBRID	5	EBLA16DV37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	3	D2HWS060	57,0	91,0	0,35	EKCC(9)-W	PdC MT in applicazione LT
SENSEI HYBRID	5	EBLA16DV37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	2	D2HWS100	92,0	93,0	0,33	EKCC(9)-W	PdC MT in applicazione LT
SENSEI HYBRID	5	EBLA16DV37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	1	D2HWS150	139,0	94,0	0,43	EKCC(9)-W	PdC MT in applicazione LT
SENSEI HYBRID	5	EBLA16DW17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	3	D2HWS060	57,0	91,0	0,35	EKCC(9)-W	PdC MT in applicazione LT
SENSEI HYBRID	5	EBLA16DW17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	2	D2HWS100	92,0	93,0	0,33	EKCC(9)-W	PdC MT in applicazione LT
SENSEI HYBRID	5	EBLA16DW17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	1	D2HWS150	139,0	94,0	0,43	EKCC(9)-W	PdC MT in applicazione LT
SENSEI HYBRID	5	EBLA16D3V37	-	Aria/acqua	12	Si	132	3,37	3	D2HWS060	57,0	91,0	0,35	EKCC(9)-W	PdC MT in applicazione MT
SENSEI HYBRID	5	EBLA16D3V37	-	Aria/acqua	12	Si	132	3,37	2	D2HWS100	92,0	93,0	0,33	EKCC(9)-W	PdC MT in applicazione MT
SENSEI HYBRID	5	EBLA16D3V37	-	Aria/acqua	12	Si	132	3,37	1	D2HWS150	139,0	94,0	0,43	EKCC(9)-W	PdC MT in applicazione MT
SENSEI HYBRID	5	EBLA16D3W17	-	Aria/acqua	12	Si	132	3,37	3	D2HWS060	57,0	91,0	0,35	EKCC(9)-W	PdC MT in applicazione MT
SENSEI HYBRID	5	EBLA16D3W17	-	Aria/acqua	12	Si	132	3,37	2	D2HWS100	92,0	93,0	0,33	EKCC(9)-W	PdC MT in applicazione MT
SENSEI HYBRID	5	EBLA16D3W17	-	Aria/acqua	12	Si	132	3,37	1	D2HWS150	139,0	94,0	0,43	EKCC(9)-W	PdC MT in applicazione MT
SENSEI HYBRID	5	EBLA16DV37	-	Aria/acqua	12	Si	132	3,37	3	D2HWS060	57,0	91,0	0,35	EKCC(9)-W	PdC MT in applicazione MT
SENSEI HYBRID	5	EBLA16DV37	-	Aria/acqua	12	Si	132	3,37	2	D2HWS100	92,0	93,0	0,33	EKCC(9)-W	PdC MT in applicazione MT
SENSEI HYBRID	5	EBLA16DV37	-	Aria/acqua	12	Si	132	3,37	1	D2HWS150	139,0	94,0	0,43	EKCC(9)-W	PdC MT in applicazione MT
SENSEI HYBRID	5	EBLA16DW17	-	Aria/acqua	12	Si	132	3,37	3	D2HWS060	57,0	91,0	0,35	EKCC(9)-W	PdC MT in applicazione MT
SENSEI HYBRID	5	EBLA16DW17	-	Aria/acqua	12	Si	132	3,37	2	D2HWS100	92,0	93,0	0,33	EKCC(9)-W	PdC MT in applicazione MT
SENSEI HYBRID	5	EBLA16DW17	-	Aria/acqua	12	Si	132	3,37	1	D2HWS150	139,0	94,0	0,43	EKCC(9)-W	PdC MT in applicazione MT
SENSEI HYBRID	6	EBLA16D3V37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	3	D2HWS060	57,0	91,0	0,42	EKCC(9)-W	PdC MT in applicazione LT
SENSEI HYBRID	6	EBLA16D3V37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	2	D2HWS100	92,0	93,0	0,39	EKCC(9)-W	PdC MT in applicazione LT
SENSEI HYBRID	6	EBLA16D3W17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	3	D2HWS060	57,0	91,0	0,42	EKCC(9)-W	PdC MT in applicazione LT
SENSEI HYBRID	6	EBLA16D3W17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	2	D2HWS100	92,0	93,0	0,39	EKCC(9)-W	PdC MT in applicazione LT
SENSEI HYBRID	6	EBLA16DV37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	3	D2HWS060	57,0	91,0	0,42	EKCC(9)-W	PdC MT in applicazione LT
SENSEI HYBRID	6	EBLA16DV37	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	2	D2HWS100	92,0	93,0	0,39	EKCC(9)-W	PdC MT in applicazione LT
SENSEI HYBRID	6	EBLA16DW17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	3	D2HWS060	57,0	91,0	0,42	EKCC(9)-W	PdC MT in applicazione LT
SENSEI HYBRID	6	EBLA16DW17	-	Aria/acqua a bassa temperatura	12	Si	185	4,69	2	D2HWS100	92,0	93,0	0,39	EKCC(9)-W	PdC MT in applicazione LT
SENSEI HYBRID	6	EBLA16D3V37	-	Aria/acqua	12	Si	132	3,37	3	D2HWS060	57,0	91,0	0,42	EKCC(9)-W	PdC MT in applicazione MT
SENSEI HYBRID	6	EBLA16D3V37	-	Aria/acqua	12	Si	132	3,37	2	D2HWS100	92,0	93,0	0,39	EKCC(9)-W	PdC MT in applicazione MT
SENSEI HYBRID	6	EBLA16D3W17	-	Aria/acqua	12	Si	132	3,37	3	D2HWS060	57,0	91,0	0,42	EKCC(9)-W	PdC MT in applicazione MT
SENSEI HYBRID	6	EBLA16D3W17	-	Aria/acqua	12	Si	132	3,37	2	D2HWS100	92,0	93,0	0,39	EKCC(9)-W	PdC MT in applicazione MT
SENSEI HYBRID	6	EBLA16DV37	-	Aria/acqua	12	Si	132	3,37	3	D2HWS060	57,0	91,0	0,42	EKCC(9)-W	PdC MT in applicazione MT
SENSEI HYBRID	6	EBLA16DV37	-	Aria/acqua	12	Si	132	3,37	2	D2HWS100	92,0	93,0	0,39	EKCC(9)-W	PdC MT in applicazione MT
SENSEI HYBRID	6	EBLA16DW17	-	Aria/acqua	12	Si	132	3,37	3	D2HWS060	57,0	91,0	0,42	EKCC(9)-W	PdC MT in applicazione MT
SENSEI HYBRID	6	EBLA16DW17	-	Aria/acqua	12	Si	132	3,37	2	D2HWS100	92,0	93,0	0,39	EKCC(9)-W	PdC MT in applicazione MT